

Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
03/14/2005 07:00	EST	UPNY CONED	23315	BASE CASE	0.63
03/14/2005 08:00	EST	UPNY CONED	23315	BASE CASE	5.64
03/14/2005 09:00	EST	UPNY CONED	23315	BASE CASE	8.03
03/14/2005 10:00	EST	UPNY CONED	23315	BASE CASE	16.02
03/14/2005 11:00	EST	UPNY CONED	23315	BASE CASE	18.24
03/14/2005 12:00	EST	UPNY CONED	23315	BASE CASE	14.33
03/14/2005 13:00	EST	UPNY CONED	23315	BASE CASE	16.07
03/14/2005 14:00	EST	UPNY CONED	23315	BASE CASE	13.58
03/14/2005 15:00	EST	UPNY CONED	23315	BASE CASE	20.86
03/14/2005 16:00	EST	UPNY CONED	23315	BASE CASE	20
03/14/2005 17:00	EST	UPNY CONED	23315	BASE CASE	14.47
03/14/2005 18:00	EST	UPNY CONED	23315	BASE CASE	20.74
03/14/2005 19:00	EST	UPNY CONED	23315	BASE CASE	13.6
03/14/2005 20:00	EST	UPNY CONED	23315	BASE CASE	11.33
03/14/2005 21:00	EST	UPNY CONED	23315	BASE CASE	15.04
03/14/2005 22:00	EST	UPNY CONED	23315	BASE CASE	3.33
03/14/2005 07:00	EST	W49TH_ST 345 SPRNBRK 345 1	25053	BASE CASE	-7.7
03/14/2005 08:00	EST	W49TH_ST 345 SPRNBRK 345 1	25053	BASE CASE	-7.72
03/14/2005 09:00	EST	W49TH_ST 345 SPRNBRK 345 1	25053	BASE CASE	-17.65
03/14/2005 10:00	EST	W49TH_ST 345 SPRNBRK 345 1	25053	BASE CASE	-8.87
03/14/2005 11:00	EST	W49TH_ST 345 SPRNBRK 345 1	25053	BASE CASE	-9.02
03/14/2005 12:00	EST	W49TH_ST 345 SPRNBRK 345 1	25053	BASE CASE	-16.38
03/14/2005 13:00	EST	W49TH_ST 345 SPRNBRK 345 1	25053	BASE CASE	-16.28
03/14/2005 14:00	EST	W49TH_ST 345 SPRNBRK 345 1	25053	BASE CASE	-21.58
03/14/2005 15:00	EST	W49TH_ST 345 SPRNBRK 345 1	25053	BASE CASE	-12.68
03/14/2005 16:00	EST	W49TH_ST 345 SPRNBRK 345 1	25053	BASE CASE	-6.97
03/14/2005 17:00	EST	W49TH_ST 345 SPRNBRK 345 1	25053	BASE CASE	-19.2
03/14/2005 20:00	EST	W49TH_ST 345 SPRNBRK 345 1	25053	BASE CASE	-0.02
03/14/2005 22:00	EST	W49TH_ST 345 SPRNBRK 345 1	25053	BASE CASE	-0.02
03/14/2005 23:00	EST	HQ ACITVE DNI	991	ACTIVE DNI	-0.02
03/14/2005 07:00	EST	OH ACITVE DNI	993	ACTIVE DNI	-0.5
03/14/2005 23:00	EST	OH ACITVE DNI	993	ACTIVE DNI	3.76
03/14/2005 07:00	EST	RAINEY 345 DUNWODIE 345 2	25191	DUNWODIE-RAINEY___345_71	-9.85
03/14/2005 08:00	EST	RAINEY 345 DUNWODIE 345 2	25191	DUNWODIE-RAINEY___345_71	-9.87
03/14/2005 09:00	EST	RAINEY 345 DUNWODIE 345 2	25191	DUNWODIE-RAINEY___345_71	-22.62
03/14/2005 10:00	EST	RAINEY 345 DUNWODIE 345 2	25191	DUNWODIE-RAINEY___345_71	-11.35
03/14/2005 11:00	EST	RAINEY 345 DUNWODIE 345 2	25191	DUNWODIE-RAINEY___345_71	-11.54
03/14/2005 12:00	EST	RAINEY 345 DUNWODIE 345 2	25191	DUNWODIE-RAINEY___345_71	-20.99
03/14/2005 13:00	EST	RAINEY 345 DUNWODIE 345 2	25191	DUNWODIE-RAINEY___345_71	-20.87
03/14/2005 14:00	EST	RAINEY 345 DUNWODIE 345 2	25191	DUNWODIE-RAINEY___345_71	-27.67
03/14/2005 15:00	EST	RAINEY 345 DUNWODIE 345 2	25191	DUNWODIE-RAINEY___345_71	-16.24
03/14/2005 16:00	EST	RAINEY 345 DUNWODIE 345 2	25191	DUNWODIE-RAINEY___345_71	-8.91
03/14/2005 17:00	EST	RAINEY 345 DUNWODIE 345 2	25191	DUNWODIE-RAINEY___345_71	-24.61
03/14/2005 00:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	0.39
03/14/2005 01:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	1.07
03/14/2005 02:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	2.81
03/14/2005 03:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	3.19
03/14/2005 04:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	1.45
03/14/2005 21:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	2.41
03/14/2005 22:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	4.47