

# Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
03/18/2005 08:00	EST	CENTRAL EAST - VC	23330	BASE CASE	1.3
03/18/2005 09:00	EST	CENTRAL EAST - VC	23330	BASE CASE	17.36
03/18/2005 10:00	EST	CENTRAL EAST - VC	23330	BASE CASE	24.12
03/18/2005 11:00	EST	CENTRAL EAST - VC	23330	BASE CASE	28.06
03/18/2005 12:00	EST	CENTRAL EAST - VC	23330	BASE CASE	16.72
03/18/2005 13:00	EST	CENTRAL EAST - VC	23330	BASE CASE	19.53
03/18/2005 14:00	EST	CENTRAL EAST - VC	23330	BASE CASE	24.28
03/18/2005 15:00	EST	CENTRAL EAST - VC	23330	BASE CASE	22.78
03/18/2005 16:00	EST	CENTRAL EAST - VC	23330	BASE CASE	30.21
03/18/2005 17:00	EST	CENTRAL EAST - VC	23330	BASE CASE	27.55
03/18/2005 18:00	EST	CENTRAL EAST - VC	23330	BASE CASE	15.71
03/18/2005 19:00	EST	CENTRAL EAST - VC	23330	BASE CASE	10.64
03/18/2005 20:00	EST	CENTRAL EAST - VC	23330	BASE CASE	15.11
03/18/2005 21:00	EST	CENTRAL EAST - VC	23330	BASE CASE	18.83
03/18/2005 22:00	EST	CENTRAL EAST - VC	23330	BASE CASE	16.45
03/18/2005 08:00	EST	DYSINGER EAST	23326	BASE CASE	0.12
03/18/2005 09:00	EST	DYSINGER EAST	23326	BASE CASE	1.65
03/18/2005 10:00	EST	DYSINGER EAST	23326	BASE CASE	2.3
03/18/2005 11:00	EST	DYSINGER EAST	23326	BASE CASE	2.68
03/18/2005 12:00	EST	DYSINGER EAST	23326	BASE CASE	1.59
03/18/2005 13:00	EST	DYSINGER EAST	23326	BASE CASE	1.86
03/18/2005 14:00	EST	DYSINGER EAST	23326	BASE CASE	2.32
03/18/2005 15:00	EST	DYSINGER EAST	23326	BASE CASE	2.17
03/18/2005 16:00	EST	DYSINGER EAST	23326	BASE CASE	2.88
03/18/2005 17:00	EST	DYSINGER EAST	23326	BASE CASE	2.63
03/18/2005 18:00	EST	DYSINGER EAST	23326	BASE CASE	1.5
03/18/2005 19:00	EST	DYSINGER EAST	23326	BASE CASE	1.01
03/18/2005 20:00	EST	DYSINGER EAST	23326	BASE CASE	1.44
03/18/2005 21:00	EST	DYSINGER EAST	23326	BASE CASE	1.79
03/18/2005 22:00	EST	DYSINGER EAST	23326	BASE CASE	1.57
03/18/2005 09:00	EST	UPNY CONED	23315	BASE CASE	1.57
03/18/2005 10:00	EST	UPNY CONED	23315	BASE CASE	6.08
03/18/2005 11:00	EST	UPNY CONED	23315	BASE CASE	0.54
03/18/2005 12:00	EST	UPNY CONED	23315	BASE CASE	4.67
03/18/2005 13:00	EST	UPNY CONED	23315	BASE CASE	2.39
03/18/2005 14:00	EST	UPNY CONED	23315	BASE CASE	1.15
03/18/2005 15:00	EST	UPNY CONED	23315	BASE CASE	3.06
03/18/2005 17:00	EST	UPNY CONED	23315	BASE CASE	3.25
03/18/2005 07:00	EST	W49TH_ST 345 SPRNBRK 345 1	25053	BASE CASE	-0.02
03/18/2005 08:00	EST	W49TH_ST 345 SPRNBRK 345 1	25053	BASE CASE	-0.02
03/18/2005 09:00	EST	W49TH_ST 345 SPRNBRK 345 1	25053	BASE CASE	-0.05
03/18/2005 10:00	EST	W49TH_ST 345 SPRNBRK 345 1	25053	BASE CASE	-1.76
03/18/2005 11:00	EST	W49TH_ST 345 SPRNBRK 345 1	25053	BASE CASE	-7.06
03/18/2005 12:00	EST	W49TH_ST 345 SPRNBRK 345 1	25053	BASE CASE	-1.86
03/18/2005 13:00	EST	W49TH_ST 345 SPRNBRK 345 1	25053	BASE CASE	-5.85
03/18/2005 14:00	EST	W49TH_ST 345 SPRNBRK 345 1	25053	BASE CASE	-5.3
03/18/2005 15:00	EST	W49TH_ST 345 SPRNBRK 345 1	25053	BASE CASE	-3.16
03/18/2005 16:00	EST	W49TH_ST 345 SPRNBRK 345 1	25053	BASE CASE	-2.31
03/18/2005 17:00	EST	W49TH_ST 345 SPRNBRK 345 1	25053	BASE CASE	-0.02
03/18/2005 18:00	EST	W49TH_ST 345 SPRNBRK 345 1	25053	BASE CASE	-0.02
03/18/2005 23:00	EST	HQ ACITVE DNI	991	ACTIVE DNI	-0.94
03/18/2005 06:00	EST	PJM ACITVE DNI	994	ACTIVE DNI	-4.04
03/18/2005 06:00	EST		990	ACTIVE DNI	-0.78
03/18/2005 16:00	EST	EGRDNCTY 138 VALLYSTR 138 1	25244	BUS:NEWBRG 461, BK6	0.04
03/18/2005 10:00	EST	RAINEY 345 DUNWODIE 345 2	25191	DUNWODIE-RAINEY___345_71	-2.15
03/18/2005 11:00	EST	RAINEY 345 DUNWODIE 345 2	25191	DUNWODIE-RAINEY___345_71	-9.06
03/18/2005 12:00	EST	RAINEY 345 DUNWODIE 345 2	25191	DUNWODIE-RAINEY___345_71	-2.34
03/18/2005 13:00	EST	RAINEY 345 DUNWODIE 345 2	25191	DUNWODIE-RAINEY___345_71	-7.5
03/18/2005 14:00	EST	RAINEY 345 DUNWODIE 345 2	25191	DUNWODIE-RAINEY___345_71	-6.78
03/18/2005 15:00	EST	RAINEY 345 DUNWODIE 345 2	25191	DUNWODIE-RAINEY___345_71	-3.96

03/18/2005 16:00	EST	RAINEY 345 DUNWODIE 345 2	25191	DUNWODIE-RAINEY___345_71	-2.93
03/18/2005 00:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	0.35
03/18/2005 01:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	13.97
03/18/2005 02:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	15.76
03/18/2005 03:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	15.26
03/18/2005 04:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	13.96
03/18/2005 11:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	8.46
03/18/2005 12:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	2.63
03/18/2005 13:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	0.76
03/18/2005 17:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	5.59
03/18/2005 19:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	2.49
03/18/2005 20:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	6.75
03/18/2005 21:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	12.54
03/18/2005 22:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	20.34
03/18/2005 23:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	15.34