

Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
05/09/2005 07:00	EDT	HQ ACITVE DNI	991	ACTIVE DNI	0.22
05/09/2005 23:00	EDT	HQ ACITVE DNI	991	ACTIVE DNI	-0.05
05/09/2005 23:00	EDT	OH ACITVE DNI	993	ACTIVE DNI	0.17
05/09/2005 22:00	EDT		990	ACTIVE DNI	0.25
05/09/2005 00:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	23.12
05/09/2005 01:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	16.8
05/09/2005 02:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	14.82
05/09/2005 03:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	9.2
05/09/2005 04:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	10.08
05/09/2005 05:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	19.46
05/09/2005 06:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	0.76
05/09/2005 08:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	1.82
05/09/2005 09:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	0.88
05/09/2005 10:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	0.04
05/09/2005 11:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	0.74
05/09/2005 17:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	3.52
05/09/2005 18:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	3.82
05/09/2005 19:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	5.02
05/09/2005 20:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	6.07
05/09/2005 21:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	10.33
05/09/2005 22:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	17.19
05/09/2005 23:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	17.78