

Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
11/25/2005 10:00	EST	CENTRAL EAST - VC	23330	BASE CASE	0.05
11/25/2005 11:00	EST	CENTRAL EAST - VC	23330	BASE CASE	2.07
11/25/2005 11:00	EST	DYSINGER EAST	23326	BASE CASE	0.2
11/25/2005 07:00	EST	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	4.09
11/25/2005 08:00	EST	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	7.72
11/25/2005 09:00	EST	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	3.41
11/25/2005 10:00	EST	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	16.49
11/25/2005 11:00	EST	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	22.22
11/25/2005 12:00	EST	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	14.88
11/25/2005 13:00	EST	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	24.52
11/25/2005 14:00	EST	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	14.88
11/25/2005 15:00	EST	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	21.11
11/25/2005 18:00	EST	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	27.64
11/25/2005 19:00	EST	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	42.19
11/25/2005 20:00	EST	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	38.83
11/25/2005 21:00	EST	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	76.82
11/25/2005 22:00	EST	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	18.05
11/25/2005 23:00	EST	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	7.9
11/25/2005 17:00	EST	GOETHLSS 345 GOWANUSS 345 1	25571	BASE CASE	19.15
11/25/2005 18:00	EST	GOETHLSS 345 GOWANUSS 345 1	25571	BASE CASE	17.27
11/25/2005 07:00	EST	HUDS_AVE 138 JAMAICA 138 1	25294	BASE CASE	4.04
11/25/2005 23:00	EST	HUDS_AVE 138 JAMAICA 138 1	25294	BASE CASE	7.79
11/25/2005 07:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	4.14
11/25/2005 08:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	7.79
11/25/2005 09:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	3.45
11/25/2005 10:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	16.64
11/25/2005 11:00	EST	RAINEY 138 VERNON 138 1	25296	BASE CASE	22.05
11/25/2005 12:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	15.01
11/25/2005 13:00	EST	RAINEY 138 VERNON 138 1	25296	BASE CASE	24.33
11/25/2005 14:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	15.01
11/25/2005 15:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	21.28
11/25/2005 18:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	27.87
11/25/2005 19:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	42.54
11/25/2005 20:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	39.16
11/25/2005 21:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	77.45
11/25/2005 22:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	16.23
11/25/2005 23:00	EST	NEAC ACTIVE DNI	992	ACTIVE DNI	-2.12
11/25/2005 00:00	EST	PJM ACTIVE DNI	994	ACTIVE DNI	16.07
11/25/2005 06:00	EST	PJM ACTIVE DNI	994	ACTIVE DNI	-2
11/25/2005 22:00	EST	PJM ACTIVE DNI	994	ACTIVE DNI	5.43
11/25/2005 22:00	EST	RAINEY 345 DUNWODIE 345 2	25191	DUNWODIE-RAINEY___345_71	-11.72
11/25/2005 23:00	EST	RAINEY 345 DUNWODIE 345 2	25191	DUNWODIE-RAINEY___345_71	-47.55
11/25/2005 01:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	18.77
11/25/2005 02:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	21.48
11/25/2005 03:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	21.74
11/25/2005 04:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	17.81
11/25/2005 16:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	5
11/25/2005 17:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	22.63
11/25/2005 18:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	16
11/25/2005 19:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	37.94
11/25/2005 20:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	40.52
11/25/2005 21:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	24.74
11/25/2005 22:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	28.39
11/25/2005 23:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	12.51