

# Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
11/18/2005 16:00	EST	W49TH_ST 345 SPRNBRK 345 1	25053	BASE CASE	-0.25
11/18/2005 06:00	EST	PJM ACTIVE DNI	994	ACTIVE DNI	-9.52
11/18/2005 23:00	EST	PJM ACTIVE DNI	994	ACTIVE DNI	1.44
11/18/2005 17:00	EST		990	ACTIVE DNI	-3.48
11/18/2005 16:00	EST	RAINEY 345 DUNWODIE 345 2	25191	DUNWODIE-RAINEY___345_71	-0.22
11/18/2005 00:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	2.6
11/18/2005 01:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	7.11
11/18/2005 02:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	7.33
11/18/2005 03:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	8.75
11/18/2005 04:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	6.26
11/18/2005 16:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	4.41
11/18/2005 19:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	5.31
11/18/2005 21:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	2.24
11/18/2005 22:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	4.19