

Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
12/23/2005 13:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.31
12/23/2005 14:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.33
12/23/2005 06:00	EST	H Q ACTIVE DNI	991	ACTIVE DNI	5
12/23/2005 23:00	EST	H Q ACTIVE DNI	991	ACTIVE DNI	-1.68
12/23/2005 00:00	EST	PJM ACTIVE DNI	994	ACTIVE DNI	2.92
12/23/2005 05:00	EST	PJM ACTIVE DNI	994	ACTIVE DNI	-1.48
12/23/2005 22:00	EST	PJM ACTIVE DNI	994	ACTIVE DNI	0.36
12/23/2005 13:00	EST	W49TH_ST 345 SPRNBRK 345 1	25223	SCB:SPBK (RS3): W75, 99941	-2.96
12/23/2005 14:00	EST	W49TH_ST 345 SPRNBRK 345 1	25223	SCB:SPBK (RS3): W75, 99941	-3.16
12/23/2005 00:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	1.52
12/23/2005 01:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	2.22
12/23/2005 02:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	4.12
12/23/2005 03:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	6.89
12/23/2005 04:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	2.68
12/23/2005 17:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	27.74
12/23/2005 18:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	23.68
12/23/2005 19:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	39.41
12/23/2005 20:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	46.13
12/23/2005 21:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	42.41
12/23/2005 22:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	7.65