

# Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
12/13/2005 20:00	EST	ASTORIAE 138 HELLG_T_E 138 1	25323	BASE CASE	-35.9
12/13/2005 10:00	EST	QUENBRDG 138 VERNON 138 1	25159	BASE CASE	-4.92
12/13/2005 11:00	EST	QUENBRDG 138 VERNON 138 1	25159	BASE CASE	-8.72
12/13/2005 12:00	EST	QUENBRDG 138 VERNON 138 1	25159	BASE CASE	-11.96
12/13/2005 13:00	EST	QUENBRDG 138 VERNON 138 1	25159	BASE CASE	-14.61
12/13/2005 14:00	EST	QUENBRDG 138 VERNON 138 1	25159	BASE CASE	-16.09
12/13/2005 15:00	EST	QUENBRDG 138 VERNON 138 1	25159	BASE CASE	-14.21
12/13/2005 20:00	EST	QUENBRDG 138 VERNON 138 1	25159	BASE CASE	-4.63
12/13/2005 21:00	EST	QUENBRDG 138 VERNON 138 1	25159	BASE CASE	-10.45
12/13/2005 14:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.05
12/13/2005 07:00	EST	O H ACTIVE DNI	993	ACTIVE DNI	-10.37
12/13/2005 06:00	EST	PJM ACTIVE DNI	994	ACTIVE DNI	-6.24
12/13/2005 07:00	EST		990	ACTIVE DNI	-4.58
12/13/2005 22:00	EST		990	ACTIVE DNI	4.22
12/13/2005 23:00	EST		990	ACTIVE DNI	1.79
12/13/2005 14:00	EST	W49TH_ST 345 SPRNBRK 345 1	25223	SCB:SPBK (RS3): W75, 99941	-0.82
12/13/2005 12:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	0.97
12/13/2005 13:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	1.66
12/13/2005 15:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	1.72
12/13/2005 16:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	10.34
12/13/2005 17:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	22.91
12/13/2005 18:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	16.91
12/13/2005 19:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	34.88
12/13/2005 20:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	48.69
12/13/2005 21:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	54.81
12/13/2005 22:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	11.15