

Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
12/27/2005 11:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.51
12/27/2005 12:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.81
12/27/2005 13:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	2.45
12/27/2005 14:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	2.98
12/27/2005 15:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	3.31
12/27/2005 16:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.72
12/27/2005 19:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.19
12/27/2005 20:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.6
12/27/2005 21:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.42
12/27/2005 22:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	2.91
12/27/2005 07:00	EST	H Q ACTIVE DNI	991	ACTIVE DNI	1.63
12/27/2005 16:00	EST	H Q ACTIVE DNI	991	ACTIVE DNI	3.36
12/27/2005 22:00	EST	H Q ACTIVE DNI	991	ACTIVE DNI	-0.04
12/27/2005 23:00	EST	H Q ACTIVE DNI	991	ACTIVE DNI	-0.55
12/27/2005 05:00	EST	NEAC ACTIVE DNI	992	ACTIVE DNI	2.74
12/27/2005 05:00	EST	PJM ACTIVE DNI	994	ACTIVE DNI	-0.41
12/27/2005 11:00	EST	W49TH_ST 345 SPRNBRK 345 1	25223	SCB:SPBK (RS3): W75, 99941	-4.99
12/27/2005 12:00	EST	W49TH_ST 345 SPRNBRK 345 1	25223	SCB:SPBK (RS3): W75, 99941	-7.97
12/27/2005 13:00	EST	W49TH_ST 345 SPRNBRK 345 1	25223	SCB:SPBK (RS3): W75, 99941	-23.88
12/27/2005 14:00	EST	W49TH_ST 345 SPRNBRK 345 1	25223	SCB:SPBK (RS3): W75, 99941	-29.04
12/27/2005 15:00	EST	W49TH_ST 345 SPRNBRK 345 1	25223	SCB:SPBK (RS3): W75, 99941	-32.22
12/27/2005 16:00	EST	W49TH_ST 345 SPRNBRK 345 1	25223	SCB:SPBK (RS3): W75, 99941	-7.1
12/27/2005 19:00	EST	W49TH_ST 345 SPRNBRK 345 1	25223	SCB:SPBK (RS3): W75, 99941	-1.91
12/27/2005 20:00	EST	W49TH_ST 345 SPRNBRK 345 1	25223	SCB:SPBK (RS3): W75, 99941	-5.79
12/27/2005 21:00	EST	W49TH_ST 345 SPRNBRK 345 1	25223	SCB:SPBK (RS3): W75, 99941	-4.11
12/27/2005 22:00	EST	W49TH_ST 345 SPRNBRK 345 1	25223	SCB:SPBK (RS3): W75, 99941	-28.29
12/27/2005 00:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	15.25
12/27/2005 01:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	16.78
12/27/2005 02:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	13.53
12/27/2005 03:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	14
12/27/2005 04:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	16.98
12/27/2005 05:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	8.68
12/27/2005 16:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	1.08
12/27/2005 17:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	40.79
12/27/2005 18:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	29.95
12/27/2005 19:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	40.16
12/27/2005 20:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	33.31
12/27/2005 21:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	10.45
12/27/2005 22:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	0.96
12/27/2005 23:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	9.18