

Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
01/14/2006 08:00	EST	CENTRAL EAST - VC	23330	BASE CASE	8.29
01/14/2006 09:00	EST	CENTRAL EAST - VC	23330	BASE CASE	9.95
01/14/2006 10:00	EST	CENTRAL EAST - VC	23330	BASE CASE	12.75
01/14/2006 11:00	EST	CENTRAL EAST - VC	23330	BASE CASE	12.69
01/14/2006 12:00	EST	CENTRAL EAST - VC	23330	BASE CASE	8.21
01/14/2006 13:00	EST	CENTRAL EAST - VC	23330	BASE CASE	5.17
01/14/2006 14:00	EST	CENTRAL EAST - VC	23330	BASE CASE	4.31
01/14/2006 15:00	EST	CENTRAL EAST - VC	23330	BASE CASE	8.51
01/14/2006 16:00	EST	CENTRAL EAST - VC	23330	BASE CASE	22.99
01/14/2006 17:00	EST	CENTRAL EAST - VC	23330	BASE CASE	33.86
01/14/2006 18:00	EST	CENTRAL EAST - VC	23330	BASE CASE	25.54
01/14/2006 19:00	EST	CENTRAL EAST - VC	23330	BASE CASE	29.85
01/14/2006 20:00	EST	CENTRAL EAST - VC	23330	BASE CASE	19.08
01/14/2006 21:00	EST	CENTRAL EAST - VC	23330	BASE CASE	7.03
01/14/2006 08:00	EST	DYSINGER EAST	23326	BASE CASE	4.21
01/14/2006 13:00	EST	DYSINGER EAST	23326	BASE CASE	0.51
01/14/2006 14:00	EST	DYSINGER EAST	23326	BASE CASE	1.9
01/14/2006 15:00	EST	DYSINGER EAST	23326	BASE CASE	0.85
01/14/2006 16:00	EST	DYSINGER EAST	23326	BASE CASE	2.28
01/14/2006 10:00	EST	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
01/14/2006 12:00	EST	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
01/14/2006 13:00	EST	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.73
01/14/2006 14:00	EST	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.51
01/14/2006 15:00	EST	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
01/14/2006 21:00	EST	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	6.12
01/14/2006 21:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	5.71
01/14/2006 09:00	EST		990	ACTIVE DNI	0.85
01/14/2006 13:00	EST	RAINEY 345 DUNWODIE 345 2	25191	DUNWODIE-RAINEY___345_71	-4.42
01/14/2006 14:00	EST	RAINEY 345 DUNWODIE 345 2	25191	DUNWODIE-RAINEY___345_71	-3.11
01/14/2006 21:00	EST	RAINEY 345 DUNWODIE 345 2	25191	DUNWODIE-RAINEY___345_71	-2.77
01/14/2006 00:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	24.24
01/14/2006 01:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	7.48
01/14/2006 05:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	23.01
01/14/2006 06:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	26.43
01/14/2006 07:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	10.78
01/14/2006 08:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	7.14
01/14/2006 09:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	3.86
01/14/2006 10:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	4.56
01/14/2006 11:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	5.47
01/14/2006 12:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	6.36
01/14/2006 13:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	7.67
01/14/2006 14:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	8.4
01/14/2006 15:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	7.77
01/14/2006 16:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	6.42
01/14/2006 17:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	7.06
01/14/2006 18:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	9.56
01/14/2006 19:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	4.02
01/14/2006 20:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	2.22
01/14/2006 21:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	6.98
01/14/2006 22:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	10.62
01/14/2006 23:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBR49-EGRDNCTY_345_Y49	11.92