

# Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
12/02/2007 00:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	14.19
12/02/2007 01:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	15.28
12/02/2007 06:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	1.32
12/02/2007 12:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	7.77
12/02/2007 13:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	9.22
12/02/2007 14:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	7.16
12/02/2007 15:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	14.79
12/02/2007 16:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	19.7
12/02/2007 17:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	7.71
12/02/2007 18:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	9.25
12/02/2007 19:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	9.27
12/02/2007 20:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	20.22
12/02/2007 21:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	27.74
12/02/2007 22:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	13.13
12/02/2007 23:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	9.05
12/02/2007 12:00	EST	E179THST 138 HELLTP_W 138 1	25288	BASE CASE	0.02
12/02/2007 13:00	EST	E179THST 138 HELLTP_W 138 1	25288	BASE CASE	0.02
12/02/2007 14:00	EST	E179THST 138 HELLTP_W 138 1	25288	BASE CASE	0.02
12/02/2007 15:00	EST	E179THST 138 HELLTP_W 138 1	25288	BASE CASE	0.02
12/02/2007 00:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
12/02/2007 01:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
12/02/2007 02:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
12/02/2007 03:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
12/02/2007 04:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
12/02/2007 05:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
12/02/2007 06:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
12/02/2007 12:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
12/02/2007 21:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
12/02/2007 22:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
12/02/2007 23:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
12/02/2007 06:00	EST	WEST CENTRAL	23312	BASE CASE	2.45
12/02/2007 07:00	EST	WEST CENTRAL	23312	BASE CASE	0.75
12/02/2007 06:00	EST	NYCA ACTIVE DNI	990	ACTIVE DNI	-1.43
12/02/2007 13:00	EST	MOTTHAVN 345 RAINEY 345 2	325431	MOTTHAVN-RAINEY___345_Q11	0.03
12/02/2007 14:00	EST	MOTTHAVN 345 RAINEY 345 2	325431	MOTTHAVN-RAINEY___345_Q11	0.04
12/02/2007 15:00	EST	MOTTHAVN 345 RAINEY 345 2	325431	MOTTHAVN-RAINEY___345_Q11	0.03