

Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
12/25/2007 00:00	EST	CENTRAL EAST - VC	23330	BASE CASE	8.81
12/25/2007 01:00	EST	CENTRAL EAST - VC	23330	BASE CASE	2.34
12/25/2007 03:00	EST	CENTRAL EAST - VC	23330	BASE CASE	2.32
12/25/2007 04:00	EST	CENTRAL EAST - VC	23330	BASE CASE	1.46
12/25/2007 02:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	9.17
12/25/2007 10:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	13.88
12/25/2007 11:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	15.44
12/25/2007 12:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	16.49
12/25/2007 13:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	15.09
12/25/2007 14:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	14.73
12/25/2007 15:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	20.53
12/25/2007 16:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	27.17
12/25/2007 17:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	18.12
12/25/2007 18:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	23.75
12/25/2007 19:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	24.81
12/25/2007 20:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	28.97
12/25/2007 21:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	31.83
12/25/2007 22:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	12.98
12/25/2007 07:00	EST	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
12/25/2007 08:00	EST	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
12/25/2007 09:00	EST	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
12/25/2007 10:00	EST	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
12/25/2007 11:00	EST	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
12/25/2007 12:00	EST	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
12/25/2007 13:00	EST	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
12/25/2007 14:00	EST	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
12/25/2007 15:00	EST	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
12/25/2007 20:00	EST	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
12/25/2007 00:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
12/25/2007 01:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
12/25/2007 02:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
12/25/2007 00:00	EST	WEST CENTRAL	23312	BASE CASE	24.87
12/25/2007 01:00	EST	WEST CENTRAL	23312	BASE CASE	27.94
12/25/2007 02:00	EST	WEST CENTRAL	23312	BASE CASE	23.77
12/25/2007 03:00	EST	WEST CENTRAL	23312	BASE CASE	18.96
12/25/2007 04:00	EST	WEST CENTRAL	23312	BASE CASE	19.91
12/25/2007 05:00	EST	WEST CENTRAL	23312	BASE CASE	19.88
12/25/2007 06:00	EST	WEST CENTRAL	23312	BASE CASE	17.51
12/25/2007 07:00	EST	WEST CENTRAL	23312	BASE CASE	14.95
12/25/2007 08:00	EST	WEST CENTRAL	23312	BASE CASE	26.05
12/25/2007 09:00	EST	WEST CENTRAL	23312	BASE CASE	34.07
12/25/2007 10:00	EST	WEST CENTRAL	23312	BASE CASE	38.53
12/25/2007 11:00	EST	WEST CENTRAL	23312	BASE CASE	36.22
12/25/2007 12:00	EST	WEST CENTRAL	23312	BASE CASE	35.24
12/25/2007 13:00	EST	WEST CENTRAL	23312	BASE CASE	33.86
12/25/2007 14:00	EST	WEST CENTRAL	23312	BASE CASE	26.7
12/25/2007 15:00	EST	WEST CENTRAL	23312	BASE CASE	29.59
12/25/2007 16:00	EST	WEST CENTRAL	23312	BASE CASE	40.25
12/25/2007 17:00	EST	WEST CENTRAL	23312	BASE CASE	49.44
12/25/2007 18:00	EST	WEST CENTRAL	23312	BASE CASE	42.48
12/25/2007 19:00	EST	WEST CENTRAL	23312	BASE CASE	42.4
12/25/2007 20:00	EST	WEST CENTRAL	23312	BASE CASE	36.8
12/25/2007 21:00	EST	WEST CENTRAL	23312	BASE CASE	32.48
12/25/2007 22:00	EST	WEST CENTRAL	23312	BASE CASE	24.07
12/25/2007 23:00	EST	WEST CENTRAL	23312	BASE CASE	20.46
12/25/2007 02:00	EST	NYCA ACTIVE DNI	990	ACTIVE DNI	-0.13
12/25/2007 06:00	EST	NYCA ACTIVE DNI	990	ACTIVE DNI	-1.03
12/25/2007 01:00	EST	PJAC ACTIVE DNI	994	ACTIVE DNI	1.14
12/25/2007 06:00	EST	PJAC ACTIVE DNI	994	ACTIVE DNI	-0.06
12/25/2007 17:00	EST	PJAC ACTIVE DNI	994	ACTIVE DNI	-1.31

12/25/2007 03:00	EST	FRASER 345 OAKDALE 345 1	25235	TWR:UCC2-41, EF24-40	-3.06
------------------	-----	--------------------------	-------	----------------------	-------