

# Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
12/08/2007 01:00	EST	CENTRAL EAST - VC	23330	BASE CASE	0.1
12/08/2007 03:00	EST	CENTRAL EAST - VC	23330	BASE CASE	1.26
12/08/2007 04:00	EST	CENTRAL EAST - VC	23330	BASE CASE	0.09
12/08/2007 06:00	EST	CENTRAL EAST - VC	23330	BASE CASE	9.45
12/08/2007 16:00	EST	CENTRAL EAST - VC	23330	BASE CASE	5.43
12/08/2007 17:00	EST	CENTRAL EAST - VC	23330	BASE CASE	0.09
12/08/2007 00:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	38.39
12/08/2007 01:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	2.13
12/08/2007 06:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	13.85
12/08/2007 08:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	29.22
12/08/2007 09:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	22.86
12/08/2007 10:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	23.61
12/08/2007 11:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	26.27
12/08/2007 12:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	30.47
12/08/2007 13:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	31.8
12/08/2007 14:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	32.49
12/08/2007 15:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	36.35
12/08/2007 16:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	28.29
12/08/2007 17:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	12.49
12/08/2007 18:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	17.72
12/08/2007 19:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	15.14
12/08/2007 20:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	17.35
12/08/2007 21:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	40.47
12/08/2007 22:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	46.21
12/08/2007 23:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	43.58
12/08/2007 21:00	EST	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.03
12/08/2007 00:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
12/08/2007 01:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
12/08/2007 02:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
12/08/2007 03:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
12/08/2007 04:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
12/08/2007 21:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
12/08/2007 22:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
12/08/2007 23:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
12/08/2007 02:00	EST	SCH - NE - NY	23318	BASE CASE	-1.14
12/08/2007 03:00	EST	SCH - NE - NY	23318	BASE CASE	-2.49
12/08/2007 04:00	EST	SCH - NE - NY	23318	BASE CASE	-2.96
12/08/2007 03:00	EST	WEST CENTRAL	23312	BASE CASE	0.12
12/08/2007 16:00	EST	WEST CENTRAL	23312	BASE CASE	0.56
12/08/2007 23:00	EST	NEAC ACTIVE DNI	992	ACTIVE DNI	-0.29
12/08/2007 02:00	EST	NYCA ACTIVE DNI	990	ACTIVE DNI	-0.74
12/08/2007 06:00	EST	NYCA ACTIVE DNI	990	ACTIVE DNI	-1.58
12/08/2007 09:00	EST	NYCA ACTIVE DNI	990	ACTIVE DNI	1.33
12/08/2007 16:00	EST	NYCA ACTIVE DNI	990	ACTIVE DNI	1.73
12/08/2007 01:00	EST	PJAC ACTIVE DNI	994	ACTIVE DNI	1.18
12/08/2007 06:00	EST	PJAC ACTIVE DNI	994	ACTIVE DNI	-2.22
12/08/2007 17:00	EST	PJAC ACTIVE DNI	994	ACTIVE DNI	-6.48
12/08/2007 06:00	EST	CLAY 345 EDIC_PTR 345 2	25169	CLAY____EDIC_PTR_345_1-16	2.44