

Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
11/08/2010 18:00	EST	SCH - HQ_IMPORT_EXPORT	325376	BASE CASE	0.17
11/08/2010 00:00	EST	SCH - PJ - NY	23316	BASE CASE	2.16
11/08/2010 01:00	EST	SCH - PJ - NY	23316	BASE CASE	1.58
11/08/2010 02:00	EST	SCH - PJ - NY	23316	BASE CASE	1.09
11/08/2010 03:00	EST	SCH - PJ - NY	23316	BASE CASE	3.12
11/08/2010 04:00	EST	SCH - PJ - NY	23316	BASE CASE	4.18
11/08/2010 05:00	EST	SCH - PJ - NY	23316	BASE CASE	8.9
11/08/2010 13:00	EST	SCH - PJ - NY	23316	BASE CASE	0.28
11/08/2010 14:00	EST	SCH - PJ - NY	23316	BASE CASE	0.77
11/08/2010 15:00	EST	SCH - PJ - NY	23316	BASE CASE	3.84
11/08/2010 16:00	EST	SCH - PJ - NY	23316	BASE CASE	5
11/08/2010 22:00	EST	SCH - PJ - NY	23316	BASE CASE	2.15
11/08/2010 23:00	EST	SCH - PJ - NY	23316	BASE CASE	5.26
11/08/2010 09:00	EST	WESTERN_NY_EXPORT	23327	BASE CASE	0.18
11/08/2010 10:00	EST	WESTERN_NY_EXPORT	23327	BASE CASE	0.28
11/08/2010 16:00	EST	WESTERN_NY_EXPORT	23327	BASE CASE	4.91
11/08/2010 17:00	EST	WESTERN_NY_EXPORT	23327	BASE CASE	2.71
11/08/2010 17:00	EST	HQTL ACTIVE DNI	980	ACTIVE DNI	2.95
11/08/2010 19:00	EST	HQTL ACTIVE DNI	980	ACTIVE DNI	-1.76
11/08/2010 17:00	EST	NYCA ACTIVE DNI	990	ACTIVE DNI	0.22