

# Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
11/09/2010 17:00	EST	SCH - HQ_IMPORT_EXPORT	325376	BASE CASE	4.24
11/09/2010 18:00	EST	SCH - HQ_IMPORT_EXPORT	325376	BASE CASE	2.73
11/09/2010 00:00	EST	SCH - PJ - NY	23316	BASE CASE	8.56
11/09/2010 01:00	EST	SCH - PJ - NY	23316	BASE CASE	6.34
11/09/2010 02:00	EST	SCH - PJ - NY	23316	BASE CASE	5.37
11/09/2010 03:00	EST	SCH - PJ - NY	23316	BASE CASE	5.69
11/09/2010 04:00	EST	SCH - PJ - NY	23316	BASE CASE	4.27
11/09/2010 05:00	EST	SCH - PJ - NY	23316	BASE CASE	4.3
11/09/2010 14:00	EST	SCH - PJ - NY	23316	BASE CASE	0.31
11/09/2010 15:00	EST	SCH - PJ - NY	23316	BASE CASE	2.86
11/09/2010 16:00	EST	SCH - PJ - NY	23316	BASE CASE	3.16
11/09/2010 21:00	EST	SCH - PJ - NY	23316	BASE CASE	1.49
11/09/2010 22:00	EST	SCH - PJ - NY	23316	BASE CASE	4.09
11/09/2010 23:00	EST	SCH - PJ - NY	23316	BASE CASE	10.55
11/09/2010 08:00	EST	WESTERN_NY_EXPORT	23327	BASE CASE	4.04
11/09/2010 09:00	EST	WESTERN_NY_EXPORT	23327	BASE CASE	4.79
11/09/2010 10:00	EST	WESTERN_NY_EXPORT	23327	BASE CASE	5.36
11/09/2010 11:00	EST	WESTERN_NY_EXPORT	23327	BASE CASE	3.96
11/09/2010 12:00	EST	WESTERN_NY_EXPORT	23327	BASE CASE	4.51
11/09/2010 13:00	EST	WESTERN_NY_EXPORT	23327	BASE CASE	4.28
11/09/2010 14:00	EST	WESTERN_NY_EXPORT	23327	BASE CASE	4.35
11/09/2010 15:00	EST	WESTERN_NY_EXPORT	23327	BASE CASE	2.37
11/09/2010 16:00	EST	WESTERN_NY_EXPORT	23327	BASE CASE	7.88
11/09/2010 17:00	EST	WESTERN_NY_EXPORT	23327	BASE CASE	12.5
11/09/2010 18:00	EST	WESTERN_NY_EXPORT	23327	BASE CASE	9.64
11/09/2010 19:00	EST	WESTERN_NY_EXPORT	23327	BASE CASE	8.97
11/09/2010 20:00	EST	WESTERN_NY_EXPORT	23327	BASE CASE	4.84
11/09/2010 21:00	EST	WESTERN_NY_EXPORT	23327	BASE CASE	1.67
11/09/2010 05:00	EST	NEAC ACTIVE DNI	992	ACTIVE DNI	0.46
11/09/2010 17:00	EST	NYCA ACTIVE DNI	990	ACTIVE DNI	0.57
11/09/2010 18:00	EST	NYCA ACTIVE DNI	990	ACTIVE DNI	-0.54
11/09/2010 18:00	EST	PJAC ACTIVE DNI	994	ACTIVE DNI	-2.02