

# Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
11/14/2010 00:00	EST	FRESHKLS 138 WILLWBRK 138 1	25320	BASE CASE	0.02
11/14/2010 01:00	EST	FRESHKLS 138 WILLWBRK 138 1	25320	BASE CASE	0.02
11/14/2010 21:00	EST	FRESHKLS 138 WILLWBRK 138 1	25320	BASE CASE	0.02
11/14/2010 22:00	EST	FRESHKLS 138 WILLWBRK 138 1	25320	BASE CASE	0.02
11/14/2010 23:00	EST	FRESHKLS 138 WILLWBRK 138 1	25320	BASE CASE	0.02
11/14/2010 00:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
11/14/2010 01:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
11/14/2010 21:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
11/14/2010 22:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
11/14/2010 23:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
11/14/2010 16:00	EST	HQTL ACTIVE DNI	980	ACTIVE DNI	0.54
11/14/2010 17:00	EST	HQTL ACTIVE DNI	980	ACTIVE DNI	2.22