

Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
03/18/2012 00:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	11.8
03/18/2012 01:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	9.19
03/18/2012 02:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	7.25
03/18/2012 03:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	7.25
03/18/2012 04:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	5.09
03/18/2012 05:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	6.55
03/18/2012 06:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	4.91
03/18/2012 14:00	EDT	E179THST 138 HELLTP_W 138 1	25288	BASE CASE	0.02
03/18/2012 15:00	EDT	E179THST 138 HELLTP_W 138 1	25288	BASE CASE	0.02
03/18/2012 16:00	EDT	E179THST 138 HELLTP_W 138 1	25288	BASE CASE	0.02
03/18/2012 17:00	EDT	E179THST 138 HELLTP_W 138 1	25288	BASE CASE	0.02
03/18/2012 21:00	EDT	E179THST 138 HELLTP_W 138 1	25288	BASE CASE	0.02
03/18/2012 23:00	EDT	FREEMPORT 138 NEWBRIDGE 138 1	25155	BASE CASE	-5.45
03/18/2012 00:00	EDT	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
03/18/2012 01:00	EDT	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
03/18/2012 02:00	EDT	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
03/18/2012 03:00	EDT	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
03/18/2012 04:00	EDT	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
03/18/2012 10:00	EDT	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
03/18/2012 11:00	EDT	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
03/18/2012 12:00	EDT	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
03/18/2012 13:00	EDT	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
03/18/2012 14:00	EDT	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
03/18/2012 15:00	EDT	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
03/18/2012 16:00	EDT	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
03/18/2012 17:00	EDT	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
03/18/2012 18:00	EDT	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
03/18/2012 20:00	EDT	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
03/18/2012 21:00	EDT	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
03/18/2012 22:00	EDT	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
03/18/2012 11:00	EDT	SCH - HQ_IMPORT_EXPORT	325376	BASE CASE	0.52
03/18/2012 12:00	EDT	SCH - HQ_IMPORT_EXPORT	325376	BASE CASE	1.42
03/18/2012 13:00	EDT	SCH - HQ_IMPORT_EXPORT	325376	BASE CASE	1.68
03/18/2012 14:00	EDT	SCH - HQ_IMPORT_EXPORT	325376	BASE CASE	0.5
03/18/2012 16:00	EDT	SCH - HQ_IMPORT_EXPORT	325376	BASE CASE	0.25
03/18/2012 17:00	EDT	SCH - HQ_IMPORT_EXPORT	325376	BASE CASE	1.59
03/18/2012 18:00	EDT	SCH - HQ_IMPORT_EXPORT	325376	BASE CASE	3.5
03/18/2012 19:00	EDT	SCH - HQ_IMPORT_EXPORT	325376	BASE CASE	4.06
03/18/2012 20:00	EDT	SCH - HQ_IMPORT_EXPORT	325376	BASE CASE	4.13
03/18/2012 21:00	EDT	SCH - HQ_IMPORT_EXPORT	325376	BASE CASE	2.02
03/18/2012 07:00	EDT	NYCA ACTIVE DNI	990	ACTIVE DNI	-0.04
03/18/2012 19:00	EDT	NYCA ACTIVE DNI	990	ACTIVE DNI	2.75
03/18/2012 20:00	EDT	NYCA ACTIVE DNI	990	ACTIVE DNI	-0.72
03/18/2012 18:00	EDT	NRTHPORT 138 PILGRIM 138 1	25307	BUS:NRTHPRT 677 & PS2 & G2	1.58
03/18/2012 19:00	EDT	NRTHPORT 138 PILGRIM 138 1	25307	BUS:NRTHPRT 677 & PS2 & G2	22.96
03/18/2012 20:00	EDT	NRTHPORT 138 PILGRIM 138 1	25307	BUS:NRTHPRT 677 & PS2 & G2	4.63
03/18/2012 21:00	EDT	NRTHPORT 138 PILGRIM 138 1	25307	BUS:NRTHPRT 677 & PS2 & G2	1.41
03/18/2012 06:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SCB:SPBK(RNS2):Y49 & M29	0.22
03/18/2012 10:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SCB:SPBK(RNS2):Y49 & M29	1.45
03/18/2012 11:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SCB:SPBK(RNS2):Y49 & M29	1.16
03/18/2012 12:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SCB:SPBK(RNS2):Y49 & M29	0.9
03/18/2012 13:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SCB:SPBK(RNS2):Y49 & M29	1.47
03/18/2012 20:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SCB:SPBK(RNS2):Y49 & M29	1.62
03/18/2012 00:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SPRNBK-EGRDNCTR-Y49	2.49
03/18/2012 01:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SPRNBK-EGRDNCTR-Y49	1.66
03/18/2012 02:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SPRNBK-EGRDNCTR-Y49	2.73
03/18/2012 03:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SPRNBK-EGRDNCTR-Y49	2.77
03/18/2012 04:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SPRNBK-EGRDNCTR-Y49	3.91
03/18/2012 05:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SPRNBK-EGRDNCTR-Y49	3.02
03/18/2012 07:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SPRNBK-EGRDNCTR-Y49	4.61

03/18/2012 08:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SPRNBK-EGRDNCTR-Y49	5.32
03/18/2012 09:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SPRNBK-EGRDNCTR-Y49	5.03
03/18/2012 14:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SPRNBK-EGRDNCTR-Y49	2.28
03/18/2012 15:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SPRNBK-EGRDNCTR-Y49	3.6
03/18/2012 16:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SPRNBK-EGRDNCTR-Y49	3.74
03/18/2012 17:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SPRNBK-EGRDNCTR-Y49	2.98
03/18/2012 18:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SPRNBK-EGRDNCTR-Y49	4.95
03/18/2012 19:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SPRNBK-EGRDNCTR-Y49	13.64
03/18/2012 21:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SPRNBK-EGRDNCTR-Y49	4.4
03/18/2012 22:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SPRNBK-EGRDNCTR-Y49	2.81
03/18/2012 23:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SPRNBK-EGRDNCTR-Y49	1.52