

Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
02/03/2013 00:00	EST	CENTRAL EAST - VC	23330	BASE CASE	191.37
02/03/2013 01:00	EST	CENTRAL EAST - VC	23330	BASE CASE	148.48
02/03/2013 02:00	EST	CENTRAL EAST - VC	23330	BASE CASE	130.48
02/03/2013 03:00	EST	CENTRAL EAST - VC	23330	BASE CASE	112.05
02/03/2013 04:00	EST	CENTRAL EAST - VC	23330	BASE CASE	116.12
02/03/2013 05:00	EST	CENTRAL EAST - VC	23330	BASE CASE	139.09
02/03/2013 06:00	EST	CENTRAL EAST - VC	23330	BASE CASE	167.29
02/03/2013 07:00	EST	CENTRAL EAST - VC	23330	BASE CASE	154.09
02/03/2013 08:00	EST	CENTRAL EAST - VC	23330	BASE CASE	165.83
02/03/2013 09:00	EST	CENTRAL EAST - VC	23330	BASE CASE	169.36
02/03/2013 10:00	EST	CENTRAL EAST - VC	23330	BASE CASE	188.25
02/03/2013 11:00	EST	CENTRAL EAST - VC	23330	BASE CASE	202.76
02/03/2013 12:00	EST	CENTRAL EAST - VC	23330	BASE CASE	185.15
02/03/2013 13:00	EST	CENTRAL EAST - VC	23330	BASE CASE	173.05
02/03/2013 14:00	EST	CENTRAL EAST - VC	23330	BASE CASE	165.64
02/03/2013 15:00	EST	CENTRAL EAST - VC	23330	BASE CASE	153.05
02/03/2013 16:00	EST	CENTRAL EAST - VC	23330	BASE CASE	150.62
02/03/2013 17:00	EST	CENTRAL EAST - VC	23330	BASE CASE	200
02/03/2013 18:00	EST	CENTRAL EAST - VC	23330	BASE CASE	220.19
02/03/2013 19:00	EST	CENTRAL EAST - VC	23330	BASE CASE	178.88
02/03/2013 20:00	EST	CENTRAL EAST - VC	23330	BASE CASE	154.89
02/03/2013 21:00	EST	CENTRAL EAST - VC	23330	BASE CASE	166.1
02/03/2013 22:00	EST	CENTRAL EAST - VC	23330	BASE CASE	167.46
02/03/2013 23:00	EST	CENTRAL EAST - VC	23330	BASE CASE	148.84
02/03/2013 11:00	EST	E179THST 138 HELLTP_W 138 1	25288	BASE CASE	3.42
02/03/2013 12:00	EST	E179THST 138 HELLTP_W 138 1	25288	BASE CASE	0.86
02/03/2013 13:00	EST	E179THST 138 HELLTP_W 138 1	25288	BASE CASE	10.69
02/03/2013 14:00	EST	E179THST 138 HELLTP_W 138 1	25288	BASE CASE	8.79
02/03/2013 16:00	EST	E179THST 138 HELLTP_W 138 1	25288	BASE CASE	15.53
02/03/2013 19:00	EST	E179THST 138 HELLTP_W 138 1	25288	BASE CASE	8.41
02/03/2013 20:00	EST	E179THST 138 HELLTP_W 138 1	25288	BASE CASE	8.6
02/03/2013 21:00	EST	E179THST 138 HELLTP_W 138 1	25288	BASE CASE	8.91
02/03/2013 22:00	EST	E179THST 138 HELLTP_W 138 1	25288	BASE CASE	10
02/03/2013 22:00	EST	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	29.14
02/03/2013 22:00	EST	GREENWD 138 VERNON 138 1	25337	BASE CASE	-56.34
02/03/2013 07:00	EST	SCH - NE - NY	23318	BASE CASE	-17
02/03/2013 08:00	EST	SCH - NE - NY	23318	BASE CASE	-18.67
02/03/2013 09:00	EST	SCH - NE - NY	23318	BASE CASE	-23.73
02/03/2013 10:00	EST	SCH - NE - NY	23318	BASE CASE	-24.57
02/03/2013 11:00	EST	SCH - NE - NY	23318	BASE CASE	-19.49
02/03/2013 12:00	EST	SCH - NE - NY	23318	BASE CASE	-29.8
02/03/2013 13:00	EST	SCH - NE - NY	23318	BASE CASE	-18.89
02/03/2013 14:00	EST	SCH - NE - NY	23318	BASE CASE	-21.44
02/03/2013 15:00	EST	SCH - NE - NY	23318	BASE CASE	-28.05
02/03/2013 16:00	EST	SCH - NE - NY	23318	BASE CASE	-38.17
02/03/2013 17:00	EST	SCH - NE - NY	23318	BASE CASE	-23.15
02/03/2013 18:00	EST	SCH - NE - NY	23318	BASE CASE	-30.19
02/03/2013 19:00	EST	SCH - NE - NY	23318	BASE CASE	-36.37
02/03/2013 20:00	EST	SCH - NE - NY	23318	BASE CASE	-39.91
02/03/2013 21:00	EST	SCH - NE - NY	23318	BASE CASE	-20.07
02/03/2013 22:00	EST	SCH - NE - NY	23318	BASE CASE	-18.56
02/03/2013 23:00	EST	SCH - NE - NY	23318	BASE CASE	-12.51
02/03/2013 01:00	EST	SCH - NPX_1385	325277	BASE CASE	3.31
02/03/2013 07:00	EST	NYCA ACTIVE DNI	990	ACTIVE DNI	-0.12
02/03/2013 07:00	EST	PJAC ACTIVE DNI	994	ACTIVE DNI	-4.24
02/03/2013 00:00	EST	SHORE_RD 345 SHORE_RD 138 1	25440	SCB:SPBK(RNS2):Y49 & M29	0.21
02/03/2013 01:00	EST	SHORE_RD 345 SHORE_RD 138 1	25440	SCB:SPBK(RNS2):Y49 & M29	0.22
02/03/2013 02:00	EST	SHORE_RD 345 SHORE_RD 138 1	25440	SCB:SPBK(RNS2):Y49 & M29	0.21
02/03/2013 03:00	EST	SHORE_RD 345 SHORE_RD 138 1	25440	SCB:SPBK(RNS2):Y49 & M29	0.22
02/03/2013 04:00	EST	SHORE_RD 345 SHORE_RD 138 1	25440	SCB:SPBK(RNS2):Y49 & M29	0.21

