

Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
05/01/2013 00:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	0.56
05/01/2013 01:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	0.32
05/01/2013 07:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	6.81
05/01/2013 08:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	4.57
05/01/2013 11:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	1.82
05/01/2013 12:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	0.9
05/01/2013 13:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	0.74
05/01/2013 16:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	0.04
05/01/2013 17:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	1.53
05/01/2013 18:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	6.19
05/01/2013 19:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	11.39
05/01/2013 20:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	8.89
05/01/2013 21:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	5.74
05/01/2013 00:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	3.49
05/01/2013 01:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	4.07
05/01/2013 02:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	3.99
05/01/2013 03:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	3.13
05/01/2013 04:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	2.38
05/01/2013 05:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	3.98
05/01/2013 06:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	8.63
05/01/2013 07:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	6.66
05/01/2013 08:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	8.55
05/01/2013 09:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	7.54
05/01/2013 10:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	6.45
05/01/2013 11:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	8.7
05/01/2013 12:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	6.21
05/01/2013 13:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	6.14
05/01/2013 14:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	6.28
05/01/2013 15:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	6.25
05/01/2013 16:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	5.49
05/01/2013 17:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	4.57
05/01/2013 18:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	8.69
05/01/2013 19:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	8.37
05/01/2013 20:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	13.22
05/01/2013 21:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	15.97
05/01/2013 22:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	13.43
05/01/2013 23:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	10.89
05/01/2013 08:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25320	BASE CASE	5.48
05/01/2013 09:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25320	BASE CASE	4.24
05/01/2013 10:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25320	BASE CASE	2.35
05/01/2013 11:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25320	BASE CASE	2.11
05/01/2013 12:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25320	BASE CASE	2.06
05/01/2013 13:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25320	BASE CASE	3.04
05/01/2013 14:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25320	BASE CASE	4.08
05/01/2013 15:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25320	BASE CASE	3.98
05/01/2013 08:00	EDT	MOSES SOUTH	23319	BASE CASE	1.13
05/01/2013 09:00	EDT	MOSES SOUTH	23319	BASE CASE	4.03
05/01/2013 10:00	EDT	MOSES SOUTH	23319	BASE CASE	5.27
05/01/2013 11:00	EDT	MOSES SOUTH	23319	BASE CASE	3.49
05/01/2013 13:00	EDT	MOSES SOUTH	23319	BASE CASE	0.8
05/01/2013 14:00	EDT	MOSES SOUTH	23319	BASE CASE	0.6
05/01/2013 08:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	10.87
05/01/2013 09:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	8.41
05/01/2013 10:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	4.65
05/01/2013 11:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	4.18
05/01/2013 12:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	4.07
05/01/2013 13:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	6.04
05/01/2013 14:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	8.09
05/01/2013 15:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	7.9
05/01/2013 06:00	EDT	SCH - HQ - NY	23324	BASE CASE	1.99

05/01/2013 08:00	EDT	SCH - HQ_CEDARS	325274	BASE CASE	0.35
05/01/2013 09:00	EDT	SCH - HQ_CEDARS	325274	BASE CASE	1.31
05/01/2013 10:00	EDT	SCH - HQ_CEDARS	325274	BASE CASE	2.16
05/01/2013 11:00	EDT	SCH - HQ_CEDARS	325274	BASE CASE	3.62
05/01/2013 12:00	EDT	SCH - HQ_CEDARS	325274	BASE CASE	7.14
05/01/2013 13:00	EDT	SCH - HQ_CEDARS	325274	BASE CASE	6.1
05/01/2013 14:00	EDT	SCH - HQ_CEDARS	325274	BASE CASE	5.76
05/01/2013 15:00	EDT	SCH - HQ_CEDARS	325274	BASE CASE	6.07
05/01/2013 16:00	EDT	SCH - HQ_CEDARS	325274	BASE CASE	6.69
05/01/2013 17:00	EDT	SCH - HQ_CEDARS	325274	BASE CASE	7.21
05/01/2013 18:00	EDT	SCH - HQ_CEDARS	325274	BASE CASE	1.05
05/01/2013 19:00	EDT	SCH - HQ_CEDARS	325274	BASE CASE	0.56
05/01/2013 20:00	EDT	SCH - HQ_CEDARS	325274	BASE CASE	4.94
05/01/2013 06:00	EDT	SCH - NE - NY	23318	BASE CASE	-0.95
05/01/2013 07:00	EDT	SCH - NE - NY	23318	BASE CASE	-1.55
05/01/2013 11:00	EDT	SCH - NPX_1385	325277	BASE CASE	2.1
05/01/2013 15:00	EDT	SCH - NPX_1385	325277	BASE CASE	1.01
05/01/2013 16:00	EDT	SCH - NPX_1385	325277	BASE CASE	0.31
05/01/2013 17:00	EDT	SCH - NPX_1385	325277	BASE CASE	0.34
05/01/2013 18:00	EDT	SCH - NPX_1385	325277	BASE CASE	0.28
05/01/2013 20:00	EDT	SCH - NPX_1385	325277	BASE CASE	5.28
05/01/2013 21:00	EDT	SCH - NPX_1385	325277	BASE CASE	11.6
05/01/2013 22:00	EDT	SCH - NPX_1385	325277	BASE CASE	9.49
05/01/2013 23:00	EDT	SCH - NPX_1385	325277	BASE CASE	4.58
05/01/2013 00:00	EDT	SCH - OH - NY	23317	BASE CASE	9.06
05/01/2013 01:00	EDT	SCH - OH - NY	23317	BASE CASE	8.54
05/01/2013 02:00	EDT	SCH - OH - NY	23317	BASE CASE	8.2
05/01/2013 03:00	EDT	SCH - OH - NY	23317	BASE CASE	9
05/01/2013 04:00	EDT	SCH - OH - NY	23317	BASE CASE	7.58
05/01/2013 05:00	EDT	SCH - OH - NY	23317	BASE CASE	8.23
05/01/2013 06:00	EDT	SCH - OH - NY	23317	BASE CASE	7.38
05/01/2013 07:00	EDT	SCH - OH - NY	23317	BASE CASE	2.36
05/01/2013 08:00	EDT	SCH - OH - NY	23317	BASE CASE	1.3
05/01/2013 09:00	EDT	SCH - OH - NY	23317	BASE CASE	3.73
05/01/2013 10:00	EDT	SCH - OH - NY	23317	BASE CASE	5.32
05/01/2013 11:00	EDT	SCH - OH - NY	23317	BASE CASE	5.79
05/01/2013 12:00	EDT	SCH - OH - NY	23317	BASE CASE	9.3
05/01/2013 13:00	EDT	SCH - OH - NY	23317	BASE CASE	9.63
05/01/2013 14:00	EDT	SCH - OH - NY	23317	BASE CASE	9.36
05/01/2013 15:00	EDT	SCH - OH - NY	23317	BASE CASE	8.73
05/01/2013 16:00	EDT	SCH - OH - NY	23317	BASE CASE	8.98
05/01/2013 17:00	EDT	SCH - OH - NY	23317	BASE CASE	8.01
05/01/2013 18:00	EDT	SCH - OH - NY	23317	BASE CASE	2.77
05/01/2013 19:00	EDT	SCH - OH - NY	23317	BASE CASE	1.05
05/01/2013 20:00	EDT	SCH - OH - NY	23317	BASE CASE	3.63
05/01/2013 21:00	EDT	SCH - OH - NY	23317	BASE CASE	1.38
05/01/2013 22:00	EDT	SCH - OH - NY	23317	BASE CASE	4.82
05/01/2013 23:00	EDT	SCH - OH - NY	23317	BASE CASE	7.15
05/01/2013 07:00	EDT	PACKARD 230 SAWYER 230 1	25164	NIAGARA_-ROBNSNRD_230_64	20.95
05/01/2013 08:00	EDT	PACKARD 230 SAWYER 230 1	25164	NIAGARA_-ROBNSNRD_230_64	27.67
05/01/2013 09:00	EDT	PACKARD 230 SAWYER 230 1	25164	NIAGARA_-ROBNSNRD_230_64	66.57
05/01/2013 10:00	EDT	PACKARD 230 SAWYER 230 1	25164	NIAGARA_-ROBNSNRD_230_64	87.07
05/01/2013 11:00	EDT	PACKARD 230 SAWYER 230 1	25164	NIAGARA_-ROBNSNRD_230_64	61.08
05/01/2013 12:00	EDT	PACKARD 230 SAWYER 230 1	25164	NIAGARA_-ROBNSNRD_230_64	1.67
05/01/2013 13:00	EDT	PACKARD 230 SAWYER 230 1	25164	NIAGARA_-ROBNSNRD_230_64	14.5
05/01/2013 14:00	EDT	PACKARD 230 SAWYER 230 1	25164	NIAGARA_-ROBNSNRD_230_64	9.88
05/01/2013 15:00	EDT	PACKARD 230 SAWYER 230 1	25164	NIAGARA_-ROBNSNRD_230_64	4.52
05/01/2013 18:00	EDT	PACKARD 230 SAWYER 230 1	25164	NIAGARA_-ROBNSNRD_230_64	1.16
05/01/2013 19:00	EDT	PACKARD 230 SAWYER 230 1	25164	NIAGARA_-ROBNSNRD_230_64	4.84
05/01/2013 20:00	EDT	PACKARD 230 SAWYER 230 1	25164	ROBNSNRD-STOLLERD_230_65	4.16