

Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
05/12/2013 20:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	4.31
05/12/2013 06:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	1.1
05/12/2013 07:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	3.05
05/12/2013 08:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	5.57
05/12/2013 09:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	6.26
05/12/2013 10:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	11.89
05/12/2013 11:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	11.45
05/12/2013 12:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	11.49
05/12/2013 13:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	11
05/12/2013 14:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	11.32
05/12/2013 15:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	11.53
05/12/2013 16:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	11.1
05/12/2013 17:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	11.21
05/12/2013 18:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	10.9
05/12/2013 19:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	10.96
05/12/2013 20:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	12.42
05/12/2013 21:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	12.77
05/12/2013 22:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	9.96
05/12/2013 23:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	3.91
05/12/2013 13:00	EDT	E13THSTA 345 W49TH_ST 345 1	25222	BASE CASE	-3.23
05/12/2013 14:00	EDT	E13THSTA 345 W49TH_ST 345 1	25222	BASE CASE	-3.92
05/12/2013 15:00	EDT	E13THSTA 345 W49TH_ST 345 1	25222	BASE CASE	-4.18
05/12/2013 16:00	EDT	E13THSTA 345 W49TH_ST 345 1	25222	BASE CASE	-6.76
05/12/2013 17:00	EDT	E13THSTA 345 W49TH_ST 345 1	25222	BASE CASE	-6.44
05/12/2013 18:00	EDT	E13THSTA 345 W49TH_ST 345 1	25222	BASE CASE	-9.14
05/12/2013 13:00	EDT	E179THST 138 HELLGT_E 138 1	25290	BASE CASE	4.15
05/12/2013 14:00	EDT	E179THST 138 HELLGT_E 138 1	25290	BASE CASE	5.04
05/12/2013 15:00	EDT	E179THST 138 HELLGT_E 138 1	25290	BASE CASE	5.39
05/12/2013 16:00	EDT	E179THST 138 HELLGT_E 138 1	25290	BASE CASE	8.72
05/12/2013 17:00	EDT	E179THST 138 HELLGT_E 138 1	25290	BASE CASE	8.31
05/12/2013 18:00	EDT	E179THST 138 HELLGT_E 138 1	25290	BASE CASE	11.81
05/12/2013 19:00	EDT	E179THST 138 HELLGT_E 138 1	25290	BASE CASE	6.4
05/12/2013 20:00	EDT	E179THST 138 HELLGT_E 138 1	25289	BASE CASE	11.22
05/12/2013 21:00	EDT	E179THST 138 HELLGT_E 138 1	25289	BASE CASE	12.39
05/12/2013 13:00	EDT	E179THST 138 HELLTP_W 138 1	25288	BASE CASE	2.07
05/12/2013 14:00	EDT	E179THST 138 HELLTP_W 138 1	25288	BASE CASE	2.52
05/12/2013 15:00	EDT	E179THST 138 HELLTP_W 138 1	25288	BASE CASE	2.69
05/12/2013 16:00	EDT	E179THST 138 HELLTP_W 138 1	25288	BASE CASE	4.37
05/12/2013 17:00	EDT	E179THST 138 HELLTP_W 138 1	25288	BASE CASE	4.15
05/12/2013 18:00	EDT	E179THST 138 HELLTP_W 138 1	25288	BASE CASE	5.91
05/12/2013 19:00	EDT	E179THST 138 HELLTP_W 138 1	25288	BASE CASE	3.29
05/12/2013 20:00	EDT	E179THST 138 HELLTP_W 138 1	25288	BASE CASE	5.79
05/12/2013 21:00	EDT	E179THST 138 HELLTP_W 138 1	25288	BASE CASE	12.01
05/12/2013 19:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25320	BASE CASE	0.1
05/12/2013 20:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25320	BASE CASE	0.17
05/12/2013 21:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25320	BASE CASE	5.81
05/12/2013 19:00	EDT	MOTHAVN 345 DUNWODIE 345 1	25191	BASE CASE	-9.34
05/12/2013 20:00	EDT	MOTHAVN 345 DUNWODIE 345 1	25191	BASE CASE	-16.42
05/12/2013 21:00	EDT	MOTHAVN 345 DUNWODIE 345 1	25191	BASE CASE	-18.13
05/12/2013 13:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.05
05/12/2013 14:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.07
05/12/2013 15:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.07
05/12/2013 16:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.15
05/12/2013 17:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.12
05/12/2013 18:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.2
05/12/2013 21:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	11.17
05/12/2013 15:00	EDT	SCH - NPX_1385	325277	BASE CASE	1.12
05/12/2013 16:00	EDT	SCH - NPX_1385	325277	BASE CASE	0.79
05/12/2013 17:00	EDT	SCH - NPX_1385	325277	BASE CASE	1.02
05/12/2013 18:00	EDT	SCH - NPX_1385	325277	BASE CASE	3.42

05/12/2013 19:00	EDT	SCH - NPX_1385	325277	BASE CASE	0.34
05/12/2013 20:00	EDT	SCH - NPX_1385	325277	BASE CASE	1.15
05/12/2013 21:00	EDT	SCH - NPX_1385	325277	BASE CASE	2.62
05/12/2013 22:00	EDT	SCH - NPX_1385	325277	BASE CASE	5.32
05/12/2013 01:00	EDT	SCH - OH - NY	23317	BASE CASE	0.72
05/12/2013 14:00	EDT	TREMONT 345 SPRNBRK 345 1	25175	BASE CASE	-0.02
05/12/2013 15:00	EDT	TREMONT 345 SPRNBRK 345 1	25175	BASE CASE	-0.02
05/12/2013 16:00	EDT	TREMONT 345 SPRNBRK 345 1	25175	BASE CASE	-0.03
05/12/2013 17:00	EDT	TREMONT 345 SPRNBRK 345 1	25175	BASE CASE	-0.03
05/12/2013 18:00	EDT	TREMONT 345 SPRNBRK 345 1	25175	BASE CASE	-0.04