

Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
05/01/2014 15:00	EDT	BARRETT 138 FREEPORT 138 1	26425	BASE CASE	-1.27
05/01/2014 17:00	EDT	BARRETT 138 FREEPORT 138 1	26425	BASE CASE	-7.22
05/01/2014 17:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	4.24
05/01/2014 11:00	EDT	E179THST 138 HELLTP_W 138 1	25288	BASE CASE	2.86
05/01/2014 12:00	EDT	E179THST 138 HELLTP_W 138 1	25288	BASE CASE	1.64
05/01/2014 13:00	EDT	E179THST 138 HELLTP_W 138 1	25288	BASE CASE	1.77
05/01/2014 15:00	EDT	E179THST 138 HELLTP_W 138 1	25288	BASE CASE	3.04
05/01/2014 16:00	EDT	E179THST 138 HELLTP_W 138 1	25288	BASE CASE	0.91
05/01/2014 17:00	EDT	E179THST 138 HELLTP_W 138 1	25288	BASE CASE	0.92
05/01/2014 11:00	EDT	FOXHILLS 138 WILLWBRK 138 1	25771	BASE CASE	-5.73
05/01/2014 12:00	EDT	FOXHILLS 138 WILLWBRK 138 1	25771	BASE CASE	-3.26
05/01/2014 13:00	EDT	FOXHILLS 138 WILLWBRK 138 1	25771	BASE CASE	-3.54
05/01/2014 15:00	EDT	FOXHILLS 138 WILLWBRK 138 1	25771	BASE CASE	-6.11
05/01/2014 16:00	EDT	FOXHILLS 138 WILLWBRK 138 1	25771	BASE CASE	-1.83
05/01/2014 17:00	EDT	FOXHILLS 138 WILLWBRK 138 1	25771	BASE CASE	-1.83
05/01/2014 09:00	EDT	MOSES SOUTH	23319	BASE CASE	1.67
05/01/2014 10:00	EDT	MOSES SOUTH	23319	BASE CASE	2.99
05/01/2014 11:00	EDT	MOSES SOUTH	23319	BASE CASE	2.73
05/01/2014 12:00	EDT	MOSES SOUTH	23319	BASE CASE	2.25
05/01/2014 13:00	EDT	MOSES SOUTH	23319	BASE CASE	1.81
05/01/2014 14:00	EDT	MOSES SOUTH	23319	BASE CASE	1.06
05/01/2014 15:00	EDT	MOSES SOUTH	23319	BASE CASE	0.24
05/01/2014 16:00	EDT	MOSES SOUTH	23319	BASE CASE	0.16
05/01/2014 18:00	EDT	MOSES SOUTH	23319	BASE CASE	0.24
05/01/2014 19:00	EDT	MOSES SOUTH	23319	BASE CASE	3.76
05/01/2014 20:00	EDT	MOSES SOUTH	23319	BASE CASE	6.99
05/01/2014 11:00	EDT	RAINEY 138 VERNON 138 1	25297	BASE CASE	5.76
05/01/2014 12:00	EDT	RAINEY 138 VERNON 138 1	25297	BASE CASE	3.29
05/01/2014 13:00	EDT	RAINEY 138 VERNON 138 1	25297	BASE CASE	3.56
05/01/2014 14:00	EDT	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
05/01/2014 15:00	EDT	RAINEY 138 VERNON 138 1	25297	BASE CASE	6.14
05/01/2014 16:00	EDT	RAINEY 138 VERNON 138 1	25297	BASE CASE	1.84
05/01/2014 17:00	EDT	RAINEY 138 VERNON 138 1	25297	BASE CASE	1.85
05/01/2014 22:00	EDT	SCH - NPX_1385	325277	BASE CASE	3.72
05/01/2014 11:00	EDT	SCH - OH - NY	23317	BASE CASE	0.18
05/01/2014 07:00	EDT	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	2.3
05/01/2014 08:00	EDT	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	1.53
05/01/2014 11:00	EDT	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	1.89
05/01/2014 13:00	EDT	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	0.99
05/01/2014 14:00	EDT	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	0.75
05/01/2014 15:00	EDT	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	1.19
05/01/2014 16:00	EDT	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	2.31
05/01/2014 19:00	EDT	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	2.06
05/01/2014 20:00	EDT	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	4.56
05/01/2014 21:00	EDT	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	5.4
05/01/2014 22:00	EDT	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	5.73
05/01/2014 08:00	EDT	MOTTHAVN 345 DUNWODIE 345 2	25191	DUNWODIE-MOTTHAVN_345_71	-0.03
05/01/2014 14:00	EDT	EGRDNCTY 138 VALLYSTR 138 1	25244	FREEPORT-NEWBRDGE_138_461	0.13
05/01/2014 15:00	EDT	EGRDNCTY 138 VALLYSTR 138 1	25244	FREEPORT-NEWBRDGE_138_461	13.07
05/01/2014 17:00	EDT	EGRDNCTY 138 VALLYSTR 138 1	25244	FREEPORT-NEWBRDGE_138_461	73.62
05/01/2014 09:00	EDT	PLSNTVLY 345 LEEDS 345 1	25056	MTN:RNS3 OR RNS4 O/S PV USB	-15.32
05/01/2014 10:00	EDT	PLSNTVLY 345 LEEDS 345 1	25056	MTN:RNS3 OR RNS4 O/S PV USB	-15.59
05/01/2014 11:00	EDT	PLSNTVLY 345 LEEDS 345 1	25056	MTN:RNS3 OR RNS4 O/S PV USB	-3.24
05/01/2014 12:00	EDT	PLSNTVLY 345 LEEDS 345 1	25056	MTN:RNS3 OR RNS4 O/S PV USB	-10.03
05/01/2014 13:00	EDT	PLSNTVLY 345 LEEDS 345 1	25056	MTN:RNS3 OR RNS4 O/S PV USB	-11.84
05/01/2014 14:00	EDT	PLSNTVLY 345 LEEDS 345 1	25056	MTN:RNS3 OR RNS4 O/S PV USB	-23.06
05/01/2014 15:00	EDT	PLSNTVLY 345 LEEDS 345 1	25056	MTN:RNS3 OR RNS4 O/S PV USB	-15.46
05/01/2014 16:00	EDT	PLSNTVLY 345 LEEDS 345 1	25056	MTN:RNS3 OR RNS4 O/S PV USB	-23.59
05/01/2014 17:00	EDT	PLSNTVLY 345 LEEDS 345 1	25056	MTN:RNS3 OR RNS4 O/S PV USB	-25.18
05/01/2014 18:00	EDT	PLSNTVLY 345 LEEDS 345 1	25056	MTN:RNS3 OR RNS4 O/S PV USB	-21.9

05/01/2014 19:00	EDT	PLSNTVLY 345 LEEDS 345 1	25056	MTN:RNS3 OR RNS4 O/S PV USB	-0.36
05/01/2014 09:00	EDT	FRESHKLS 345 FRESHKLS 138 1	25458	SCB:FRESHKILLS(2)	2.13
05/01/2014 16:00	EDT	FRESHKLS 345 FRESHKLS 138 1	25458	SCB:FRESHKILLS(2)	0.42
05/01/2014 17:00	EDT	FRESHKLS 345 FRESHKLS 138 1	25458	SCB:FRESHKILLS(2)	3.18
05/01/2014 18:00	EDT	FRESHKLS 345 FRESHKLS 138 1	25458	SCB:FRESHKILLS(2)	6.85
05/01/2014 19:00	EDT	FRESHKLS 345 FRESHKLS 138 1	25458	SCB:FRESHKILLS(2)	0.17
05/01/2014 07:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49 & M29	4.89
05/01/2014 08:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49 & M29	3.27
05/01/2014 11:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49 & M29	4.02
05/01/2014 13:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49 & M29	2.13
05/01/2014 14:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49 & M29	1.62
05/01/2014 15:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49 & M29	4.74
05/01/2014 16:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49 & M29	4.92
05/01/2014 19:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49 & M29	4.37
05/01/2014 20:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49 & M29	9.67
05/01/2014 21:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49 & M29	11.44
05/01/2014 22:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49 & M29	12.13
05/01/2014 23:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49 & M29	0.02
05/01/2014 17:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SPRNBK-EGRDNCTR-Y49	3.42