

Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
03/12/2015 00:00	EDT	BARRETT 138 FREEPORT 138 1	26425	BASE CASE	-0.27
03/12/2015 05:00	EDT	BARRETT 138 FREEPORT 138 1	26425	BASE CASE	-0.22
03/12/2015 00:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	10.3
03/12/2015 01:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	7.78
03/12/2015 02:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	8.36
03/12/2015 03:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	8.56
03/12/2015 04:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	7.78
03/12/2015 05:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	9.67
03/12/2015 06:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	23.15
03/12/2015 07:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	14.34
03/12/2015 08:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	10.72
03/12/2015 09:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	13.42
03/12/2015 10:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	18.09
03/12/2015 11:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	20.57
03/12/2015 12:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	14.42
03/12/2015 13:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	13.25
03/12/2015 14:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	9.07
03/12/2015 15:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	7.89
03/12/2015 16:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	11.44
03/12/2015 17:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	11.92
03/12/2015 18:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	20.58
03/12/2015 19:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	30.56
03/12/2015 20:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	19.91
03/12/2015 21:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	13.32
03/12/2015 22:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	9.27
03/12/2015 23:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	14.45
03/12/2015 09:00	EDT	DYSINGER EAST	23326	BASE CASE	1.48
03/12/2015 10:00	EDT	DYSINGER EAST	23326	BASE CASE	2.8
03/12/2015 11:00	EDT	DYSINGER EAST	23326	BASE CASE	3.44
03/12/2015 12:00	EDT	DYSINGER EAST	23326	BASE CASE	2.23
03/12/2015 13:00	EDT	DYSINGER EAST	23326	BASE CASE	1.58
03/12/2015 14:00	EDT	DYSINGER EAST	23326	BASE CASE	0.25
03/12/2015 15:00	EDT	DYSINGER EAST	23326	BASE CASE	1.17
03/12/2015 23:00	EDT	FREEPORT 138 NEWBRDGE 138 1	25155	BASE CASE	-0.08
03/12/2015 23:00	EDT	NYCA ACTIVE DNI	990	ACTIVE DNI	0.25
03/12/2015 00:00	EDT	EGRDNCTY 138 VALLYSTR 138 1	25244	FREEPORT-NEWBRDGE_138_461	2.73
03/12/2015 01:00	EDT	EGRDNCTY 138 VALLYSTR 138 1	25244	FREEPORT-NEWBRDGE_138_461	0.05
03/12/2015 02:00	EDT	EGRDNCTY 138 VALLYSTR 138 1	25244	FREEPORT-NEWBRDGE_138_461	0.05
03/12/2015 03:00	EDT	EGRDNCTY 138 VALLYSTR 138 1	25244	FREEPORT-NEWBRDGE_138_461	0.05
03/12/2015 04:00	EDT	EGRDNCTY 138 VALLYSTR 138 1	25244	FREEPORT-NEWBRDGE_138_461	0.05
03/12/2015 05:00	EDT	EGRDNCTY 138 VALLYSTR 138 1	25244	FREEPORT-NEWBRDGE_138_461	2.26
03/12/2015 23:00	EDT	EGRDNCTY 138 VALLYSTR 138 1	25244	FREEPORT-NEWBRDGE_138_461	0.84
03/12/2015 00:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	0.21
03/12/2015 05:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	0.18
03/12/2015 23:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	0.06