

Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
03/15/2015 00:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	1.63
03/15/2015 01:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	3.33
03/15/2015 02:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	1.87
03/15/2015 03:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	2.31
03/15/2015 04:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	0.88
03/15/2015 06:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	2.86
03/15/2015 07:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	0.3
03/15/2015 08:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	5.03
03/15/2015 09:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	7.31
03/15/2015 10:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	12.79
03/15/2015 11:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	8.74
03/15/2015 12:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	5.52
03/15/2015 13:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	0.59
03/15/2015 14:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	2.05
03/15/2015 16:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	4.5
03/15/2015 17:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	7.02
03/15/2015 18:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	8.32
03/15/2015 19:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	4.69
03/15/2015 00:00	EDT	SCH - HQ_IMPORT_EXPORT	325376	BASE CASE	2.1
03/15/2015 22:00	EDT	SCH - HQ_IMPORT_EXPORT	325376	BASE CASE	5.3
03/15/2015 23:00	EDT	SCH - HQ_IMPORT_EXPORT	325376	BASE CASE	3.89
03/15/2015 10:00	EDT	SCH - NE - NY	23318	BASE CASE	-0.39
03/15/2015 18:00	EDT	SCH - NE - NY	23318	BASE CASE	-0.64
03/15/2015 19:00	EDT	SCH - NE - NY	23318	BASE CASE	-1.35
03/15/2015 06:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49 & M29	2.24
03/15/2015 07:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49 & M29	2.25