

Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
04/14/2015 00:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	3.29
04/14/2015 01:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	0.04
04/14/2015 06:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	3.2
04/14/2015 07:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	6.27
04/14/2015 08:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	3.72
04/14/2015 09:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	8.45
04/14/2015 10:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	6.4
04/14/2015 11:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	10.53
04/14/2015 12:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	10.48
04/14/2015 13:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	10.91
04/14/2015 14:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	12.05
04/14/2015 15:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	10.14
04/14/2015 16:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	11.23
04/14/2015 17:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	10.55
04/14/2015 18:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	5.33
04/14/2015 19:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	8.87
04/14/2015 20:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	7.6
04/14/2015 21:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	7.64
04/14/2015 22:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	5.01
04/14/2015 23:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	4.66
04/14/2015 00:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	0.97
04/14/2015 01:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	3.25
04/14/2015 02:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	2.7
04/14/2015 03:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	2.23
04/14/2015 04:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	3.07
04/14/2015 05:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	1.49
04/14/2015 10:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	1.37
04/14/2015 11:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	1.51
04/14/2015 12:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	2.23
04/14/2015 13:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	3.75
04/14/2015 14:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	0.67
04/14/2015 15:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	0.02
04/14/2015 19:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	1.23
04/14/2015 20:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	3.07
04/14/2015 21:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	1.82
04/14/2015 22:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	1.42
04/14/2015 23:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	3.87
04/14/2015 13:00	EDT	SCH - NPX_1385	325277	BASE CASE	1.14
04/14/2015 15:00	EDT	SCH - NPX_1385	325277	BASE CASE	0.14
04/14/2015 21:00	EDT	SCH - NPX_1385	325277	BASE CASE	0.26
04/14/2015 19:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	0.55
04/14/2015 09:00	EDT	NIAGARA 230 PACKARD 230 1	25186	TWR:PACKARD 62 & BP76	2.27
04/14/2015 10:00	EDT	NIAGARA 230 PACKARD 230 1	25186	TWR:PACKARD 62 & BP76	22.05
04/14/2015 11:00	EDT	NIAGARA 230 PACKARD 230 1	25186	TWR:PACKARD 62 & BP76	27.79
04/14/2015 12:00	EDT	NIAGARA 230 PACKARD 230 1	25186	TWR:PACKARD 62 & BP76	24.64
04/14/2015 13:00	EDT	NIAGARA 230 PACKARD 230 1	25186	TWR:PACKARD 62 & BP76	14.56
04/14/2015 14:00	EDT	NIAGARA 230 PACKARD 230 1	25186	TWR:PACKARD 62 & BP76	0.49
04/14/2015 19:00	EDT	NIAGARA 230 PACKARD 230 1	25186	TWR:PACKARD 62 & BP76	7.42
04/14/2015 20:00	EDT	NIAGARA 230 PACKARD 230 1	25186	TWR:PACKARD 62 & BP76	18.88