

Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
05/23/2015 00:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	12.05
05/23/2015 01:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	7.18
05/23/2015 02:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	4.88
05/23/2015 06:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	4.38
05/23/2015 07:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	6.61
05/23/2015 08:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	2.86
05/23/2015 10:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	1.58
05/23/2015 11:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	1.85
05/23/2015 12:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	2.83
05/23/2015 13:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	3.35
05/23/2015 14:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	6.98
05/23/2015 15:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	6.17
05/23/2015 16:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	6.16
05/23/2015 17:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	8.75
05/23/2015 18:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	7.59
05/23/2015 19:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	7.02
05/23/2015 20:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	8.3
05/23/2015 21:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	4.92
05/23/2015 22:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	5.21
05/23/2015 23:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	8.76
05/23/2015 00:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	0.43
05/23/2015 01:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	5.24
05/23/2015 02:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	3.2
05/23/2015 03:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	2.45
05/23/2015 04:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	4.28
05/23/2015 05:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	7.07
05/23/2015 06:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	7.4
05/23/2015 07:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	6.03
05/23/2015 08:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	7.24
05/23/2015 09:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	0.28
05/23/2015 10:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	6.5
05/23/2015 11:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	4.29
05/23/2015 13:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	1.4
05/23/2015 20:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	1.48
05/23/2015 21:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	0.79
05/23/2015 23:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	3.63
05/23/2015 09:00	EDT	E179THST 138 HELLTP_W 138 1	25288	BASE CASE	0.02
05/23/2015 10:00	EDT	E179THST 138 HELLTP_W 138 1	25288	BASE CASE	0.02
05/23/2015 11:00	EDT	E179THST 138 HELLTP_W 138 1	25288	BASE CASE	0.02
05/23/2015 12:00	EDT	E179THST 138 HELLTP_W 138 1	25288	BASE CASE	0.02
05/23/2015 13:00	EDT	E179THST 138 HELLTP_W 138 1	25288	BASE CASE	0.02
05/23/2015 14:00	EDT	E179THST 138 HELLTP_W 138 1	25288	BASE CASE	0.02
05/23/2015 15:00	EDT	E179THST 138 HELLTP_W 138 1	25288	BASE CASE	0.02
05/23/2015 16:00	EDT	E179THST 138 HELLTP_W 138 1	25288	BASE CASE	0.02
05/23/2015 17:00	EDT	E179THST 138 HELLTP_W 138 1	25288	BASE CASE	0.02
05/23/2015 18:00	EDT	E179THST 138 HELLTP_W 138 1	25288	BASE CASE	0.02
05/23/2015 19:00	EDT	E179THST 138 HELLTP_W 138 1	25288	BASE CASE	0.02
05/23/2015 21:00	EDT	FARRAGUT 138 HUDS_AVE 138 1	25292	BASE CASE	-0.05
05/23/2015 09:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
05/23/2015 10:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
05/23/2015 11:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
05/23/2015 12:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
05/23/2015 13:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
05/23/2015 14:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
05/23/2015 15:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
05/23/2015 16:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
05/23/2015 18:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
05/23/2015 22:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
05/23/2015 23:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
05/23/2015 07:00	EDT	SCH - NPX_1385	325277	BASE CASE	0.23
05/23/2015 12:00	EDT	SCH - NPX_1385	325277	BASE CASE	0.85
05/23/2015 13:00	EDT	SCH - NPX_1385	325277	BASE CASE	0.2
05/23/2015 14:00	EDT	SCH - NPX_1385	325277	BASE CASE	2.02

05/23/2015 15:00	EDT	SCH - NPX_1385	325277	BASE CASE	2.23
05/23/2015 16:00	EDT	SCH - NPX_1385	325277	BASE CASE	2.59
05/23/2015 17:00	EDT	SCH - NPX_1385	325277	BASE CASE	3.24
05/23/2015 18:00	EDT	SCH - NPX_1385	325277	BASE CASE	3.85
05/23/2015 20:00	EDT	EGRDNCTY 345 EGRDNCTY 138 1	25551	DUNWODIE-SHORE_RD_345_Y50	2.2
05/23/2015 21:00	EDT	EGRDNCTY 345 EGRDNCTY 138 1	25551	DUNWODIE-SHORE_RD_345_Y50	1.18
05/23/2015 23:00	EDT	EGRDNCTY 345 EGRDNCTY 138 1	25551	DUNWODIE-SHORE_RD_345_Y50	5.39
05/23/2015 22:00	EDT	EGRDNCTY 138 VALLYSTR 138 1	25244	FREEPORT-NEWBRIDGE_138_461	0.08
05/23/2015 08:00	EDT	LEEDS 345 N.SCTLND 345 1	25171	N.SCTLND-LEEDS____345_94-LN	-0.21
05/23/2015 09:00	EDT	LEEDS 345 N.SCTLND 345 1	25171	N.SCTLND-LEEDS____345_94-LN	-15.85
05/23/2015 10:00	EDT	LEEDS 345 N.SCTLND 345 1	25171	N.SCTLND-LEEDS____345_94-LN	-1.9
05/23/2015 11:00	EDT	LEEDS 345 N.SCTLND 345 1	25171	N.SCTLND-LEEDS____345_94-LN	-2.07
05/23/2015 13:00	EDT	LEEDS 345 N.SCTLND 345 1	25171	N.SCTLND-LEEDS____345_94-LN	-7.86
05/23/2015 14:00	EDT	LEEDS 345 N.SCTLND 345 1	25171	N.SCTLND-LEEDS____345_94-LN	-2.46
05/23/2015 15:00	EDT	LEEDS 345 N.SCTLND 345 1	25171	N.SCTLND-LEEDS____345_94-LN	-7.79
05/23/2015 16:00	EDT	LEEDS 345 N.SCTLND 345 1	25171	N.SCTLND-LEEDS____345_94-LN	-7.99
05/23/2015 17:00	EDT	LEEDS 345 N.SCTLND 345 1	25171	N.SCTLND-LEEDS____345_94-LN	-10.0
05/23/2015 18:00	EDT	LEEDS 345 N.SCTLND 345 1	25171	N.SCTLND-LEEDS____345_94-LN	-4.27
05/23/2015 19:00	EDT	LEEDS 345 N.SCTLND 345 1	25171	N.SCTLND-LEEDS____345_94-LN	-23.31
05/23/2015 20:00	EDT	LEEDS 345 N.SCTLND 345 1	25171	N.SCTLND-LEEDS____345_94-LN	-17.23
05/23/2015 21:00	EDT	LEEDS 345 N.SCTLND 345 1	25171	N.SCTLND-LEEDS____345_94-LN	-16.2
05/23/2015 22:00	EDT	LEEDS 345 N.SCTLND 345 1	25171	N.SCTLND-LEEDS____345_94-LN	-10.95
05/23/2015 00:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	6.29
05/23/2015 09:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	4.17
05/23/2015 10:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	2.27
05/23/2015 11:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	3.94
05/23/2015 12:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	11.59
05/23/2015 13:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	7.91
05/23/2015 14:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	11.77
05/23/2015 15:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	10.57
05/23/2015 16:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	10.52
05/23/2015 17:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	10.79
05/23/2015 18:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	12.14
05/23/2015 10:00	EDT	PACKARD 230 SAWYER 230 1	25164	PACKARD_-SAWYER____230_78	0.98
05/23/2015 14:00	EDT	ADIRNDCK 230 MOSES 230 1	25269	SIN:MSU1&7040& HQ GN&LD PROXY	-3.78
05/23/2015 15:00	EDT	ADIRNDCK 230 MOSES 230 1	25269	SIN:MSU1&7040& HQ GN&LD PROXY	-3.7