

Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
05/25/2015 00:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	2.1
05/25/2015 01:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	1.63
05/25/2015 00:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	2.15
05/25/2015 01:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	2.39
05/25/2015 02:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	1.61
05/25/2015 05:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	1.01
05/25/2015 06:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	2.78
05/25/2015 07:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	2.77
05/25/2015 08:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	2.53
05/25/2015 09:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	2.31
05/25/2015 10:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	2.99
05/25/2015 11:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	3.16
05/25/2015 12:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	3.34
05/25/2015 13:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	3.78
05/25/2015 14:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	2.95
05/25/2015 15:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	1.51
05/25/2015 16:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	1.31
05/25/2015 17:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	0.72
05/25/2015 18:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	1.77
05/25/2015 19:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	0.34
05/25/2015 20:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	2.68
05/25/2015 21:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	2.9
05/25/2015 00:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
05/25/2015 01:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
05/25/2015 22:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
05/25/2015 23:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
05/25/2015 20:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
05/25/2015 12:00	EDT	SCH - HQ_CEDARS	325274	BASE CASE	0.71
05/25/2015 13:00	EDT	SCH - HQ_CEDARS	325274	BASE CASE	0.52
05/25/2015 14:00	EDT	SCH - HQ_CEDARS	325274	BASE CASE	0.31
05/25/2015 15:00	EDT	SCH - HQ_CEDARS	325274	BASE CASE	3.72
05/25/2015 16:00	EDT	SCH - HQ_CEDARS	325274	BASE CASE	5.59
05/25/2015 08:00	EDT	SCH - NPX_1385	325277	BASE CASE	2.03
05/25/2015 10:00	EDT	SCH - NPX_1385	325277	BASE CASE	0.59
05/25/2015 11:00	EDT	SCH - NPX_1385	325277	BASE CASE	0.57
05/25/2015 21:00	EDT	SCH - NPX_1385	325277	BASE CASE	2.05
05/25/2015 11:00	EDT	PLSNTVLY 345 LEEDS 345 1	25056	ATHENS__PLSNTVLY_345_91	-1.25
05/25/2015 14:00	EDT	PLSNTVLY 345 LEEDS 345 1	25056	ATHENS__PLSNTVLY_345_91	-6.44
05/25/2015 20:00	EDT	PLSNTVLY 345 LEEDS 345 1	25056	ATHENS__PLSNTVLY_345_91	-0.19
05/25/2015 00:00	EDT	EGRDNCTY 345 EGRDNCTY 138 1	25551	DUNWODIE-SHORE_RD_345_Y50	3.17
05/25/2015 01:00	EDT	EGRDNCTY 345 EGRDNCTY 138 1	25551	DUNWODIE-SHORE_RD_345_Y50	3.52
05/25/2015 02:00	EDT	EGRDNCTY 345 EGRDNCTY 138 1	25551	DUNWODIE-SHORE_RD_345_Y50	2.36
05/25/2015 05:00	EDT	EGRDNCTY 345 EGRDNCTY 138 1	25551	DUNWODIE-SHORE_RD_345_Y50	1.48
05/25/2015 06:00	EDT	EGRDNCTY 345 EGRDNCTY 138 1	25551	DUNWODIE-SHORE_RD_345_Y50	4.1
05/25/2015 07:00	EDT	EGRDNCTY 345 EGRDNCTY 138 1	25551	DUNWODIE-SHORE_RD_345_Y50	4.08
05/25/2015 08:00	EDT	EGRDNCTY 345 EGRDNCTY 138 1	25551	DUNWODIE-SHORE_RD_345_Y50	3.73
05/25/2015 09:00	EDT	EGRDNCTY 345 EGRDNCTY 138 1	25551	DUNWODIE-SHORE_RD_345_Y50	3.4
05/25/2015 10:00	EDT	EGRDNCTY 345 EGRDNCTY 138 1	25551	DUNWODIE-SHORE_RD_345_Y50	4.42
05/25/2015 11:00	EDT	EGRDNCTY 345 EGRDNCTY 138 1	25551	DUNWODIE-SHORE_RD_345_Y50	4.67
05/25/2015 12:00	EDT	EGRDNCTY 345 EGRDNCTY 138 1	25551	DUNWODIE-SHORE_RD_345_Y50	4.93
05/25/2015 13:00	EDT	EGRDNCTY 345 EGRDNCTY 138 1	25551	DUNWODIE-SHORE_RD_345_Y50	5.58
05/25/2015 14:00	EDT	EGRDNCTY 345 EGRDNCTY 138 1	25551	DUNWODIE-SHORE_RD_345_Y50	4.35
05/25/2015 15:00	EDT	EGRDNCTY 345 EGRDNCTY 138 1	25551	DUNWODIE-SHORE_RD_345_Y50	2.22
05/25/2015 16:00	EDT	EGRDNCTY 345 EGRDNCTY 138 1	25551	DUNWODIE-SHORE_RD_345_Y50	1.93
05/25/2015 17:00	EDT	EGRDNCTY 345 EGRDNCTY 138 1	25551	DUNWODIE-SHORE_RD_345_Y50	1.05
05/25/2015 18:00	EDT	EGRDNCTY 345 EGRDNCTY 138 1	25551	DUNWODIE-SHORE_RD_345_Y50	2.6
05/25/2015 19:00	EDT	EGRDNCTY 345 EGRDNCTY 138 1	25551	DUNWODIE-SHORE_RD_345_Y50	0.49
05/25/2015 20:00	EDT	EGRDNCTY 345 EGRDNCTY 138 1	25551	DUNWODIE-SHORE_RD_345_Y50	3.95
05/25/2015 21:00	EDT	EGRDNCTY 345 EGRDNCTY 138 1	25551	DUNWODIE-SHORE_RD_345_Y50	4.28
05/25/2015 00:00	EDT	LEEDS 345 N.SCTLND 345 1	25171	N.SCTLND-LEEDS__345_94-LN	-2.26
05/25/2015 11:00	EDT	LEEDS 345 N.SCTLND 345 1	25171	N.SCTLND-LEEDS__345_94-LN	-2.16
05/25/2015 22:00	EDT	LEEDS 345 N.SCTLND 345 1	25171	N.SCTLND-LEEDS__345_94-LN	-15.23
05/25/2015 23:00	EDT	LEEDS 345 N.SCTLND 345 1	25171	N.SCTLND-LEEDS__345_94-LN	-5.72

05/25/2015 09:00	EDT	PACKARD 230 SAWYER 230 1	25195	PACKARD_-SAWYER__230_77	0.02
05/25/2015 10:00	EDT	PACKARD 230 SAWYER 230 1	25195	PACKARD_-SAWYER__230_77	72.11
05/25/2015 11:00	EDT	PACKARD 230 SAWYER 230 1	25195	PACKARD_-SAWYER__230_77	89.02
05/25/2015 12:00	EDT	PACKARD 230 SAWYER 230 1	25195	PACKARD_-SAWYER__230_77	67.03
05/25/2015 13:00	EDT	PACKARD 230 SAWYER 230 1	25195	PACKARD_-SAWYER__230_77	58.36
05/25/2015 14:00	EDT	PACKARD 230 SAWYER 230 1	25195	PACKARD_-SAWYER__230_77	85.7
05/25/2015 15:00	EDT	PACKARD 230 SAWYER 230 1	25195	PACKARD_-SAWYER__230_77	90.88
05/25/2015 16:00	EDT	PACKARD 230 SAWYER 230 1	25195	PACKARD_-SAWYER__230_77	108.57
05/25/2015 17:00	EDT	PACKARD 230 SAWYER 230 1	25195	PACKARD_-SAWYER__230_77	117.27
05/25/2015 18:00	EDT	PACKARD 230 SAWYER 230 1	25195	PACKARD_-SAWYER__230_77	113.03
05/25/2015 19:00	EDT	PACKARD 230 SAWYER 230 1	25195	PACKARD_-SAWYER__230_77	108.23
05/25/2015 20:00	EDT	PACKARD 230 SAWYER 230 1	25195	PACKARD_-SAWYER__230_77	89.52
05/25/2015 21:00	EDT	PACKARD 230 SAWYER 230 1	25195	PACKARD_-SAWYER__230_77	63.6