

# Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
05/20/2015 00:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	5.14
05/20/2015 01:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	4.4
05/20/2015 02:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	5.06
05/20/2015 03:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	4.83
05/20/2015 04:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	4.46
05/20/2015 05:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	4.26
05/20/2015 06:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	1.05
05/20/2015 07:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	2.51
05/20/2015 08:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	1.38
05/20/2015 15:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	1.22
05/20/2015 16:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	5.3
05/20/2015 17:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	2.74
05/20/2015 18:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	4.66
05/20/2015 19:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	3.79
05/20/2015 20:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	4.31
05/20/2015 21:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	5.21
05/20/2015 22:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	2.36
05/20/2015 23:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	2.7
05/20/2015 10:00	EDT	FARRAGUT 138 HUDS_AVE 138 1	25292	BASE CASE	-0.03
05/20/2015 11:00	EDT	FARRAGUT 138 HUDS_AVE 138 1	25292	BASE CASE	-0.03
05/20/2015 12:00	EDT	FARRAGUT 138 HUDS_AVE 138 1	25292	BASE CASE	-0.03
05/20/2015 13:00	EDT	FARRAGUT 138 HUDS_AVE 138 1	25292	BASE CASE	-0.03
05/20/2015 14:00	EDT	FARRAGUT 138 HUDS_AVE 138 1	25292	BASE CASE	-0.03
05/20/2015 15:00	EDT	FARRAGUT 138 HUDS_AVE 138 1	25292	BASE CASE	-0.03
05/20/2015 16:00	EDT	FARRAGUT 138 HUDS_AVE 138 1	25292	BASE CASE	-0.03
05/20/2015 17:00	EDT	FARRAGUT 138 HUDS_AVE 138 1	25292	BASE CASE	-0.03
05/20/2015 18:00	EDT	FARRAGUT 138 HUDS_AVE 138 1	25292	BASE CASE	-0.03
05/20/2015 19:00	EDT	FARRAGUT 138 HUDS_AVE 138 1	25292	BASE CASE	-0.03
05/20/2015 20:00	EDT	FARRAGUT 138 HUDS_AVE 138 1	25292	BASE CASE	-0.03
05/20/2015 21:00	EDT	FARRAGUT 138 HUDS_AVE 138 1	25292	BASE CASE	-0.03
05/20/2015 22:00	EDT	FARRAGUT 138 HUDS_AVE 138 1	25292	BASE CASE	-0.02
05/20/2015 00:00	EDT	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
05/20/2015 01:00	EDT	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
05/20/2015 00:00	EDT	SCH - NPX_1385	325277	BASE CASE	0.69
05/20/2015 01:00	EDT	SCH - NPX_1385	325277	BASE CASE	0.32
05/20/2015 10:00	EDT	SCH - NPX_1385	325277	BASE CASE	0.97
05/20/2015 11:00	EDT	SCH - NPX_1385	325277	BASE CASE	4.21
05/20/2015 12:00	EDT	SCH - NPX_1385	325277	BASE CASE	6.03
05/20/2015 13:00	EDT	SCH - NPX_1385	325277	BASE CASE	5.77
05/20/2015 14:00	EDT	SCH - NPX_1385	325277	BASE CASE	7.01
05/20/2015 15:00	EDT	SCH - NPX_1385	325277	BASE CASE	9.1
05/20/2015 16:00	EDT	SCH - NPX_1385	325277	BASE CASE	8.21
05/20/2015 17:00	EDT	SCH - NPX_1385	325277	BASE CASE	7.03
05/20/2015 18:00	EDT	SCH - NPX_1385	325277	BASE CASE	4.56
05/20/2015 19:00	EDT	SCH - NPX_1385	325277	BASE CASE	4.13
05/20/2015 20:00	EDT	SCH - NPX_1385	325277	BASE CASE	6.38
05/20/2015 21:00	EDT	SCH - NPX_1385	325277	BASE CASE	5.23
05/20/2015 22:00	EDT	SCH - NPX_1385	325277	BASE CASE	0.67
05/20/2015 09:00	EDT	PLSNTVLY 345 LEEDS 345 1	25056	ATHENS_-PLSNTVLY_345_91	-8.93
05/20/2015 10:00	EDT	PLSNTVLY 345 LEEDS 345 1	25056	ATHENS_-PLSNTVLY_345_91	-29.92
05/20/2015 11:00	EDT	PLSNTVLY 345 LEEDS 345 1	25056	ATHENS_-PLSNTVLY_345_91	-30.28
05/20/2015 12:00	EDT	PLSNTVLY 345 LEEDS 345 1	25056	ATHENS_-PLSNTVLY_345_91	-32.79
05/20/2015 13:00	EDT	PLSNTVLY 345 LEEDS 345 1	25056	ATHENS_-PLSNTVLY_345_91	-9.36
05/20/2015 14:00	EDT	PLSNTVLY 345 LEEDS 345 1	25056	ATHENS_-PLSNTVLY_345_91	-17.09
05/20/2015 15:00	EDT	PLSNTVLY 345 LEEDS 345 1	25056	ATHENS_-PLSNTVLY_345_91	-19.75
05/20/2015 16:00	EDT	PLSNTVLY 345 LEEDS 345 1	25056	ATHENS_-PLSNTVLY_345_91	-28.63
05/20/2015 17:00	EDT	PLSNTVLY 345 LEEDS 345 1	25056	ATHENS_-PLSNTVLY_345_91	-27.73
05/20/2015 00:00	EDT	EGRDNCTY 345 EGRDNCTY 138 1	25551	DUNWODIE-SHORE_RD_345_Y50	7.96
05/20/2015 01:00	EDT	EGRDNCTY 345 EGRDNCTY 138 1	25551	DUNWODIE-SHORE_RD_345_Y50	6.81
05/20/2015 02:00	EDT	EGRDNCTY 345 EGRDNCTY 138 1	25551	DUNWODIE-SHORE_RD_345_Y50	7.82
05/20/2015 03:00	EDT	EGRDNCTY 345 EGRDNCTY 138 1	25551	DUNWODIE-SHORE_RD_345_Y50	7.48
05/20/2015 04:00	EDT	EGRDNCTY 345 EGRDNCTY 138 1	25551	DUNWODIE-SHORE_RD_345_Y50	6.91
05/20/2015 05:00	EDT	EGRDNCTY 345 EGRDNCTY 138 1	25551	DUNWODIE-SHORE_RD_345_Y50	6.58

05/20/2015 06:00	EDT	EGRDNCTY 345 EGRDNCTY 138 1	25551	DUNWODIE-SHORE_RD_345_Y50	1.63
05/20/2015 07:00	EDT	EGRDNCTY 345 EGRDNCTY 138 1	25551	DUNWODIE-SHORE_RD_345_Y50	3.89
05/20/2015 08:00	EDT	EGRDNCTY 345 EGRDNCTY 138 1	25551	DUNWODIE-SHORE_RD_345_Y50	2.15
05/20/2015 15:00	EDT	EGRDNCTY 345 EGRDNCTY 138 1	25551	DUNWODIE-SHORE_RD_345_Y50	1.89
05/20/2015 16:00	EDT	EGRDNCTY 345 EGRDNCTY 138 1	25551	DUNWODIE-SHORE_RD_345_Y50	8.2
05/20/2015 17:00	EDT	EGRDNCTY 345 EGRDNCTY 138 1	25551	DUNWODIE-SHORE_RD_345_Y50	4.25
05/20/2015 18:00	EDT	EGRDNCTY 345 EGRDNCTY 138 1	25551	DUNWODIE-SHORE_RD_345_Y50	7.21
05/20/2015 19:00	EDT	EGRDNCTY 345 EGRDNCTY 138 1	25551	DUNWODIE-SHORE_RD_345_Y50	5.82
05/20/2015 20:00	EDT	EGRDNCTY 345 EGRDNCTY 138 1	25551	DUNWODIE-SHORE_RD_345_Y50	6.66
05/20/2015 21:00	EDT	EGRDNCTY 345 EGRDNCTY 138 1	25551	DUNWODIE-SHORE_RD_345_Y50	8.05
05/20/2015 22:00	EDT	EGRDNCTY 345 EGRDNCTY 138 1	25551	DUNWODIE-SHORE_RD_345_Y50	3.65
05/20/2015 23:00	EDT	EGRDNCTY 345 EGRDNCTY 138 1	25551	DUNWODIE-SHORE_RD_345_Y50	4.18
05/20/2015 19:00	EDT	EGRDNCTY 138 VALLYSTR 138 1	25244	FREEPORT-NEWBRIDGE_138_461	0.32
05/20/2015 09:00	EDT	LEEDS 345 N.SCTLND 345 1	25171	N.SCTLND-LEEDS___345_94-LN	-13.76
05/20/2015 10:00	EDT	LEEDS 345 N.SCTLND 345 1	25171	N.SCTLND-LEEDS___345_94-LN	-4.98
05/20/2015 11:00	EDT	LEEDS 345 N.SCTLND 345 1	25171	N.SCTLND-LEEDS___345_94-LN	-4.45
05/20/2015 12:00	EDT	LEEDS 345 N.SCTLND 345 1	25171	N.SCTLND-LEEDS___345_94-LN	-7.51
05/20/2015 13:00	EDT	LEEDS 345 N.SCTLND 345 1	25171	N.SCTLND-LEEDS___345_94-LN	-27.92
05/20/2015 14:00	EDT	LEEDS 345 N.SCTLND 345 1	25171	N.SCTLND-LEEDS___345_94-LN	-30.95
05/20/2015 15:00	EDT	LEEDS 345 N.SCTLND 345 1	25171	N.SCTLND-LEEDS___345_94-LN	-29.51
05/20/2015 17:00	EDT	LEEDS 345 N.SCTLND 345 1	25171	N.SCTLND-LEEDS___345_94-LN	-0.26
05/20/2015 07:00	EDT	PACKARD 230 SAWYER 230 1	25195	PACKARD_-SAWYER___230_77	14.68
05/20/2015 08:00	EDT	PACKARD 230 SAWYER 230 1	25195	PACKARD_-SAWYER___230_77	40.53
05/20/2015 09:00	EDT	PACKARD 230 SAWYER 230 1	25195	PACKARD_-SAWYER___230_77	44.84
05/20/2015 10:00	EDT	PACKARD 230 SAWYER 230 1	25195	PACKARD_-SAWYER___230_77	9.07
05/20/2015 13:00	EDT	PACKARD 230 SAWYER 230 1	25195	PACKARD_-SAWYER___230_77	14.68
05/20/2015 14:00	EDT	PACKARD 230 SAWYER 230 1	25195	PACKARD_-SAWYER___230_77	6.08
05/20/2015 15:00	EDT	PACKARD 230 SAWYER 230 1	25195	PACKARD_-SAWYER___230_77	44.18
05/20/2015 17:00	EDT	PACKARD 230 SAWYER 230 1	25195	PACKARD_-SAWYER___230_77	68.98
05/20/2015 18:00	EDT	PACKARD 230 SAWYER 230 1	25195	PACKARD_-SAWYER___230_77	67.53
05/20/2015 19:00	EDT	PACKARD 230 SAWYER 230 1	25195	PACKARD_-SAWYER___230_77	49.75
05/20/2015 20:00	EDT	PACKARD 230 SAWYER 230 1	25195	PACKARD_-SAWYER___230_77	72.81
05/20/2015 21:00	EDT	PACKARD 230 SAWYER 230 1	25195	PACKARD_-SAWYER___230_77	67.28
05/20/2015 10:00	EDT	NIAGARA 230 PACKARD 230 1	25186	TWR:PACKARD 62 & BP76	32.83
05/20/2015 11:00	EDT	NIAGARA 230 PACKARD 230 1	25186	TWR:PACKARD 62 & BP76	41.17
05/20/2015 12:00	EDT	NIAGARA 230 PACKARD 230 1	25186	TWR:PACKARD 62 & BP76	44.95
05/20/2015 13:00	EDT	NIAGARA 230 PACKARD 230 1	25186	TWR:PACKARD 62 & BP76	25.18
05/20/2015 14:00	EDT	NIAGARA 230 PACKARD 230 1	25186	TWR:PACKARD 62 & BP76	36.83
05/20/2015 16:00	EDT	NIAGARA 230 PACKARD 230 1	25186	TWR:PACKARD 62 & BP76	38.57