

Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
05/15/2015 05:00	EDT	SCH - OH - NY	23317	BASE CASE	4.7
05/15/2015 06:00	EDT	SCH - OH - NY	23317	BASE CASE	3.15
05/15/2015 07:00	EDT	SCH - OH - NY	23317	BASE CASE	2.74
05/15/2015 08:00	EDT	SCH - OH - NY	23317	BASE CASE	5.84
05/15/2015 09:00	EDT	SCH - OH - NY	23317	BASE CASE	8.6
05/15/2015 10:00	EDT	SCH - OH - NY	23317	BASE CASE	8.27
05/15/2015 11:00	EDT	SCH - OH - NY	23317	BASE CASE	9.64
05/15/2015 12:00	EDT	SCH - OH - NY	23317	BASE CASE	7.48
05/15/2015 13:00	EDT	SCH - OH - NY	23317	BASE CASE	8.31
05/15/2015 14:00	EDT	SCH - OH - NY	23317	BASE CASE	8.48
05/15/2015 15:00	EDT	SCH - OH - NY	23317	BASE CASE	8.76
05/15/2015 16:00	EDT	SCH - OH - NY	23317	BASE CASE	5.33
05/15/2015 17:00	EDT	SCH - OH - NY	23317	BASE CASE	8.15
05/15/2015 00:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	3.74
05/15/2015 05:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	2.72
05/15/2015 06:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	3.97
05/15/2015 07:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	2.72
05/15/2015 08:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	1.46
05/15/2015 18:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	0.36
05/15/2015 19:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	0.55
05/15/2015 20:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	4.03
05/15/2015 21:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	3.99
05/15/2015 23:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	1.18
05/15/2015 01:00	EDT	EGRDNCTY 138 VALLYSTR 138 1	25244	BASE CASE	0.2
05/15/2015 02:00	EDT	EGRDNCTY 138 VALLYSTR 138 1	25244	BASE CASE	0.2
05/15/2015 03:00	EDT	EGRDNCTY 138 VALLYSTR 138 1	25244	BASE CASE	0.15
05/15/2015 04:00	EDT	EGRDNCTY 138 VALLYSTR 138 1	25244	BASE CASE	0.19
05/15/2015 21:00	EDT	E179THST 138 HELLTP_W 138 1	25288	BASE CASE	0.02
05/15/2015 00:00	EDT	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
05/15/2015 01:00	EDT	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
05/15/2015 02:00	EDT	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
05/15/2015 03:00	EDT	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
05/15/2015 04:00	EDT	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
05/15/2015 05:00	EDT	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
05/15/2015 06:00	EDT	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
05/15/2015 21:00	EDT	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
05/15/2015 22:00	EDT	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
05/15/2015 23:00	EDT	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
05/15/2015 06:00	EDT	SCH - NPX_1385	325277	BASE CASE	1.72
05/15/2015 07:00	EDT	SCH - NPX_1385	325277	BASE CASE	2.68
05/15/2015 08:00	EDT	SCH - NPX_1385	325277	BASE CASE	1.8
05/15/2015 09:00	EDT	SCH - NPX_1385	325277	BASE CASE	1.29
05/15/2015 10:00	EDT	SCH - NPX_1385	325277	BASE CASE	2.2
05/15/2015 11:00	EDT	SCH - NPX_1385	325277	BASE CASE	0.99
05/15/2015 12:00	EDT	SCH - NPX_1385	325277	BASE CASE	0.83
05/15/2015 13:00	EDT	SCH - NPX_1385	325277	BASE CASE	2.08
05/15/2015 14:00	EDT	SCH - NPX_1385	325277	BASE CASE	1.4
05/15/2015 15:00	EDT	SCH - NPX_1385	325277	BASE CASE	2.23
05/15/2015 16:00	EDT	SCH - NPX_1385	325277	BASE CASE	4.1
05/15/2015 17:00	EDT	SCH - NPX_1385	325277	BASE CASE	5.65
05/15/2015 18:00	EDT	SCH - NPX_1385	325277	BASE CASE	3.48
05/15/2015 19:00	EDT	SCH - NPX_1385	325277	BASE CASE	1.27
05/15/2015 20:00	EDT	SCH - NPX_1385	325277	BASE CASE	7.25
05/15/2015 21:00	EDT	SCH - NPX_1385	325277	BASE CASE	5.05
05/15/2015 22:00	EDT	SCH - NPX_1385	325277	BASE CASE	2.38
05/15/2015 23:00	EDT	SCH - NPX_1385	325277	BASE CASE	0.26
05/15/2015 10:00	EDT	PLSNTVLY 345 LEEDS 345 1	25056	ATHENS__PLSNTVLY_345_91	-13.26
05/15/2015 11:00	EDT	PLSNTVLY 345 LEEDS 345 1	25056	ATHENS__PLSNTVLY_345_91	-11.44
05/15/2015 12:00	EDT	PLSNTVLY 345 LEEDS 345 1	25056	ATHENS__PLSNTVLY_345_91	-6.59
05/15/2015 13:00	EDT	PLSNTVLY 345 LEEDS 345 1	25056	ATHENS__PLSNTVLY_345_91	-14.47
05/15/2015 14:00	EDT	PLSNTVLY 345 LEEDS 345 1	25056	ATHENS__PLSNTVLY_345_91	-12.94
05/15/2015 15:00	EDT	PLSNTVLY 345 LEEDS 345 1	25056	ATHENS__PLSNTVLY_345_91	-14.28
05/15/2015 16:00	EDT	PLSNTVLY 345 LEEDS 345 1	25056	ATHENS__PLSNTVLY_345_91	-23.76

05/15/2015 18:00	EDT	PLSNTVLY 345 LEEDS 345 1	25056	ATHENS_-PLSNTVLY_345_91	-3.38
05/15/2015 19:00	EDT	PLSNTVLY 345 LEEDS 345 1	25056	ATHENS_-PLSNTVLY_345_91	-4.64
05/15/2015 20:00	EDT	PLSNTVLY 345 LEEDS 345 1	25056	ATHENS_-PLSNTVLY_345_91	-1.38
05/15/2015 00:00	EDT	EGRDNCTY 345 EGRDNCTY 138 1	25551	DUNWODIE-SHORE_RD_345_Y50	5.37
05/15/2015 01:00	EDT	EGRDNCTY 345 EGRDNCTY 138 1	25551	DUNWODIE-SHORE_RD_345_Y50	2.63
05/15/2015 02:00	EDT	EGRDNCTY 345 EGRDNCTY 138 1	25551	DUNWODIE-SHORE_RD_345_Y50	2.61
05/15/2015 03:00	EDT	EGRDNCTY 345 EGRDNCTY 138 1	25551	DUNWODIE-SHORE_RD_345_Y50	2.05
05/15/2015 04:00	EDT	EGRDNCTY 345 EGRDNCTY 138 1	25551	DUNWODIE-SHORE_RD_345_Y50	2.58
05/15/2015 05:00	EDT	EGRDNCTY 345 EGRDNCTY 138 1	25551	DUNWODIE-SHORE_RD_345_Y50	3.91
05/15/2015 06:00	EDT	EGRDNCTY 345 EGRDNCTY 138 1	25551	DUNWODIE-SHORE_RD_345_Y50	5.71
05/15/2015 07:00	EDT	EGRDNCTY 345 EGRDNCTY 138 1	25551	DUNWODIE-SHORE_RD_345_Y50	3.91
05/15/2015 08:00	EDT	EGRDNCTY 345 EGRDNCTY 138 1	25551	DUNWODIE-SHORE_RD_345_Y50	2.1
05/15/2015 18:00	EDT	EGRDNCTY 345 EGRDNCTY 138 1	25551	DUNWODIE-SHORE_RD_345_Y50	0.53
05/15/2015 19:00	EDT	EGRDNCTY 345 EGRDNCTY 138 1	25551	DUNWODIE-SHORE_RD_345_Y50	0.86
05/15/2015 20:00	EDT	EGRDNCTY 345 EGRDNCTY 138 1	25551	DUNWODIE-SHORE_RD_345_Y50	5.79
05/15/2015 21:00	EDT	EGRDNCTY 345 EGRDNCTY 138 1	25551	DUNWODIE-SHORE_RD_345_Y50	5.73
05/15/2015 22:00	EDT	EGRDNCTY 345 EGRDNCTY 138 1	25551	DUNWODIE-SHORE_RD_345_Y50	2.39
05/15/2015 23:00	EDT	EGRDNCTY 345 EGRDNCTY 138 1	25551	DUNWODIE-SHORE_RD_345_Y50	1.69
05/15/2015 23:00	EDT	EGRDNCTY 138 VALLYSTR 138 1	25244	FREEPORT-NEWBRDGE_138_461	0.1
05/15/2015 12:00	EDT	LEEDS 345 N.SCTLND 345 1	25171	N.SCTLND-LEEDS___345_94-LN	-3.43
05/15/2015 17:00	EDT	LEEDS 345 N.SCTLND 345 1	25171	N.SCTLND-LEEDS___345_94-LN	-13.63
05/15/2015 18:00	EDT	LEEDS 345 N.SCTLND 345 1	25171	N.SCTLND-LEEDS___345_94-LN	-11.27
05/15/2015 20:00	EDT	LEEDS 345 N.SCTLND 345 1	25171	N.SCTLND-LEEDS___345_94-LN	-3.48
05/15/2015 22:00	EDT	LEEDS 345 N.SCTLND 345 1	25171	N.SCTLND-LEEDS___345_94-LN	-9.49
05/15/2015 23:00	EDT	LEEDS 345 N.SCTLND 345 1	25171	N.SCTLND-LEEDS___345_94-LN	-10.12
05/15/2015 19:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	0.04
05/15/2015 22:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	1.66
05/15/2015 07:00	EDT	PACKARD 230 SAWYER 230 1	25195	PACKARD_-SAWYER___230_77	22.45
05/15/2015 08:00	EDT	PACKARD 230 SAWYER 230 1	25195	PACKARD_-SAWYER___230_77	57.05
05/15/2015 09:00	EDT	PACKARD 230 SAWYER 230 1	25195	PACKARD_-SAWYER___230_77	51.87
05/15/2015 10:00	EDT	PACKARD 230 SAWYER 230 1	25195	PACKARD_-SAWYER___230_77	57.06
05/15/2015 11:00	EDT	PACKARD 230 SAWYER 230 1	25195	PACKARD_-SAWYER___230_77	58.55
05/15/2015 12:00	EDT	PACKARD 230 SAWYER 230 1	25195	PACKARD_-SAWYER___230_77	81.39
05/15/2015 13:00	EDT	PACKARD 230 SAWYER 230 1	25195	PACKARD_-SAWYER___230_77	59.66
05/15/2015 14:00	EDT	PACKARD 230 SAWYER 230 1	25195	PACKARD_-SAWYER___230_77	74.54
05/15/2015 15:00	EDT	PACKARD 230 SAWYER 230 1	25195	PACKARD_-SAWYER___230_77	54.79
05/15/2015 16:00	EDT	PACKARD 230 SAWYER 230 1	25195	PACKARD_-SAWYER___230_77	83.41
05/15/2015 17:00	EDT	PACKARD 230 SAWYER 230 1	25195	PACKARD_-SAWYER___230_77	65.88
05/15/2015 18:00	EDT	PACKARD 230 SAWYER 230 1	25195	PACKARD_-SAWYER___230_77	34.24
05/15/2015 19:00	EDT	PACKARD 230 SAWYER 230 1	25195	PACKARD_-SAWYER___230_77	41.36
05/15/2015 20:00	EDT	PACKARD 230 SAWYER 230 1	25195	PACKARD_-SAWYER___230_77	56.82
05/15/2015 21:00	EDT	PACKARD 230 SAWYER 230 1	25195	PACKARD_-SAWYER___230_77	27.45
05/15/2015 01:00	EDT	CARLPLCE 138 GLENWOOD 138 1	25554	SCB:EGDNCTY 1360 362& BK1	-7.45
05/15/2015 02:00	EDT	CARLPLCE 138 GLENWOOD 138 1	25554	SCB:EGDNCTY 1360 362& BK1	-7.4
05/15/2015 03:00	EDT	CARLPLCE 138 GLENWOOD 138 1	25554	SCB:EGDNCTY 1360 362& BK1	-5.8
05/15/2015 04:00	EDT	CARLPLCE 138 GLENWOOD 138 1	25554	SCB:EGDNCTY 1360 362& BK1	-7.3