

# Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
01/25/2016 06:00	EST	SCH - OH - NY	23317	BASE CASE	0.56
01/25/2016 07:00	EST	SCH - OH - NY	23317	BASE CASE	5.32
01/25/2016 08:00	EST	SCH - OH - NY	23317	BASE CASE	7.9
01/25/2016 09:00	EST	SCH - OH - NY	23317	BASE CASE	10.09
01/25/2016 10:00	EST	SCH - OH - NY	23317	BASE CASE	11.56
01/25/2016 11:00	EST	SCH - OH - NY	23317	BASE CASE	9.58
01/25/2016 12:00	EST	SCH - OH - NY	23317	BASE CASE	7.13
01/25/2016 13:00	EST	SCH - OH - NY	23317	BASE CASE	5.0
01/25/2016 14:00	EST	SCH - OH - NY	23317	BASE CASE	4.8
01/25/2016 15:00	EST	SCH - OH - NY	23317	BASE CASE	1.01
01/25/2016 17:00	EST	SCH - OH - NY	23317	BASE CASE	6.29
01/25/2016 18:00	EST	SCH - OH - NY	23317	BASE CASE	5.5
01/25/2016 19:00	EST	SCH - OH - NY	23317	BASE CASE	0.74
01/25/2016 20:00	EST	SCH - OH - NY	23317	BASE CASE	0.19
01/25/2016 15:00	EST	SCH - NE - NY	23318	BASE CASE	-1.86
01/25/2016 22:00	EST	SCH - NE - NY	23318	BASE CASE	-1.15
01/25/2016 01:00	EST	SCH - HQ - NY	23324	BASE CASE	8.65
01/25/2016 02:00	EST	SCH - HQ - NY	23324	BASE CASE	7.32
01/25/2016 03:00	EST	SCH - HQ - NY	23324	BASE CASE	7.32
01/25/2016 04:00	EST	SCH - HQ - NY	23324	BASE CASE	7.41
01/25/2016 05:00	EST	SCH - HQ - NY	23324	BASE CASE	11.47
01/25/2016 07:00	EST	CENTRAL EAST - VC	23330	BASE CASE	8.76
01/25/2016 15:00	EST	CENTRAL EAST - VC	23330	BASE CASE	1.91
01/25/2016 16:00	EST	CENTRAL EAST - VC	23330	BASE CASE	12.63
01/25/2016 17:00	EST	CENTRAL EAST - VC	23330	BASE CASE	5.63
01/25/2016 18:00	EST	CENTRAL EAST - VC	23330	BASE CASE	4.62
01/25/2016 19:00	EST	CENTRAL EAST - VC	23330	BASE CASE	9.81
01/25/2016 20:00	EST	CENTRAL EAST - VC	23330	BASE CASE	10.04
01/25/2016 21:00	EST	CENTRAL EAST - VC	23330	BASE CASE	11.4
01/25/2016 22:00	EST	CENTRAL EAST - VC	23330	BASE CASE	3.6
01/25/2016 23:00	EST	CENTRAL EAST - VC	23330	BASE CASE	18.12
01/25/2016 13:00	EST	SCH - NPX_1385	325277	BASE CASE	0.11
01/25/2016 14:00	EST	SCH - NPX_1385	325277	BASE CASE	1.51
01/25/2016 15:00	EST	SCH - NPX_1385	325277	BASE CASE	1.5
01/25/2016 21:00	EST	SCH - NPX_1385	325277	BASE CASE	0.14
01/25/2016 22:00	EST	SCH - NPX_1385	325277	BASE CASE	3.52
01/25/2016 23:00	EST	NYCA ACTIVE DNI	990	ACTIVE DNI	-1.05
01/25/2016 00:00	EST	EGRDNCTY 138 VALLYSTR 138 1	25244	FREEPORT-NEWBRIDGE_138_461	0.08
01/25/2016 01:00	EST	EGRDNCTY 138 VALLYSTR 138 1	25244	FREEPORT-NEWBRIDGE_138_461	7.18
01/25/2016 02:00	EST	EGRDNCTY 138 VALLYSTR 138 1	25244	FREEPORT-NEWBRIDGE_138_461	7.54
01/25/2016 03:00	EST	EGRDNCTY 138 VALLYSTR 138 1	25244	FREEPORT-NEWBRIDGE_138_461	9.61
01/25/2016 04:00	EST	EGRDNCTY 138 VALLYSTR 138 1	25244	FREEPORT-NEWBRIDGE_138_461	9.0
01/25/2016 11:00	EST	EGRDNCTY 138 VALLYSTR 138 1	25244	FREEPORT-NEWBRIDGE_138_461	1.3
01/25/2016 12:00	EST	EGRDNCTY 138 VALLYSTR 138 1	25244	FREEPORT-NEWBRIDGE_138_461	0.08
01/25/2016 13:00	EST	EGRDNCTY 138 VALLYSTR 138 1	25244	FREEPORT-NEWBRIDGE_138_461	1.17
01/25/2016 14:00	EST	EGRDNCTY 138 VALLYSTR 138 1	25244	FREEPORT-NEWBRIDGE_138_461	0.47
01/25/2016 15:00	EST	EGRDNCTY 138 VALLYSTR 138 1	25244	FREEPORT-NEWBRIDGE_138_461	0.6
01/25/2016 16:00	EST	EGRDNCTY 138 VALLYSTR 138 1	25244	FREEPORT-NEWBRIDGE_138_461	1.92
01/25/2016 17:00	EST	EGRDNCTY 138 VALLYSTR 138 1	25244	FREEPORT-NEWBRIDGE_138_461	0.47
01/25/2016 18:00	EST	EGRDNCTY 138 VALLYSTR 138 1	25244	FREEPORT-NEWBRIDGE_138_461	92.35
01/25/2016 19:00	EST	EGRDNCTY 138 VALLYSTR 138 1	25244	FREEPORT-NEWBRIDGE_138_461	52.12
01/25/2016 20:00	EST	EGRDNCTY 138 VALLYSTR 138 1	25244	FREEPORT-NEWBRIDGE_138_461	25.92
01/25/2016 21:00	EST	EGRDNCTY 138 VALLYSTR 138 1	25244	FREEPORT-NEWBRIDGE_138_461	0.47
01/25/2016 22:00	EST	EGRDNCTY 138 VALLYSTR 138 1	25244	FREEPORT-NEWBRIDGE_138_461	0.47
01/25/2016 23:00	EST	EGRDNCTY 138 VALLYSTR 138 1	25244	FREEPORT-NEWBRIDGE_138_461	8.01
01/25/2016 01:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	0.58
01/25/2016 02:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	0.61
01/25/2016 03:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	0.77
01/25/2016 04:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	0.72
01/25/2016 05:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	4.96
01/25/2016 06:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	0.48
01/25/2016 07:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	3.9
01/25/2016 08:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	4.47

01/25/2016 09:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	4.95
01/25/2016 10:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	2.83
01/25/2016 11:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	4.15
01/25/2016 12:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	6.12
01/25/2016 13:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	8.94
01/25/2016 14:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	10.81
01/25/2016 15:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	11.78
01/25/2016 16:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	7.05
01/25/2016 17:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	6.56
01/25/2016 18:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	10.27
01/25/2016 19:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	10.55
01/25/2016 20:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	10.92
01/25/2016 21:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	11.77
01/25/2016 22:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	13.93
01/25/2016 23:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	3.63