

Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
12/14/2016 20:00	EST	SCH - NE - NY	23318	BASE CASE	-2.76
12/14/2016 00:00	EST	CENTRAL EAST - VC	23330	BASE CASE	80.38
12/14/2016 01:00	EST	CENTRAL EAST - VC	23330	BASE CASE	81.84
12/14/2016 02:00	EST	CENTRAL EAST - VC	23330	BASE CASE	72.68
12/14/2016 03:00	EST	CENTRAL EAST - VC	23330	BASE CASE	72.14
12/14/2016 04:00	EST	CENTRAL EAST - VC	23330	BASE CASE	75.05
12/14/2016 05:00	EST	CENTRAL EAST - VC	23330	BASE CASE	76.02
12/14/2016 06:00	EST	CENTRAL EAST - VC	23330	BASE CASE	72.87
12/14/2016 07:00	EST	CENTRAL EAST - VC	23330	BASE CASE	78.65
12/14/2016 08:00	EST	CENTRAL EAST - VC	23330	BASE CASE	78.79
12/14/2016 09:00	EST	CENTRAL EAST - VC	23330	BASE CASE	73.56
12/14/2016 10:00	EST	CENTRAL EAST - VC	23330	BASE CASE	79.11
12/14/2016 11:00	EST	CENTRAL EAST - VC	23330	BASE CASE	79.88
12/14/2016 12:00	EST	CENTRAL EAST - VC	23330	BASE CASE	77.25
12/14/2016 13:00	EST	CENTRAL EAST - VC	23330	BASE CASE	77.35
12/14/2016 14:00	EST	CENTRAL EAST - VC	23330	BASE CASE	75.96
12/14/2016 15:00	EST	CENTRAL EAST - VC	23330	BASE CASE	73.79
12/14/2016 16:00	EST	CENTRAL EAST - VC	23330	BASE CASE	76.08
12/14/2016 17:00	EST	CENTRAL EAST - VC	23330	BASE CASE	83.58
12/14/2016 18:00	EST	CENTRAL EAST - VC	23330	BASE CASE	78.2
12/14/2016 19:00	EST	CENTRAL EAST - VC	23330	BASE CASE	74.0
12/14/2016 20:00	EST	CENTRAL EAST - VC	23330	BASE CASE	31.29
12/14/2016 21:00	EST	CENTRAL EAST - VC	23330	BASE CASE	35.95
12/14/2016 22:00	EST	CENTRAL EAST - VC	23330	BASE CASE	38.03
12/14/2016 23:00	EST	CENTRAL EAST - VC	23330	BASE CASE	46.81
12/14/2016 12:00	EST	GOWANUS 138 GREENWD 138 1	25214	BASE CASE	0.02
12/14/2016 13:00	EST	GOWANUS 138 GREENWD 138 1	25214	BASE CASE	0.02
12/14/2016 14:00	EST	GOWANUS 138 GREENWD 138 1	25214	BASE CASE	0.02
12/14/2016 15:00	EST	GOWANUS 138 GREENWD 138 1	25214	BASE CASE	0.02
12/14/2016 12:00	EST	E179THST 138 HELLGATE 138 1	25288	BASE CASE	0.02
12/14/2016 13:00	EST	E179THST 138 HELLGATE 138 1	25288	BASE CASE	0.02
12/14/2016 14:00	EST	E179THST 138 HELLGATE 138 1	25288	BASE CASE	0.02
12/14/2016 00:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
12/14/2016 01:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
12/14/2016 02:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
12/14/2016 03:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
12/14/2016 04:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
12/14/2016 12:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
12/14/2016 13:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
12/14/2016 14:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
12/14/2016 15:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
12/14/2016 22:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
12/14/2016 23:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
12/14/2016 07:00	EST	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
12/14/2016 08:00	EST	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
12/14/2016 09:00	EST	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
12/14/2016 10:00	EST	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
12/14/2016 11:00	EST	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
12/14/2016 12:00	EST	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.04
12/14/2016 13:00	EST	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.04
12/14/2016 14:00	EST	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.04
12/14/2016 15:00	EST	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.04
12/14/2016 16:00	EST	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
12/14/2016 17:00	EST	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
12/14/2016 18:00	EST	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
12/14/2016 19:00	EST	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
12/14/2016 20:00	EST	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
12/14/2016 00:00	EST	SCH - NPX_1385	325277	BASE CASE	-0.02
12/14/2016 01:00	EST	SCH - NPX_1385	325277	BASE CASE	-1.84
12/14/2016 04:00	EST	SCH - NPX_1385	325277	BASE CASE	-0.77
12/14/2016 05:00	EST	SCH - NPX_1385	325277	BASE CASE	-1.01
12/14/2016 06:00	EST	SCH - NPX_1385	325277	BASE CASE	-3.56
12/14/2016 07:00	EST	SCH - NPX_1385	325277	BASE CASE	-4.22

12/14/2016 08:00	EST	SCH - NPX_1385	325277	BASE CASE	-3.61
12/14/2016 09:00	EST	SCH - NPX_1385	325277	BASE CASE	-3.68
12/14/2016 10:00	EST	SCH - NPX_1385	325277	BASE CASE	-2.46
12/14/2016 11:00	EST	SCH - NPX_1385	325277	BASE CASE	-3.27
12/14/2016 16:00	EST	SCH - NPX_1385	325277	BASE CASE	-2.39
12/14/2016 18:00	EST	SCH - NPX_1385	325277	BASE CASE	-0.6
12/14/2016 19:00	EST	SCH - NPX_1385	325277	BASE CASE	-1.01
12/14/2016 20:00	EST	SCH - NPX_1385	325277	BASE CASE	-3.95
12/14/2016 21:00	EST	SCH - NPX_1385	325277	BASE CASE	-1.1
12/14/2016 06:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPNBK(RNS2):Y49&M29&Y49_ST	0.02
12/14/2016 15:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPNBK(RNS2):Y49&M29&Y49_ST	0.12
12/14/2016 17:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPNBK(RNS2):Y49&M29&Y49_ST	2.42
12/14/2016 18:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPNBK(RNS2):Y49&M29&Y49_ST	0.02
12/14/2016 21:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPNBK(RNS2):Y49&M29&Y49_ST	0.02
12/14/2016 22:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPNBK(RNS2):Y49&M29&Y49_ST	2.14
12/14/2016 09:00	EST	EDIC 345 MARCY 345 1	25229	TWR:11 & UCC2-41	-0.63
12/14/2016 16:00	EST	EDIC 345 MARCY 345 1	25229	TWR:11 & UCC2-41	-8.85
12/14/2016 17:00	EST	EDIC 345 MARCY 345 1	25229	TWR:11 & UCC2-41	-17.4
12/14/2016 18:00	EST	EDIC 345 MARCY 345 1	25229	TWR:11 & UCC2-41	-12.63
12/14/2016 19:00	EST	EDIC 345 MARCY 345 1	25229	TWR:11 & UCC2-41	-8.75