

Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
03/09/2017 00:00	EST	CENTRAL EAST - VC	23330	BASE CASE	23.98
03/09/2017 01:00	EST	CENTRAL EAST - VC	23330	BASE CASE	23.42
03/09/2017 02:00	EST	CENTRAL EAST - VC	23330	BASE CASE	25.41
03/09/2017 03:00	EST	CENTRAL EAST - VC	23330	BASE CASE	23.08
03/09/2017 04:00	EST	CENTRAL EAST - VC	23330	BASE CASE	21.49
03/09/2017 05:00	EST	CENTRAL EAST - VC	23330	BASE CASE	21.78
03/09/2017 06:00	EST	CENTRAL EAST - VC	23330	BASE CASE	19.67
03/09/2017 07:00	EST	CENTRAL EAST - VC	23330	BASE CASE	21.73
03/09/2017 08:00	EST	CENTRAL EAST - VC	23330	BASE CASE	22.71
03/09/2017 09:00	EST	CENTRAL EAST - VC	23330	BASE CASE	21.54
03/09/2017 10:00	EST	CENTRAL EAST - VC	23330	BASE CASE	20.26
03/09/2017 11:00	EST	CENTRAL EAST - VC	23330	BASE CASE	22.61
03/09/2017 12:00	EST	CENTRAL EAST - VC	23330	BASE CASE	20.38
03/09/2017 13:00	EST	CENTRAL EAST - VC	23330	BASE CASE	17.36
03/09/2017 14:00	EST	CENTRAL EAST - VC	23330	BASE CASE	16.16
03/09/2017 15:00	EST	CENTRAL EAST - VC	23330	BASE CASE	15.9
03/09/2017 16:00	EST	CENTRAL EAST - VC	23330	BASE CASE	20.64
03/09/2017 17:00	EST	CENTRAL EAST - VC	23330	BASE CASE	20.57
03/09/2017 18:00	EST	CENTRAL EAST - VC	23330	BASE CASE	19.98
03/09/2017 19:00	EST	CENTRAL EAST - VC	23330	BASE CASE	9.47
03/09/2017 20:00	EST	CENTRAL EAST - VC	23330	BASE CASE	7.35
03/09/2017 21:00	EST	CENTRAL EAST - VC	23330	BASE CASE	3.62
03/09/2017 22:00	EST	CENTRAL EAST - VC	23330	BASE CASE	3.04
03/09/2017 23:00	EST	CENTRAL EAST - VC	23330	BASE CASE	8.32
03/09/2017 00:00	EST	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	3.4
03/09/2017 01:00	EST	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	2.77
03/09/2017 02:00	EST	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	0.93
03/09/2017 03:00	EST	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	1.75
03/09/2017 04:00	EST	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	0.46
03/09/2017 05:00	EST	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	1.94
03/09/2017 06:00	EST	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	3.54
03/09/2017 07:00	EST	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	1.93
03/09/2017 13:00	EST	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	0.08
03/09/2017 14:00	EST	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	0.18
03/09/2017 22:00	EST	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	0.17
03/09/2017 23:00	EST	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	0.84
03/09/2017 00:00	EST	E179THST 138 HELLGATE 138 1	25290	BASE CASE	0.02
03/09/2017 01:00	EST	E179THST 138 HELLGATE 138 1	25290	BASE CASE	0.02
03/09/2017 02:00	EST	E179THST 138 HELLGATE 138 1	25290	BASE CASE	0.02
03/09/2017 03:00	EST	E179THST 138 HELLGATE 138 1	25290	BASE CASE	0.02
03/09/2017 04:00	EST	E179THST 138 HELLGATE 138 1	25290	BASE CASE	0.02
03/09/2017 05:00	EST	E179THST 138 HELLGATE 138 1	25290	BASE CASE	0.02
03/09/2017 23:00	EST	E179THST 138 HELLGATE 138 1	25290	BASE CASE	0.02
03/09/2017 06:00	EST	NYCA ACTIVE DNI	990	ACTIVE DNI	0.51
03/09/2017 16:00	EST	LEEDS 345 N.SCTLND 345 1	25171	BUS:N.SCTLD #99&18&1&94&BK1&C2	-1.31
03/09/2017 08:00	EST	EGRDNCTY 138 VALLYSTR 138 1	25244	SCB:NEWBRDG 1380 461&BK6+4	1.01
03/09/2017 21:00	EST	EGRDNCTY 138 VALLYSTR 138 1	25244	SCB:NEWBRDG 1380 461&BK6+4	0.13
03/09/2017 06:00	EST	ADIRNDCK 230 MOSES 230 1	25270	SIN:MSU1&7040& HQ GN&LD PROXY	-7.96
03/09/2017 17:00	EST	ADIRNDCK 230 MOSES 230 1	25270	SIN:MSU1&7040& HQ GN&LD PROXY	-5.7
03/09/2017 18:00	EST	ADIRNDCK 230 MOSES 230 1	25270	SIN:MSU1&7040& HQ GN&LD PROXY	-28.16
03/09/2017 20:00	EST	ADIRNDCK 230 MOSES 230 1	25270	SIN:MSU1&7040& HQ GN&LD PROXY	-6.34
03/09/2017 22:00	EST	ADIRNDCK 230 MOSES 230 1	25270	SIN:MSU1&7040& HQ GN&LD PROXY	-12.72