

# Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
04/16/2018 00:00	EDT	SCH - NE - NY	23318	BASE CASE	-10.33
04/16/2018 01:00	EDT	SCH - NE - NY	23318	BASE CASE	-11.13
04/16/2018 02:00	EDT	SCH - NE - NY	23318	BASE CASE	-8.83
04/16/2018 03:00	EDT	SCH - NE - NY	23318	BASE CASE	-6.6
04/16/2018 04:00	EDT	SCH - NE - NY	23318	BASE CASE	-5.22
04/16/2018 05:00	EDT	SCH - NE - NY	23318	BASE CASE	-7.09
04/16/2018 06:00	EDT	SCH - NE - NY	23318	BASE CASE	-6.31
04/16/2018 07:00	EDT	SCH - NE - NY	23318	BASE CASE	-5.62
04/16/2018 08:00	EDT	SCH - NE - NY	23318	BASE CASE	-2.17
04/16/2018 09:00	EDT	SCH - NE - NY	23318	BASE CASE	-1.2
04/16/2018 10:00	EDT	SCH - NE - NY	23318	BASE CASE	-2.1
04/16/2018 11:00	EDT	SCH - NE - NY	23318	BASE CASE	-5.88
04/16/2018 13:00	EDT	SCH - NE - NY	23318	BASE CASE	-2.44
04/16/2018 15:00	EDT	SCH - NE - NY	23318	BASE CASE	-2.31
04/16/2018 16:00	EDT	SCH - NE - NY	23318	BASE CASE	-8.41
04/16/2018 17:00	EDT	SCH - NE - NY	23318	BASE CASE	-8.07
04/16/2018 18:00	EDT	SCH - NE - NY	23318	BASE CASE	-6.07
04/16/2018 19:00	EDT	SCH - NE - NY	23318	BASE CASE	-6.96
04/16/2018 22:00	EDT	SCH - NE - NY	23318	BASE CASE	-3.0
04/16/2018 23:00	EDT	SCH - NE - NY	23318	BASE CASE	-4.77
04/16/2018 00:00	EDT	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
04/16/2018 00:00	EDT	SCH - NPX_1385	325277	BASE CASE	-6.24
04/16/2018 01:00	EDT	SCH - NPX_1385	325277	BASE CASE	-5.69
04/16/2018 02:00	EDT	SCH - NPX_1385	325277	BASE CASE	-5.67
04/16/2018 03:00	EDT	SCH - NPX_1385	325277	BASE CASE	-3.6
04/16/2018 04:00	EDT	SCH - NPX_1385	325277	BASE CASE	-2.22
04/16/2018 05:00	EDT	SCH - NPX_1385	325277	BASE CASE	-2.27
04/16/2018 07:00	EDT	SCH - NPX_1385	325277	BASE CASE	-2.62
04/16/2018 08:00	EDT	SCH - NPX_1385	325277	BASE CASE	-1.22
04/16/2018 15:00	EDT	SCH - NPX_1385	325277	BASE CASE	-2.94
04/16/2018 16:00	EDT	SCH - NPX_1385	325277	BASE CASE	-2.18
04/16/2018 19:00	EDT	SCH - NPX_1385	325277	BASE CASE	-2.23
04/16/2018 23:00	EDT	SCH - NPX_1385	325277	BASE CASE	-1.77
04/16/2018 09:00	EDT	EGRDNCTY 138 NEWBRDGE 138 1	25303	NEPTUNE HVDC TIE LINE	0.03
04/16/2018 10:00	EDT	EGRDNCTY 138 NEWBRDGE 138 1	25303	NEPTUNE HVDC TIE LINE	0.03
04/16/2018 11:00	EDT	EGRDNCTY 138 NEWBRDGE 138 1	25303	NEPTUNE HVDC TIE LINE	0.03
04/16/2018 17:00	EDT	EGRDNCTY 138 NEWBRDGE 138 1	25303	NEPTUNE HVDC TIE LINE	0.03
04/16/2018 18:00	EDT	EGRDNCTY 138 NEWBRDGE 138 1	25303	NEPTUNE HVDC TIE LINE	0.03
04/16/2018 19:00	EDT	EGRDNCTY 138 NEWBRDGE 138 1	25303	NEPTUNE HVDC TIE LINE	0.03
04/16/2018 09:00	EDT	PACKARD 230 SAWYER 230 1	25164	ROBNSNRD-STOLLERD_230_65	2.05
04/16/2018 10:00	EDT	PACKARD 230 SAWYER 230 1	25164	ROBNSNRD-STOLLERD_230_65	3.06
04/16/2018 11:00	EDT	PACKARD 230 SAWYER 230 1	25164	ROBNSNRD-STOLLERD_230_65	0.14
04/16/2018 08:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	0.09
04/16/2018 09:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	0.02
04/16/2018 10:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	2.08
04/16/2018 11:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	5.83
04/16/2018 12:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	4.33
04/16/2018 13:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	6.69
04/16/2018 14:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	5.59
04/16/2018 15:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	1.5
04/16/2018 16:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	3.02
04/16/2018 17:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	5.06
04/16/2018 18:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	5.11
04/16/2018 19:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	0.03
04/16/2018 20:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	1.48
04/16/2018 21:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	1.21