

# Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
04/22/2018 01:00	EDT	SCH - NE - NY	23318	BASE CASE	-1.77
04/22/2018 02:00	EDT	SCH - NE - NY	23318	BASE CASE	-1.38
04/22/2018 03:00	EDT	SCH - NE - NY	23318	BASE CASE	-0.83
04/22/2018 04:00	EDT	SCH - NE - NY	23318	BASE CASE	-0.07
04/22/2018 05:00	EDT	SCH - NE - NY	23318	BASE CASE	-1.6
04/22/2018 06:00	EDT	SCH - NE - NY	23318	BASE CASE	-1.01
04/22/2018 07:00	EDT	SCH - NE - NY	23318	BASE CASE	-1.84
04/22/2018 08:00	EDT	SCH - NE - NY	23318	BASE CASE	-0.13
04/22/2018 09:00	EDT	SCH - NE - NY	23318	BASE CASE	-0.02
04/22/2018 14:00	EDT	SCH - NE - NY	23318	BASE CASE	-0.03
04/22/2018 15:00	EDT	SCH - NE - NY	23318	BASE CASE	-0.03
04/22/2018 16:00	EDT	SCH - NE - NY	23318	BASE CASE	-0.14
04/22/2018 17:00	EDT	SCH - NE - NY	23318	BASE CASE	-2.56
04/22/2018 18:00	EDT	SCH - NE - NY	23318	BASE CASE	-2.4
04/22/2018 19:00	EDT	SCH - NE - NY	23318	BASE CASE	-0.63
04/22/2018 06:00	EDT	EGRDNCTY 138 NEWBRDGE 138 1	25303	BASE CASE	0.03
04/22/2018 06:00	EDT	SCH - NPX_1385	325277	BASE CASE	0.7
04/22/2018 07:00	EDT	SCH - NPX_1385	325277	BASE CASE	1.49
04/22/2018 08:00	EDT	SCH - NPX_1385	325277	BASE CASE	3.64
04/22/2018 09:00	EDT	SCH - NPX_1385	325277	BASE CASE	4.15
04/22/2018 10:00	EDT	SCH - NPX_1385	325277	BASE CASE	0.4
04/22/2018 11:00	EDT	SCH - NPX_1385	325277	BASE CASE	0.35
04/22/2018 18:00	EDT	SCH - NPX_1385	325277	BASE CASE	0.19
04/22/2018 20:00	EDT	SCH - NPX_1385	325277	BASE CASE	3.54
04/22/2018 21:00	EDT	SCH - NPX_1385	325277	BASE CASE	2.87
04/22/2018 20:00	EDT	LEEDS 345 N.SCTLND 345 1	25171	N.SCTLND-LEEDS____345_94	-0.07
04/22/2018 17:00	EDT	EGRDNCTY 138 NEWBRDGE 138 1	25303	NEPTUNE HVDC TIE LINE	0.03
04/22/2018 18:00	EDT	EGRDNCTY 138 NEWBRDGE 138 1	25303	NEPTUNE HVDC TIE LINE	0.03
04/22/2018 20:00	EDT	EGRDNCTY 138 NEWBRDGE 138 1	25303	NEPTUNE HVDC TIE LINE	0.03
04/22/2018 00:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	1.05
04/22/2018 06:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	2.35
04/22/2018 07:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	5.72
04/22/2018 08:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	4.42
04/22/2018 09:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	4.6
04/22/2018 10:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	0.27
04/22/2018 16:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	0.84
04/22/2018 17:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	0.62
04/22/2018 18:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	0.02
04/22/2018 20:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	0.02
04/22/2018 22:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	0.87
04/22/2018 23:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	0.02