

# Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
10/13/2019 00:00	EDT	SCH - OH - NY	23317	BASE CASE	1.83
10/13/2019 01:00	EDT	SCH - OH - NY	23317	BASE CASE	0.26
10/13/2019 02:00	EDT	SCH - OH - NY	23317	BASE CASE	0.24
10/13/2019 04:00	EDT	SCH - OH - NY	23317	BASE CASE	0.09
10/13/2019 05:00	EDT	SCH - OH - NY	23317	BASE CASE	0.48
10/13/2019 06:00	EDT	SCH - OH - NY	23317	BASE CASE	1.52
10/13/2019 07:00	EDT	SCH - OH - NY	23317	BASE CASE	2.28
10/13/2019 08:00	EDT	SCH - OH - NY	23317	BASE CASE	4.29
10/13/2019 09:00	EDT	SCH - OH - NY	23317	BASE CASE	4.35
10/13/2019 10:00	EDT	SCH - OH - NY	23317	BASE CASE	5.6
10/13/2019 11:00	EDT	SCH - OH - NY	23317	BASE CASE	6.08
10/13/2019 12:00	EDT	SCH - OH - NY	23317	BASE CASE	5.99
10/13/2019 13:00	EDT	SCH - OH - NY	23317	BASE CASE	5.14
10/13/2019 14:00	EDT	SCH - OH - NY	23317	BASE CASE	5.58
10/13/2019 15:00	EDT	SCH - OH - NY	23317	BASE CASE	5.14
10/13/2019 16:00	EDT	SCH - OH - NY	23317	BASE CASE	3.72
10/13/2019 17:00	EDT	SCH - OH - NY	23317	BASE CASE	4.73
10/13/2019 18:00	EDT	SCH - OH - NY	23317	BASE CASE	4.52
10/13/2019 19:00	EDT	SCH - OH - NY	23317	BASE CASE	6.36
10/13/2019 20:00	EDT	SCH - OH - NY	23317	BASE CASE	7.55
10/13/2019 21:00	EDT	SCH - OH - NY	23317	BASE CASE	4.86
10/13/2019 22:00	EDT	SCH - OH - NY	23317	BASE CASE	3.8
10/13/2019 23:00	EDT	SCH - OH - NY	23317	BASE CASE	3.06
10/13/2019 00:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	10.86
10/13/2019 01:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	12.22
10/13/2019 02:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	11.15
10/13/2019 03:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	10.46
10/13/2019 04:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	9.4
10/13/2019 05:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	10.08
10/13/2019 06:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	7.53
10/13/2019 07:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	8.34
10/13/2019 08:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	3.46
10/13/2019 09:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	4.84
10/13/2019 10:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	0.89
10/13/2019 16:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	0.58
10/13/2019 17:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	0.94
10/13/2019 18:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	4.31
10/13/2019 22:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	1.95
10/13/2019 23:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	3.43
10/13/2019 10:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	0.41
10/13/2019 11:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	0.46
10/13/2019 13:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	0.64
10/13/2019 16:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	0.37
10/13/2019 17:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	0.13
10/13/2019 18:00	EDT	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	0.4
10/13/2019 20:00	EDT	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	0.64
10/13/2019 21:00	EDT	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	0.75
10/13/2019 19:00	EDT	NIAGB130 115 PACKARD 115 1	26055	BASE CASE	-0.15
10/13/2019 00:00	EDT	NORTHERN_EXPORT	326771	BASE CASE	8.72
10/13/2019 01:00	EDT	NORTHERN_EXPORT	326771	BASE CASE	7.27
10/13/2019 02:00	EDT	NORTHERN_EXPORT	326771	BASE CASE	7.36
10/13/2019 03:00	EDT	NORTHERN_EXPORT	326771	BASE CASE	7.15
10/13/2019 04:00	EDT	NORTHERN_EXPORT	326771	BASE CASE	7.2
10/13/2019 05:00	EDT	NORTHERN_EXPORT	326771	BASE CASE	5.56
10/13/2019 06:00	EDT	NORTHERN_EXPORT	326771	BASE CASE	2.7
10/13/2019 07:00	EDT	NORTHERN_EXPORT	326771	BASE CASE	3.45
10/13/2019 08:00	EDT	NORTHERN_EXPORT	326771	BASE CASE	6.0
10/13/2019 16:00	EDT	NORTHERN_EXPORT	326771	BASE CASE	0.75
10/13/2019 17:00	EDT	NORTHERN_EXPORT	326771	BASE CASE	7.32
10/13/2019 17:00	EDT	ADIRNDCK 230 PORTER 230 1	25082	CHASLAKE-PORTER__230_11	0.36
10/13/2019 18:00	EDT	ADIRNDCK 230 PORTER 230 1	25082	CHASLAKE-PORTER__230_11	25.92
10/13/2019 19:00	EDT	ADIRNDCK 230 PORTER 230 1	25082	CHASLAKE-PORTER__230_11	31.78
10/13/2019 20:00	EDT	ADIRNDCK 230 PORTER 230 1	25082	CHASLAKE-PORTER__230_11	29.05

10/13/2019 21:00	EDT	ADIRNDCK 230 PORTER 230 1	25082	CHASLAKE-PORTER__230_11	23.53
10/13/2019 22:00	EDT	ADIRNDCK 230 PORTER 230 1	25082	CHASLAKE-PORTER__230_11	19.14
10/13/2019 23:00	EDT	ADIRNDCK 230 PORTER 230 1	25082	CHASLAKE-PORTER__230_11	17.83
10/13/2019 09:00	EDT	EGRDNCTY 138 VALLYSTR 138 1	25244	SCB:NEWBRDG 1380 461&BK6+4	0.08
10/13/2019 10:00	EDT	EGRDNCTY 138 VALLYSTR 138 1	25244	SCB:NEWBRDG 1380 461&BK6+4	4.93
10/13/2019 11:00	EDT	EGRDNCTY 138 VALLYSTR 138 1	25244	SCB:NEWBRDG 1380 461&BK6+4	5.59
10/13/2019 12:00	EDT	EGRDNCTY 138 VALLYSTR 138 1	25244	SCB:NEWBRDG 1380 461&BK6+4	0.1
10/13/2019 13:00	EDT	EGRDNCTY 138 VALLYSTR 138 1	25244	SCB:NEWBRDG 1380 461&BK6+4	7.72
10/13/2019 14:00	EDT	EGRDNCTY 138 VALLYSTR 138 1	25244	SCB:NEWBRDG 1380 461&BK6+4	0.1
10/13/2019 15:00	EDT	EGRDNCTY 138 VALLYSTR 138 1	25244	SCB:NEWBRDG 1380 461&BK6+4	0.1
10/13/2019 16:00	EDT	EGRDNCTY 138 VALLYSTR 138 1	25244	SCB:NEWBRDG 1380 461&BK6+4	4.51
10/13/2019 17:00	EDT	EGRDNCTY 138 VALLYSTR 138 1	25244	SCB:NEWBRDG 1380 461&BK6+4	1.67
10/13/2019 20:00	EDT	EGRDNCTY 138 VALLYSTR 138 1	25244	SCB:NEWBRDG 1380 461&BK6+4	0.23
10/13/2019 21:00	EDT	EGRDNCTY 138 VALLYSTR 138 1	25244	SCB:NEWBRDG 1380 461&BK6+4	4.72
10/13/2019 22:00	EDT	EGRDNCTY 138 VALLYSTR 138 1	25244	SCB:NEWBRDG 1380 461&BK6+4	0.1
10/13/2019 23:00	EDT	EGRDNCTY 138 VALLYSTR 138 1	25244	SCB:NEWBRDG 1380 461&BK6+4	0.08
10/13/2019 16:00	EDT	SCRIBA 345 VOLNEY 345 1	25204	SCB:SCRIBA(R935):21&FS-10	1.13
10/13/2019 17:00	EDT	SCRIBA 345 VOLNEY 345 1	25204	SCB:SCRIBA(R935):21&FS-10	5.7
10/13/2019 18:00	EDT	SCRIBA 345 VOLNEY 345 1	25204	SCB:SCRIBA(R935):21&FS-10	4.07
10/13/2019 19:00	EDT	SCRIBA 345 VOLNEY 345 1	25204	SCB:SCRIBA(R935):21&FS-10	18.74
10/13/2019 20:00	EDT	SCRIBA 345 VOLNEY 345 1	25204	SCB:SCRIBA(R935):21&FS-10	10.92
10/13/2019 21:00	EDT	SCRIBA 345 VOLNEY 345 1	25204	SCB:SCRIBA(R935):21&FS-10	5.0
10/13/2019 18:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	0.79
10/13/2019 20:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	1.31
10/13/2019 21:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	2.31
10/13/2019 16:00	EDT	BROWNFLS 115 TAYLORVL 115 2	26077	TWR:MOSES MA1 & MA2	0.02