

Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
04/12/2020 07:00	EDT	SCH - NE - NY	23318	BASE CASE	-2.23
04/12/2020 08:00	EDT	SCH - NE - NY	23318	BASE CASE	-3.56
04/12/2020 09:00	EDT	SCH - NE - NY	23318	BASE CASE	-2.1
04/12/2020 10:00	EDT	SCH - NE - NY	23318	BASE CASE	-0.92
04/12/2020 11:00	EDT	SCH - NE - NY	23318	BASE CASE	-0.65
04/12/2020 12:00	EDT	SCH - NE - NY	23318	BASE CASE	-0.81
04/12/2020 13:00	EDT	SCH - NE - NY	23318	BASE CASE	-2.75
04/12/2020 14:00	EDT	SCH - NE - NY	23318	BASE CASE	-3.04
04/12/2020 15:00	EDT	SCH - NE - NY	23318	BASE CASE	-2.11
04/12/2020 00:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	6.92
04/12/2020 01:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	8.54
04/12/2020 02:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	8.97
04/12/2020 03:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	10.85
04/12/2020 04:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	10.89
04/12/2020 05:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	10.89
04/12/2020 06:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	12.78
04/12/2020 07:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	7.64
04/12/2020 08:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	0.12
04/12/2020 09:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	0.59
04/12/2020 10:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	2.99
04/12/2020 11:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	3.07
04/12/2020 12:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	3.52
04/12/2020 13:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	1.16
04/12/2020 14:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	1.11
04/12/2020 15:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	1.57
04/12/2020 16:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	4.26
04/12/2020 17:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	5.31
04/12/2020 18:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	4.33
04/12/2020 19:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	6.5
04/12/2020 20:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	8.62
04/12/2020 21:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	8.12
04/12/2020 22:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	9.83
04/12/2020 23:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	12.84
04/12/2020 18:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	0.45
04/12/2020 19:00	EDT	EGRDNCTY 138 NEWBRDGE 138 1	25303	NEPTUNE HVDC TIE LINE	2.5
04/12/2020 20:00	EDT	EGRDNCTY 138 NEWBRDGE 138 1	25303	NEPTUNE HVDC TIE LINE	1.61
04/12/2020 22:00	EDT	EGRDNCTY 138 NEWBRDGE 138 1	25303	NEPTUNE HVDC TIE LINE	3.23
04/12/2020 14:00	EDT	EGRDNCTY 138 VALLYSTR 138 1	25244	SCB:NEWBRDG 1380 461&BK6+4	0.08
04/12/2020 15:00	EDT	EGRDNCTY 138 VALLYSTR 138 1	25244	SCB:NEWBRDG 1380 461&BK6+4	11.69
04/12/2020 16:00	EDT	EGRDNCTY 138 VALLYSTR 138 1	25244	SCB:NEWBRDG 1380 461&BK6+4	3.66
04/12/2020 17:00	EDT	EGRDNCTY 138 VALLYSTR 138 1	25244	SCB:NEWBRDG 1380 461&BK6+4	9.89
04/12/2020 18:00	EDT	EGRDNCTY 138 VALLYSTR 138 1	25244	SCB:NEWBRDG 1380 461&BK6+4	7.74
04/12/2020 19:00	EDT	EGRDNCTY 138 VALLYSTR 138 1	25244	SCB:NEWBRDG 1380 461&BK6+4	6.44
04/12/2020 20:00	EDT	EGRDNCTY 138 VALLYSTR 138 1	25244	SCB:NEWBRDG 1380 461&BK6+4	4.18
04/12/2020 21:00	EDT	EGRDNCTY 138 VALLYSTR 138 1	25244	SCB:NEWBRDG 1380 461&BK6+4	7.23
04/12/2020 22:00	EDT	EGRDNCTY 138 VALLYSTR 138 1	25244	SCB:NEWBRDG 1380 461&BK6+4	8.29
04/12/2020 00:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	2.74
04/12/2020 01:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	2.07
04/12/2020 02:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	1.86
04/12/2020 03:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	2.09
04/12/2020 04:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	1.58
04/12/2020 05:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	2.82
04/12/2020 06:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	4.19
04/12/2020 07:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	4.11
04/12/2020 08:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	5.0
04/12/2020 09:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	4.54
04/12/2020 10:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	3.7
04/12/2020 11:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	3.45
04/12/2020 12:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	2.99
04/12/2020 13:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	4.19
04/12/2020 14:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	4.99
04/12/2020 15:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	4.53
04/12/2020 16:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	1.71

04/12/2020 17:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	1.67
04/12/2020 18:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	0.38
04/12/2020 19:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	1.25
04/12/2020 20:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	3.74
04/12/2020 21:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	3.99
04/12/2020 22:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	2.8
04/12/2020 23:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	0.85