

Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
03/24/2021 17:00	EDT	SCH - NE - NY	23318	BASE CASE	-0.43
03/24/2021 00:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	43.31
03/24/2021 01:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	42.04
03/24/2021 02:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	38.99
03/24/2021 03:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	38.13
03/24/2021 04:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	38.76
03/24/2021 05:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	39.04
03/24/2021 06:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	45.81
03/24/2021 07:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	57.74
03/24/2021 08:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	57.5
03/24/2021 09:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	47.18
03/24/2021 10:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	41.77
03/24/2021 11:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	39.52
03/24/2021 12:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	39.2
03/24/2021 13:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	39.75
03/24/2021 14:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	37.56
03/24/2021 15:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	35.5
03/24/2021 16:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	38.51
03/24/2021 17:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	41.78
03/24/2021 18:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	56.88
03/24/2021 19:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	57.28
03/24/2021 20:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	51.35
03/24/2021 21:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	43.04
03/24/2021 22:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	43.53
03/24/2021 23:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	40.6
03/24/2021 10:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	3.84
03/24/2021 11:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	5.17
03/24/2021 16:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	5.78
03/24/2021 17:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	7.96
03/24/2021 18:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	8.94
03/24/2021 19:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	12.34
03/24/2021 20:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	9.35
03/24/2021 21:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	8.82
03/24/2021 05:00	EDT	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	0.14
03/24/2021 23:00	EDT	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	0.11
03/24/2021 08:00	EDT	E179THST 138 HELLGATE 138 1	25288	BASE CASE	0.02
03/24/2021 18:00	EDT	E179THST 138 HELLGATE 138 1	25288	BASE CASE	0.02
03/24/2021 19:00	EDT	E179THST 138 HELLGATE 138 1	25288	BASE CASE	0.02
03/24/2021 00:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
03/24/2021 01:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
03/24/2021 02:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
03/24/2021 03:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
03/24/2021 04:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
03/24/2021 08:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
03/24/2021 18:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
03/24/2021 19:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
03/24/2021 22:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
03/24/2021 23:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
03/24/2021 09:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
03/24/2021 10:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
03/24/2021 11:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
03/24/2021 12:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
03/24/2021 13:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
03/24/2021 14:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
03/24/2021 15:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
03/24/2021 14:00	EDT	SCH - NPX_1385	325277	BASE CASE	0.49
03/24/2021 15:00	EDT	SCH - NPX_1385	325277	BASE CASE	0.13
03/24/2021 21:00	EDT	NYCA ACTIVE DNI	990	ACTIVE DNI	-0.74
03/24/2021 02:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-0.63
03/24/2021 03:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-1.06
03/24/2021 04:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-1.31
03/24/2021 05:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-5.87
03/24/2021 06:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-7.63

03/24/2021 07:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-4.73
03/24/2021 08:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-3.5
03/24/2021 09:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-7.42
03/24/2021 22:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-9.53
03/24/2021 23:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-4.67
03/24/2021 12:00	EDT	SHORE_RD 345 SHORE_RD 138 2	25440	SHORE_RD_345/138_BK_1	6.22
03/24/2021 13:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	6.07
03/24/2021 14:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	7.3
03/24/2021 15:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	8.66