

Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
03/28/2021 00:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	30.93
03/28/2021 01:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	32.58
03/28/2021 02:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	30.18
03/28/2021 03:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	30.86
03/28/2021 04:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	32.88
03/28/2021 05:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	32.81
03/28/2021 06:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	33.76
03/28/2021 07:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	42.8
03/28/2021 08:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	39.38
03/28/2021 09:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	41.74
03/28/2021 10:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	38.62
03/28/2021 11:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	40.59
03/28/2021 12:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	41.65
03/28/2021 13:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	42.96
03/28/2021 14:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	42.23
03/28/2021 15:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	40.56
03/28/2021 16:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	41.4
03/28/2021 17:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	47.5
03/28/2021 18:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	58.38
03/28/2021 19:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	59.09
03/28/2021 20:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	57.03
03/28/2021 21:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	42.9
03/28/2021 22:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	38.02
03/28/2021 23:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	36.58
03/28/2021 19:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	4.21
03/28/2021 22:00	EDT	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	0.18
03/28/2021 23:00	EDT	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	0.04
03/28/2021 08:00	EDT	E179THST 138 HELLGATE 138 1	25288	BASE CASE	0.02
03/28/2021 09:00	EDT	E179THST 138 HELLGATE 138 1	25288	BASE CASE	0.02
03/28/2021 10:00	EDT	E179THST 138 HELLGATE 138 1	25288	BASE CASE	0.02
03/28/2021 11:00	EDT	E179THST 138 HELLGATE 138 1	25288	BASE CASE	0.02
03/28/2021 12:00	EDT	E179THST 138 HELLGATE 138 1	25288	BASE CASE	0.02
03/28/2021 13:00	EDT	E179THST 138 HELLGATE 138 1	25288	BASE CASE	0.02
03/28/2021 14:00	EDT	E179THST 138 HELLGATE 138 1	25288	BASE CASE	0.02
03/28/2021 16:00	EDT	E179THST 138 HELLGATE 138 1	25288	BASE CASE	0.02
03/28/2021 17:00	EDT	E179THST 138 HELLGATE 138 1	25288	BASE CASE	5.44
03/28/2021 18:00	EDT	E179THST 138 HELLGATE 138 1	25288	BASE CASE	0.68
03/28/2021 19:00	EDT	E179THST 138 HELLGATE 138 1	25288	BASE CASE	0.02
03/28/2021 20:00	EDT	E179THST 138 HELLGATE 138 1	25288	BASE CASE	0.43
03/28/2021 17:00	EDT	RAINEY 138 VERNON 138 1	25297	BASE CASE	5.44
03/28/2021 18:00	EDT	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.68
03/28/2021 20:00	EDT	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.43
03/28/2021 19:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.03
03/28/2021 20:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.87
03/28/2021 21:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
03/28/2021 22:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
03/28/2021 09:00	EDT	SCH - NPX_1385	325277	BASE CASE	0.25
03/28/2021 10:00	EDT	SCH - NPX_1385	325277	BASE CASE	2.48
03/28/2021 11:00	EDT	SCH - NPX_1385	325277	BASE CASE	2.87
03/28/2021 12:00	EDT	SCH - NPX_1385	325277	BASE CASE	2.98
03/28/2021 13:00	EDT	SCH - NPX_1385	325277	BASE CASE	2.58
03/28/2021 15:00	EDT	SCH - NPX_1385	325277	BASE CASE	1.12
03/28/2021 16:00	EDT	SCH - NPX_1385	325277	BASE CASE	2.09
03/28/2021 21:00	EDT	SCH - NPX_1385	325277	BASE CASE	2.89
03/28/2021 00:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-2.02
03/28/2021 01:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-1.58
03/28/2021 02:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-2.07
03/28/2021 03:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-0.83
03/28/2021 04:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-0.93
03/28/2021 05:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-2.22
03/28/2021 06:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-4.13
03/28/2021 07:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-4.94
03/28/2021 08:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-9.34

03/28/2021 09:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-10.34
03/28/2021 22:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-7.14
03/28/2021 23:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-2.13
03/28/2021 12:00	EDT	SHORE_RD 345 SHORE_RD 138 2	25440	SHORE_RD_345/138_BK_1	10.33
03/28/2021 16:00	EDT	SHORE_RD 345 SHORE_RD 138 2	25440	SHORE_RD_345/138_BK_1	11.57
03/28/2021 10:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	12.98
03/28/2021 11:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	12.0
03/28/2021 13:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	10.38
03/28/2021 14:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	8.96
03/28/2021 15:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	10.11
03/28/2021 17:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	8.27
03/28/2021 18:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	6.31
03/28/2021 20:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	6.49
03/28/2021 21:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	11.69