

Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
04/06/2021 00:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	33.9
04/06/2021 01:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	36.36
04/06/2021 02:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	33.3
04/06/2021 03:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	32.08
04/06/2021 04:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	35.55
04/06/2021 05:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	37.14
04/06/2021 06:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	36.52
04/06/2021 07:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	55.5
04/06/2021 08:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	51.07
04/06/2021 09:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	36.03
04/06/2021 10:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	25.41
04/06/2021 11:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	32.12
04/06/2021 12:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	30.03
04/06/2021 13:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	28.67
04/06/2021 14:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	28.33
04/06/2021 15:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	29.59
04/06/2021 16:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	31.3
04/06/2021 17:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	43.71
04/06/2021 18:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	48.19
04/06/2021 19:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	59.5
04/06/2021 20:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	50.86
04/06/2021 21:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	42.86
04/06/2021 22:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	36.26
04/06/2021 23:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	34.51
04/06/2021 13:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	5.17
04/06/2021 16:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	7.85
04/06/2021 17:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	11.21
04/06/2021 17:00	EDT	E179THST 138 HELLGATE 138 1	25288	BASE CASE	0.02
04/06/2021 00:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
04/06/2021 01:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
04/06/2021 02:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
04/06/2021 03:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
04/06/2021 04:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
04/06/2021 17:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
04/06/2021 22:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
04/06/2021 23:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
04/06/2021 08:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
04/06/2021 09:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
04/06/2021 10:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
04/06/2021 11:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
04/06/2021 12:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
04/06/2021 13:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
04/06/2021 14:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
04/06/2021 15:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
04/06/2021 16:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
04/06/2021 00:00	EDT	SCH - NPX_1385	325277	BASE CASE	5.16
04/06/2021 06:00	EDT	SCH - NPX_1385	325277	BASE CASE	0.78
04/06/2021 09:00	EDT	SCH - NPX_1385	325277	BASE CASE	1.74
04/06/2021 17:00	EDT	SCH - NPX_1385	325277	BASE CASE	1.55
04/06/2021 21:00	EDT	SCH - NPX_1385	325277	BASE CASE	4.92
04/06/2021 22:00	EDT	SCH - NPX_1385	325277	BASE CASE	1.88
04/06/2021 00:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-15.14
04/06/2021 01:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-7.71
04/06/2021 02:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-6.82
04/06/2021 03:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-7.81
04/06/2021 04:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-8.25
04/06/2021 05:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-8.55
04/06/2021 06:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-16.25
04/06/2021 07:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-15.89
04/06/2021 08:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-17.23
04/06/2021 09:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-15.71
04/06/2021 22:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-11.14
04/06/2021 23:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-9.07

04/06/2021 10:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	10.91
04/06/2021 11:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	7.67
04/06/2021 12:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	7.21
04/06/2021 14:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	4.59
04/06/2021 15:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	6.65
04/06/2021 18:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	15.48
04/06/2021 19:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	18.11
04/06/2021 20:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	13.35
04/06/2021 21:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	13.88