

Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
04/25/2021 00:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	37.26
04/25/2021 01:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	31.59
04/25/2021 02:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	32.35
04/25/2021 03:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	32.35
04/25/2021 04:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	32.88
04/25/2021 05:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	35.79
04/25/2021 06:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	37.83
04/25/2021 07:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	37.48
04/25/2021 08:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	34.9
04/25/2021 09:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	36.95
04/25/2021 10:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	37.31
04/25/2021 11:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	39.72
04/25/2021 12:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	38.36
04/25/2021 13:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	38.5
04/25/2021 14:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	38.03
04/25/2021 15:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	39.17
04/25/2021 16:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	43.1
04/25/2021 17:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	54.12
04/25/2021 18:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	58.58
04/25/2021 19:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	66.85
04/25/2021 20:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	63.58
04/25/2021 21:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	47.29
04/25/2021 22:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	34.43
04/25/2021 23:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	33.04
04/25/2021 00:00	EDT	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	0.07
04/25/2021 08:00	EDT	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	0.1
04/25/2021 09:00	EDT	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	0.1
04/25/2021 10:00	EDT	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	0.22
04/25/2021 11:00	EDT	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	0.18
04/25/2021 12:00	EDT	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	0.19
04/25/2021 13:00	EDT	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	0.19
04/25/2021 14:00	EDT	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	0.18
04/25/2021 15:00	EDT	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	0.19
04/25/2021 16:00	EDT	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	0.23
04/25/2021 17:00	EDT	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	0.25
04/25/2021 18:00	EDT	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	0.29
04/25/2021 19:00	EDT	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	0.39
04/25/2021 20:00	EDT	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	0.42
04/25/2021 21:00	EDT	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	0.32
04/25/2021 22:00	EDT	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	0.38
04/25/2021 23:00	EDT	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	0.18
04/25/2021 00:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
04/25/2021 01:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
04/25/2021 02:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
04/25/2021 03:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
04/25/2021 22:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
04/25/2021 23:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
04/25/2021 10:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
04/25/2021 12:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
04/25/2021 21:00	EDT	SCH - NPX_1385	325277	BASE CASE	0.23
04/25/2021 22:00	EDT	SCH - NPX_1385	325277	BASE CASE	3.85
04/25/2021 00:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	SCB:SPBK(RNS2):Y49&M29&Y49_ST	-2.59
04/25/2021 01:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	SCB:SPBK(RNS2):Y49&M29&Y49_ST	-0.02
04/25/2021 05:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	SCB:SPBK(RNS2):Y49&M29&Y49_ST	-0.02
04/25/2021 06:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	SCB:SPBK(RNS2):Y49&M29&Y49_ST	-0.02
04/25/2021 07:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	SCB:SPBK(RNS2):Y49&M29&Y49_ST	-0.02
04/25/2021 10:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	SCB:SPBK(RNS2):Y49&M29&Y49_ST	-9.19
04/25/2021 11:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	SCB:SPBK(RNS2):Y49&M29&Y49_ST	-7.44
04/25/2021 13:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	SCB:SPBK(RNS2):Y49&M29&Y49_ST	-7.7
04/25/2021 08:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	SPRNBK_-EGRDNCTR_345_Y49	-5.09
04/25/2021 09:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	SPRNBK_-EGRDNCTR_345_Y49	-3.86
04/25/2021 12:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	SPRNBK_-EGRDNCTR_345_Y49	-7.45
04/25/2021 14:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	SPRNBK_-EGRDNCTR_345_Y49	-7.28

04/25/2021 15:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	SPRNBK_-EGRDNCTR_345_Y49	-7.46
04/25/2021 16:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	SPRNBK_-EGRDNCTR_345_Y49	-9.47
04/25/2021 17:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	SPRNBK_-EGRDNCTR_345_Y49	-10.26
04/25/2021 18:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	SPRNBK_-EGRDNCTR_345_Y49	-11.98
04/25/2021 19:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	SPRNBK_-EGRDNCTR_345_Y49	-16.48
04/25/2021 20:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	SPRNBK_-EGRDNCTR_345_Y49	-17.79
04/25/2021 21:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	SPRNBK_-EGRDNCTR_345_Y49	-13.47
04/25/2021 22:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	SPRNBK_-EGRDNCTR_345_Y49	-16.0
04/25/2021 23:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	SPRNBK_-EGRDNCTR_345_Y49	-7.07