

Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
04/12/2021 00:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	37.96
04/12/2021 01:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	40.68
04/12/2021 02:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	34.84
04/12/2021 03:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	38.05
04/12/2021 04:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	40.34
04/12/2021 05:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	38.11
04/12/2021 06:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	40.03
04/12/2021 07:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	47.47
04/12/2021 08:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	49.45
04/12/2021 09:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	44.74
04/12/2021 10:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	40.6
04/12/2021 11:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	44.38
04/12/2021 12:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	41.55
04/12/2021 13:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	36.14
04/12/2021 14:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	36.5
04/12/2021 15:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	36.64
04/12/2021 16:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	37.18
04/12/2021 17:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	57.61
04/12/2021 18:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	60.28
04/12/2021 19:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	60.54
04/12/2021 20:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	53.75
04/12/2021 21:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	46.78
04/12/2021 22:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	36.13
04/12/2021 23:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	34.17
04/12/2021 10:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	12.79
04/12/2021 12:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	8.74
04/12/2021 16:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	9.9
04/12/2021 17:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	17.66
04/12/2021 18:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	15.57
04/12/2021 19:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	15.21
04/12/2021 00:00	EDT	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	0.12
04/12/2021 23:00	EDT	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	0.24
04/12/2021 08:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
04/12/2021 09:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
04/12/2021 10:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
04/12/2021 11:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
04/12/2021 12:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
04/12/2021 13:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
04/12/2021 14:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
04/12/2021 15:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
04/12/2021 16:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
04/12/2021 09:00	EDT	SCH - NPX_1385	325277	BASE CASE	2.53
04/12/2021 10:00	EDT	SCH - NPX_1385	325277	BASE CASE	4.99
04/12/2021 13:00	EDT	SCH - NPX_1385	325277	BASE CASE	3.39
04/12/2021 14:00	EDT	SCH - NPX_1385	325277	BASE CASE	3.84
04/12/2021 15:00	EDT	SCH - NPX_1385	325277	BASE CASE	6.09
04/12/2021 16:00	EDT	SCH - NPX_1385	325277	BASE CASE	3.21
04/12/2021 17:00	EDT	SCH - NPX_1385	325277	BASE CASE	12.1
04/12/2021 18:00	EDT	SCH - NPX_1385	325277	BASE CASE	8.66
04/12/2021 19:00	EDT	SCH - NPX_1385	325277	BASE CASE	6.76
04/12/2021 20:00	EDT	SCH - NPX_1385	325277	BASE CASE	13.5
04/12/2021 21:00	EDT	SCH - NPX_1385	325277	BASE CASE	8.77
04/12/2021 22:00	EDT	SCH - NPX_1385	325277	BASE CASE	4.23
04/12/2021 23:00	EDT	SCH - NPX_1385	325277	BASE CASE	0.83
04/12/2021 06:00	EDT	NYCA ACTIVE DNI	990	ACTIVE DNI	0.08
04/12/2021 22:00	EDT	NYCA ACTIVE DNI	990	ACTIVE DNI	-0.68
04/12/2021 20:00	EDT	COLTON 115 FLATROCK 115 1	26088	COLTON__HIGLEY__115_1	0.09
04/12/2021 00:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-5.03
04/12/2021 01:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-3.81
04/12/2021 05:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-6.32
04/12/2021 06:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-5.54
04/12/2021 07:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-7.61
04/12/2021 08:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-5.06

04/12/2021 09:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-12.71
04/12/2021 22:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-14.29
04/12/2021 23:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-9.41
04/12/2021 15:00	EDT	SHORE_RD 345 SHORE_RD 138 2	25440	SHORE_RD_345/138_BK_1	15.9
04/12/2021 11:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	11.28
04/12/2021 13:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	14.04
04/12/2021 14:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	14.39
04/12/2021 20:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	25.61
04/12/2021 21:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	17.33