

# Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
04/15/2021 00:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	32.11
04/15/2021 01:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	32.69
04/15/2021 02:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	30.52
04/15/2021 03:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	30.3
04/15/2021 04:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	28.7
04/15/2021 05:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	36.08
04/15/2021 06:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	31.55
04/15/2021 07:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	43.47
04/15/2021 08:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	32.55
04/15/2021 09:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	33.11
04/15/2021 10:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	29.96
04/15/2021 11:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	28.53
04/15/2021 12:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	29.54
04/15/2021 13:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	32.82
04/15/2021 14:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	31.8
04/15/2021 15:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	35.74
04/15/2021 16:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	37.79
04/15/2021 17:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	53.4
04/15/2021 18:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	52.59
04/15/2021 19:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	52.03
04/15/2021 20:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	46.5
04/15/2021 21:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	39.87
04/15/2021 22:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	32.24
04/15/2021 23:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	32.59
04/15/2021 00:00	EDT	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	0.34
04/15/2021 01:00	EDT	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	0.12
04/15/2021 05:00	EDT	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	0.19
04/15/2021 23:00	EDT	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	0.35
04/15/2021 00:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
04/15/2021 23:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
04/15/2021 00:00	EDT	SCH - NPX_1385	325277	BASE CASE	3.06
04/15/2021 07:00	EDT	SCH - NPX_1385	325277	BASE CASE	1.27
04/15/2021 08:00	EDT	SCH - NPX_1385	325277	BASE CASE	7.04
04/15/2021 09:00	EDT	SCH - NPX_1385	325277	BASE CASE	12.74
04/15/2021 10:00	EDT	SCH - NPX_1385	325277	BASE CASE	15.0
04/15/2021 11:00	EDT	SCH - NPX_1385	325277	BASE CASE	4.0
04/15/2021 12:00	EDT	SCH - NPX_1385	325277	BASE CASE	6.13
04/15/2021 13:00	EDT	SCH - NPX_1385	325277	BASE CASE	5.18
04/15/2021 14:00	EDT	SCH - NPX_1385	325277	BASE CASE	4.79
04/15/2021 15:00	EDT	SCH - NPX_1385	325277	BASE CASE	5.37
04/15/2021 16:00	EDT	SCH - NPX_1385	325277	BASE CASE	7.25
04/15/2021 17:00	EDT	SCH - NPX_1385	325277	BASE CASE	8.26
04/15/2021 18:00	EDT	SCH - NPX_1385	325277	BASE CASE	7.93
04/15/2021 19:00	EDT	SCH - NPX_1385	325277	BASE CASE	9.76
04/15/2021 20:00	EDT	SCH - NPX_1385	325277	BASE CASE	8.88
04/15/2021 21:00	EDT	SCH - NPX_1385	325277	BASE CASE	8.03
04/15/2021 22:00	EDT	SCH - NPX_1385	325277	BASE CASE	3.37
04/15/2021 23:00	EDT	SCH - NPX_1385	325277	BASE CASE	3.88
04/15/2021 22:00	EDT	NYCA ACTIVE DNI	990	ACTIVE DNI	-0.25
04/15/2021 07:00	EDT	COLTON 115 FLATROCK 115 1	26088	COLTON__HIGLEY__115_1	11.46
04/15/2021 08:00	EDT	COLTON 115 FLATROCK 115 1	26088	COLTON__HIGLEY__115_1	31.69
04/15/2021 00:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-13.16
04/15/2021 01:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-5.01
04/15/2021 02:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-5.89
04/15/2021 03:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-4.39
04/15/2021 04:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-4.53
04/15/2021 05:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-7.61
04/15/2021 06:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-11.86
04/15/2021 07:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-10.7
04/15/2021 08:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-17.07
04/15/2021 09:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-23.77
04/15/2021 22:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-12.17
04/15/2021 23:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-13.52

04/15/2021 10:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	25.14
04/15/2021 11:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	10.19
04/15/2021 12:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	11.95
04/15/2021 13:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	10.94
04/15/2021 14:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	11.49
04/15/2021 15:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	11.97
04/15/2021 16:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	14.39
04/15/2021 17:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	13.84
04/15/2021 18:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	17.69
04/15/2021 19:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	20.26
04/15/2021 20:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	18.97
04/15/2021 21:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	16.78
04/15/2021 13:00	EDT	COLTON 115 FLATROCK 115 1	26088	SIN:MSU1&7040& HQ GN&LD PROXY	11.41