

Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
04/08/2021 00:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	27.97
04/08/2021 01:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	29.24
04/08/2021 02:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	28.53
04/08/2021 03:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	26.48
04/08/2021 04:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	29.5
04/08/2021 05:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	30.31
04/08/2021 06:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	34.53
04/08/2021 07:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	43.57
04/08/2021 08:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	40.85
04/08/2021 09:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	36.31
04/08/2021 10:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	29.03
04/08/2021 11:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	29.07
04/08/2021 12:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	27.11
04/08/2021 13:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	27.11
04/08/2021 14:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	27.84
04/08/2021 15:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	29.53
04/08/2021 16:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	32.07
04/08/2021 17:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	38.3
04/08/2021 18:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	44.52
04/08/2021 19:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	48.57
04/08/2021 20:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	47.21
04/08/2021 21:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	36.02
04/08/2021 22:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	35.13
04/08/2021 23:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	37.43
04/08/2021 14:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	7.23
04/08/2021 15:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	9.66
04/08/2021 16:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	12.13
04/08/2021 17:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	15.62
04/08/2021 18:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	16.96
04/08/2021 19:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	21.88
04/08/2021 20:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	18.22
04/08/2021 00:00	EDT	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	0.13
04/08/2021 01:00	EDT	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	0.12
04/08/2021 00:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
04/08/2021 01:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
04/08/2021 02:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
04/08/2021 03:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
04/08/2021 04:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
04/08/2021 23:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
04/08/2021 13:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
04/08/2021 14:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
04/08/2021 15:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
04/08/2021 16:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
04/08/2021 06:00	EDT	SCH - NPX_1385	325277	BASE CASE	1.35
04/08/2021 09:00	EDT	SCH - NPX_1385	325277	BASE CASE	3.51
04/08/2021 10:00	EDT	SCH - NPX_1385	325277	BASE CASE	2.6
04/08/2021 11:00	EDT	SCH - NPX_1385	325277	BASE CASE	1.29
04/08/2021 12:00	EDT	SCH - NPX_1385	325277	BASE CASE	0.97
04/08/2021 13:00	EDT	SCH - NPX_1385	325277	BASE CASE	0.65
04/08/2021 14:00	EDT	SCH - NPX_1385	325277	BASE CASE	1.58
04/08/2021 15:00	EDT	SCH - NPX_1385	325277	BASE CASE	4.0
04/08/2021 16:00	EDT	SCH - NPX_1385	325277	BASE CASE	6.06
04/08/2021 17:00	EDT	SCH - NPX_1385	325277	BASE CASE	7.58
04/08/2021 18:00	EDT	SCH - NPX_1385	325277	BASE CASE	5.47
04/08/2021 19:00	EDT	SCH - NPX_1385	325277	BASE CASE	9.28
04/08/2021 20:00	EDT	SCH - NPX_1385	325277	BASE CASE	8.15
04/08/2021 21:00	EDT	SCH - NPX_1385	325277	BASE CASE	9.5
04/08/2021 22:00	EDT	SCH - NPX_1385	325277	BASE CASE	9.46
04/08/2021 23:00	EDT	SCH - NPX_1385	325277	BASE CASE	1.41
04/08/2021 08:00	EDT	NYCA ACTIVE DNI	990	ACTIVE DNI	0.15
04/08/2021 00:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-5.54
04/08/2021 01:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-5.06
04/08/2021 02:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-0.54

04/08/2021 04:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-3.41
04/08/2021 05:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-4.78
04/08/2021 06:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-12.92
04/08/2021 07:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-11.83
04/08/2021 08:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-11.03
04/08/2021 09:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-13.37
04/08/2021 22:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-24.45
04/08/2021 23:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-10.4
04/08/2021 10:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	12.13
04/08/2021 11:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	9.36
04/08/2021 12:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	8.84
04/08/2021 13:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	8.3
04/08/2021 21:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	21.7