

# Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
04/10/2021 00:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	43.24
04/10/2021 01:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	42.25
04/10/2021 02:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	39.8
04/10/2021 03:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	37.39
04/10/2021 04:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	36.37
04/10/2021 05:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	37.08
04/10/2021 06:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	36.15
04/10/2021 07:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	39.25
04/10/2021 08:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	36.11
04/10/2021 09:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	34.09
04/10/2021 10:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	26.51
04/10/2021 11:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	25.81
04/10/2021 12:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	25.27
04/10/2021 13:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	25.94
04/10/2021 14:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	26.18
04/10/2021 15:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	26.89
04/10/2021 16:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	25.61
04/10/2021 17:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	35.76
04/10/2021 18:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	47.61
04/10/2021 19:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	56.88
04/10/2021 20:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	56.69
04/10/2021 21:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	36.76
04/10/2021 22:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	36.77
04/10/2021 23:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	38.56
04/10/2021 10:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	6.24
04/10/2021 12:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	3.51
04/10/2021 13:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	3.98
04/10/2021 15:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	7.31
04/10/2021 17:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	10.16
04/10/2021 18:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	7.09
04/10/2021 19:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	BASE CASE	9.38
04/10/2021 00:00	EDT	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	0.14
04/10/2021 01:00	EDT	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	0.09
04/10/2021 07:00	EDT	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	0.3
04/10/2021 08:00	EDT	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	0.24
04/10/2021 09:00	EDT	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	0.21
04/10/2021 22:00	EDT	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	0.02
04/10/2021 00:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
04/10/2021 01:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
04/10/2021 02:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
04/10/2021 03:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
04/10/2021 04:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
04/10/2021 23:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
04/10/2021 10:00	EDT	SCH - NPX_1385	325277	BASE CASE	0.5
04/10/2021 11:00	EDT	SCH - NPX_1385	325277	BASE CASE	1.29
04/10/2021 15:00	EDT	SCH - NPX_1385	325277	BASE CASE	3.15
04/10/2021 16:00	EDT	SCH - NPX_1385	325277	BASE CASE	4.26
04/10/2021 17:00	EDT	SCH - NPX_1385	325277	BASE CASE	3.8
04/10/2021 18:00	EDT	SCH - NPX_1385	325277	BASE CASE	0.36
04/10/2021 19:00	EDT	SCH - NPX_1385	325277	BASE CASE	2.23
04/10/2021 20:00	EDT	SCH - NPX_1385	325277	BASE CASE	4.44
04/10/2021 21:00	EDT	SCH - NPX_1385	325277	BASE CASE	7.77
04/10/2021 00:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-5.6
04/10/2021 01:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-4.03
04/10/2021 02:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-2.04
04/10/2021 03:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-1.51
04/10/2021 04:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-3.22
04/10/2021 05:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-3.42
04/10/2021 06:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-11.47
04/10/2021 07:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-11.91
04/10/2021 08:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-9.31
04/10/2021 09:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-8.22
04/10/2021 22:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-8.75

04/10/2021 23:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-8.89
04/10/2021 11:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	8.4
04/10/2021 14:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	4.92
04/10/2021 16:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	11.89
04/10/2021 20:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	12.7
04/10/2021 21:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	16.63