

# Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
04/16/2021 00:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	37.51
04/16/2021 01:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	34.92
04/16/2021 02:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	32.35
04/16/2021 03:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	32.45
04/16/2021 04:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	35.14
04/16/2021 05:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	37.91
04/16/2021 06:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	43.08
04/16/2021 07:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	51.15
04/16/2021 08:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	48.98
04/16/2021 09:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	47.1
04/16/2021 10:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	38.52
04/16/2021 11:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	43.14
04/16/2021 12:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	37.67
04/16/2021 13:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	35.89
04/16/2021 14:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	36.45
04/16/2021 15:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	36.79
04/16/2021 16:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	42.41
04/16/2021 17:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	60.19
04/16/2021 18:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	56.85
04/16/2021 19:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	56.85
04/16/2021 20:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	56.07
04/16/2021 21:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	44.9
04/16/2021 22:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	36.91
04/16/2021 23:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	33.08
04/16/2021 00:00	EDT	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	0.14
04/16/2021 01:00	EDT	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	0.08
04/16/2021 02:00	EDT	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	0.11
04/16/2021 03:00	EDT	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	0.09
04/16/2021 04:00	EDT	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	0.11
04/16/2021 05:00	EDT	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	0.15
04/16/2021 06:00	EDT	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	0.29
04/16/2021 07:00	EDT	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	0.04
04/16/2021 09:00	EDT	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	0.04
04/16/2021 22:00	EDT	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	0.25
04/16/2021 23:00	EDT	EGRDNCTY 138 VALLYSTR 138 2	25244	BASE CASE	0.26
04/16/2021 00:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
04/16/2021 01:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
04/16/2021 02:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
04/16/2021 03:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
04/16/2021 04:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
04/16/2021 05:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
04/16/2021 23:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.02
04/16/2021 06:00	EDT	SCH - NPX_1385	325277	BASE CASE	2.91
04/16/2021 16:00	EDT	SCH - NPX_1385	325277	BASE CASE	1.67
04/16/2021 17:00	EDT	SCH - NPX_1385	325277	BASE CASE	2.95
04/16/2021 18:00	EDT	SCH - NPX_1385	325277	BASE CASE	2.46
04/16/2021 19:00	EDT	SCH - NPX_1385	325277	BASE CASE	6.81
04/16/2021 20:00	EDT	SCH - NPX_1385	325277	BASE CASE	7.48
04/16/2021 21:00	EDT	SCH - NPX_1385	325277	BASE CASE	4.1
04/16/2021 22:00	EDT	SCH - NPX_1385	325277	BASE CASE	0.72
04/16/2021 23:00	EDT	SCH - NPX_1385	325277	BASE CASE	0.39
04/16/2021 07:00	EDT	NYCA ACTIVE DNI	990	ACTIVE DNI	0.86
04/16/2021 08:00	EDT	COLTON 115 FLATROCK 115 1	26088	COLTON__HIGLEY__115_1	6.76
04/16/2021 09:00	EDT	COLTON 115 FLATROCK 115 1	26088	COLTON__HIGLEY__115_1	26.15
04/16/2021 10:00	EDT	COLTON 115 FLATROCK 115 1	26088	COLTON__HIGLEY__115_1	25.53
04/16/2021 12:00	EDT	COLTON 115 FLATROCK 115 1	26088	COLTON__HIGLEY__115_1	8.7
04/16/2021 13:00	EDT	COLTON 115 FLATROCK 115 1	26088	COLTON__HIGLEY__115_1	45.07
04/16/2021 00:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-5.69
04/16/2021 01:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-3.64
04/16/2021 02:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-4.51
04/16/2021 03:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-4.05
04/16/2021 04:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-4.8
04/16/2021 05:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-6.14

04/16/2021 06:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-11.28
04/16/2021 07:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-2.02
04/16/2021 08:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-1.08
04/16/2021 09:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-2.03
04/16/2021 22:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-9.72
04/16/2021 23:00	EDT	GLENWOOD 138 SHORE_RD 138 1	25205	NEPTUNE HVDC TIE LINE	-10.06
04/16/2021 10:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	3.47
04/16/2021 11:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	2.67
04/16/2021 12:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	3.04
04/16/2021 13:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	4.14
04/16/2021 14:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	4.86
04/16/2021 15:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	5.71
04/16/2021 16:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	7.87
04/16/2021 17:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	6.09
04/16/2021 18:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	9.12
04/16/2021 19:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	14.95
04/16/2021 20:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	13.06
04/16/2021 21:00	EDT	SHORE_RD 345 SHORE_RD 138 1	25439	SHORE_RD_345/138_BK_2	10.15