

# Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
09/06/2021 01:00	EDT	SCH - NE - NY	23318	BASE CASE	-0.52
09/06/2021 02:00	EDT	SCH - NE - NY	23318	BASE CASE	-1.29
09/06/2021 04:00	EDT	SCH - NE - NY	23318	BASE CASE	-0.4
09/06/2021 05:00	EDT	SCH - NE - NY	23318	BASE CASE	-0.22
09/06/2021 06:00	EDT	SCH - NE - NY	23318	BASE CASE	-1.16
09/06/2021 07:00	EDT	SCH - NE - NY	23318	BASE CASE	-1.99
09/06/2021 08:00	EDT	SCH - NE - NY	23318	BASE CASE	-1.14
09/06/2021 09:00	EDT	SCH - NE - NY	23318	BASE CASE	-3.13
09/06/2021 10:00	EDT	SCH - NE - NY	23318	BASE CASE	-2.57
09/06/2021 11:00	EDT	SCH - NE - NY	23318	BASE CASE	-3.04
09/06/2021 12:00	EDT	SCH - NE - NY	23318	BASE CASE	-1.58
09/06/2021 13:00	EDT	SCH - NE - NY	23318	BASE CASE	-1.65
09/06/2021 14:00	EDT	SCH - NE - NY	23318	BASE CASE	-2.21
09/06/2021 15:00	EDT	SCH - NE - NY	23318	BASE CASE	-1.84
09/06/2021 17:00	EDT	SCH - NE - NY	23318	BASE CASE	-1.52
09/06/2021 18:00	EDT	SCH - NE - NY	23318	BASE CASE	-1.87
09/06/2021 19:00	EDT	SCH - NE - NY	23318	BASE CASE	-2.15
09/06/2021 20:00	EDT	SCH - NE - NY	23318	BASE CASE	-2.89
09/06/2021 00:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	9.79
09/06/2021 01:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	8.38
09/06/2021 02:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	7.09
09/06/2021 03:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	5.08
09/06/2021 04:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	5.28
09/06/2021 05:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	6.3
09/06/2021 06:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	5.92
09/06/2021 07:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	7.19
09/06/2021 08:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	2.38
09/06/2021 16:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	8.32
09/06/2021 17:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	1.35
09/06/2021 18:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	2.61
09/06/2021 19:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	0.08
09/06/2021 13:00	EDT	E179THST 138 SHERMCRK 138 1	25156	BASE CASE	-0.03
09/06/2021 14:00	EDT	E179THST 138 SHERMCRK 138 2	25157	BASE CASE	-0.03
09/06/2021 00:00	EDT	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
09/06/2021 23:00	EDT	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
09/06/2021 06:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
09/06/2021 07:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
09/06/2021 08:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
09/06/2021 09:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
09/06/2021 13:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
09/06/2021 14:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
09/06/2021 21:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25319	BASE CASE	0.02
09/06/2021 00:00	EDT	SCH - NPX_1385	325277	BASE CASE	2.74
09/06/2021 01:00	EDT	SCH - NPX_1385	325277	BASE CASE	1.99
09/06/2021 05:00	EDT	SCH - NPX_1385	325277	BASE CASE	4.59
09/06/2021 07:00	EDT	SCH - NPX_1385	325277	BASE CASE	7.9
09/06/2021 08:00	EDT	SCH - NPX_1385	325277	BASE CASE	11.14
09/06/2021 09:00	EDT	SCH - NPX_1385	325277	BASE CASE	9.87
09/06/2021 10:00	EDT	SCH - NPX_1385	325277	BASE CASE	19.62
09/06/2021 11:00	EDT	SCH - NPX_1385	325277	BASE CASE	20.01
09/06/2021 12:00	EDT	SCH - NPX_1385	325277	BASE CASE	32.02
09/06/2021 13:00	EDT	SCH - NPX_1385	325277	BASE CASE	62.54
09/06/2021 14:00	EDT	SCH - NPX_1385	325277	BASE CASE	59.51
09/06/2021 15:00	EDT	SCH - NPX_1385	325277	BASE CASE	57.57
09/06/2021 16:00	EDT	SCH - NPX_1385	325277	BASE CASE	53.63
09/06/2021 17:00	EDT	SCH - NPX_1385	325277	BASE CASE	50.65
09/06/2021 18:00	EDT	SCH - NPX_1385	325277	BASE CASE	48.81
09/06/2021 19:00	EDT	SCH - NPX_1385	325277	BASE CASE	36.98
09/06/2021 20:00	EDT	SCH - NPX_1385	325277	BASE CASE	21.05
09/06/2021 21:00	EDT	SCH - NPX_1385	325277	BASE CASE	21.32
09/06/2021 22:00	EDT	SCH - NPX_1385	325277	BASE CASE	21.95
09/06/2021 23:00	EDT	SCH - NPX_1385	325277	BASE CASE	12.43
09/06/2021 00:00	EDT	CONED - LIPA	325625	BASE CASE	12.33

09/06/2021 01:00	EDT	CONED - LIPA	325625	BASE CASE	12.73
09/06/2021 02:00	EDT	CONED - LIPA	325625	BASE CASE	9.27
09/06/2021 03:00	EDT	CONED - LIPA	325625	BASE CASE	9.01
09/06/2021 04:00	EDT	CONED - LIPA	325625	BASE CASE	7.56
09/06/2021 05:00	EDT	CONED - LIPA	325625	BASE CASE	13.32
09/06/2021 06:00	EDT	CONED - LIPA	325625	BASE CASE	6.49
09/06/2021 07:00	EDT	CONED - LIPA	325625	BASE CASE	15.17
09/06/2021 08:00	EDT	CONED - LIPA	325625	BASE CASE	17.83
09/06/2021 09:00	EDT	CONED - LIPA	325625	BASE CASE	19.9
09/06/2021 10:00	EDT	CONED - LIPA	325625	BASE CASE	26.58
09/06/2021 11:00	EDT	CONED - LIPA	325625	BASE CASE	27.98
09/06/2021 12:00	EDT	CONED - LIPA	325625	BASE CASE	36.81
09/06/2021 13:00	EDT	CONED - LIPA	325625	BASE CASE	68.75
09/06/2021 14:00	EDT	CONED - LIPA	325625	BASE CASE	66.14
09/06/2021 15:00	EDT	CONED - LIPA	325625	BASE CASE	63.75
09/06/2021 16:00	EDT	CONED - LIPA	325625	BASE CASE	60.62
09/06/2021 17:00	EDT	CONED - LIPA	325625	BASE CASE	60.48
09/06/2021 18:00	EDT	CONED - LIPA	325625	BASE CASE	58.61
09/06/2021 19:00	EDT	CONED - LIPA	325625	BASE CASE	46.73
09/06/2021 20:00	EDT	CONED - LIPA	325625	BASE CASE	31.72
09/06/2021 21:00	EDT	CONED - LIPA	325625	BASE CASE	27.29
09/06/2021 22:00	EDT	CONED - LIPA	325625	BASE CASE	28.57
09/06/2021 23:00	EDT	CONED - LIPA	325625	BASE CASE	15.61
09/06/2021 20:00	EDT	NYCA ACTIVE DNI	990	ACTIVE DNI	-1.58
09/06/2021 10:00	EDT	BRENTWOD 69 PILGRIM 69 3	26534	BUS:PILGRIM_660_765&BK3	-0.09
09/06/2021 13:00	EDT	MOTTHAVN 345 DUNWODIE 345 1	25151	DUNWODIE-MOTTHAVN_345_72	-0.04
09/06/2021 14:00	EDT	MOTTHAVN 345 DUNWODIE 345 1	25151	DUNWODIE-MOTTHAVN_345_72	-0.04
09/06/2021 14:00	EDT	LEEDS 345 N.SCTLND 345 1	25171	N.SCTLND-LEEDS_345_94	-7.04
09/06/2021 15:00	EDT	LEEDS 345 N.SCTLND 345 1	25171	N.SCTLND-LEEDS_345_94	-14.61
09/06/2021 16:00	EDT	LEEDS 345 N.SCTLND 345 1	25171	N.SCTLND-LEEDS_345_94	-2.28
09/06/2021 19:00	EDT	NIAGB130 115 PACKARD 115 1	26055	TWR:PACKARD 77 & 78	-0.43
09/06/2021 17:00	EDT	BARRETT 138 VALLYSTR 138 2	25313	VALLYSTR-BARRETT_138_291	2.14