

# Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
02/20/2023 08:00	EST	SCH - HQ - NY	23324	BASE CASE	1.56
02/20/2023 09:00	EST	SCH - HQ - NY	23324	BASE CASE	4.87
02/20/2023 10:00	EST	SCH - HQ - NY	23324	BASE CASE	5.48
02/20/2023 11:00	EST	SCH - HQ - NY	23324	BASE CASE	5.48
02/20/2023 12:00	EST	SCH - HQ - NY	23324	BASE CASE	5.54
02/20/2023 13:00	EST	SCH - HQ - NY	23324	BASE CASE	4.14
02/20/2023 14:00	EST	SCH - HQ - NY	23324	BASE CASE	2.78
02/20/2023 15:00	EST	SCH - HQ - NY	23324	BASE CASE	5.16
02/20/2023 16:00	EST	SCH - HQ - NY	23324	BASE CASE	5.81
02/20/2023 17:00	EST	SCH - HQ - NY	23324	BASE CASE	11.05
02/20/2023 18:00	EST	SCH - HQ - NY	23324	BASE CASE	11.51
02/20/2023 19:00	EST	SCH - HQ - NY	23324	BASE CASE	11.08
02/20/2023 20:00	EST	SCH - HQ - NY	23324	BASE CASE	11.93
02/20/2023 21:00	EST	SCH - HQ - NY	23324	BASE CASE	9.29
02/20/2023 22:00	EST	SCH - HQ - NY	23324	BASE CASE	7.31
02/20/2023 23:00	EST	SCH - HQ - NY	23324	BASE CASE	0.32
02/20/2023 00:00	EST	CENTRAL EAST - VC	23330	BASE CASE	33.77
02/20/2023 01:00	EST	CENTRAL EAST - VC	23330	BASE CASE	32.45
02/20/2023 02:00	EST	CENTRAL EAST - VC	23330	BASE CASE	30.83
02/20/2023 03:00	EST	CENTRAL EAST - VC	23330	BASE CASE	30.46
02/20/2023 04:00	EST	CENTRAL EAST - VC	23330	BASE CASE	29.32
02/20/2023 05:00	EST	CENTRAL EAST - VC	23330	BASE CASE	27.62
02/20/2023 06:00	EST	CENTRAL EAST - VC	23330	BASE CASE	26.5
02/20/2023 07:00	EST	CENTRAL EAST - VC	23330	BASE CASE	34.12
02/20/2023 08:00	EST	CENTRAL EAST - VC	23330	BASE CASE	28.52
02/20/2023 09:00	EST	CENTRAL EAST - VC	23330	BASE CASE	19.11
02/20/2023 10:00	EST	CENTRAL EAST - VC	23330	BASE CASE	15.05
02/20/2023 11:00	EST	CENTRAL EAST - VC	23330	BASE CASE	13.76
02/20/2023 12:00	EST	CENTRAL EAST - VC	23330	BASE CASE	11.68
02/20/2023 13:00	EST	CENTRAL EAST - VC	23330	BASE CASE	13.24
02/20/2023 14:00	EST	CENTRAL EAST - VC	23330	BASE CASE	14.29
02/20/2023 15:00	EST	CENTRAL EAST - VC	23330	BASE CASE	9.72
02/20/2023 16:00	EST	CENTRAL EAST - VC	23330	BASE CASE	14.26
02/20/2023 17:00	EST	CENTRAL EAST - VC	23330	BASE CASE	21.78
02/20/2023 18:00	EST	CENTRAL EAST - VC	23330	BASE CASE	26.3
02/20/2023 19:00	EST	CENTRAL EAST - VC	23330	BASE CASE	16.02
02/20/2023 20:00	EST	CENTRAL EAST - VC	23330	BASE CASE	5.92
02/20/2023 21:00	EST	CENTRAL EAST - VC	23330	BASE CASE	6.46
02/20/2023 22:00	EST	CENTRAL EAST - VC	23330	BASE CASE	8.4
02/20/2023 23:00	EST	CENTRAL EAST - VC	23330	BASE CASE	6.07
02/20/2023 00:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
02/20/2023 01:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
02/20/2023 02:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
02/20/2023 03:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
02/20/2023 04:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
02/20/2023 05:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
02/20/2023 23:00	EST	RAINEY 138 VERNON 138 1	25297	BASE CASE	0.02
02/20/2023 10:00	EST	SCH - NPX_1385	325277	BASE CASE	1.5
02/20/2023 11:00	EST	SCH - NPX_1385	325277	BASE CASE	4.17
02/20/2023 12:00	EST	SCH - NPX_1385	325277	BASE CASE	2.51
02/20/2023 13:00	EST	SCH - NPX_1385	325277	BASE CASE	3.72
02/20/2023 16:00	EST	SCH - NPX_1385	325277	BASE CASE	1.09
02/20/2023 19:00	EST	SCH - NPX_1385	325277	BASE CASE	0.62
02/20/2023 20:00	EST	SCH - NPX_1385	325277	BASE CASE	2.0
02/20/2023 21:00	EST	SCH - NPX_1385	325277	BASE CASE	2.97
02/20/2023 18:00	EST	NYCA ACTIVE DNI	990	ACTIVE DNI	0.09
02/20/2023 00:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	5.05
02/20/2023 02:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	2.97
02/20/2023 04:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	0.18
02/20/2023 05:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	2.91
02/20/2023 06:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	2.07
02/20/2023 07:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	0.78
02/20/2023 08:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	0.83

02/20/2023 09:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	3.12
02/20/2023 10:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	9.7
02/20/2023 11:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	11.87
02/20/2023 12:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	9.76
02/20/2023 13:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	10.73
02/20/2023 14:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	7.73
02/20/2023 15:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	7.89
02/20/2023 16:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	9.44
02/20/2023 17:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	8.0
02/20/2023 18:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	7.78
02/20/2023 19:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	6.24
02/20/2023 20:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	9.03
02/20/2023 21:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	9.42
02/20/2023 22:00	EST	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	0.6
02/20/2023 06:00	EST	TAYLORVL 115 WATERSRD 115 1	26107	SIN:MSU1&7040& HQ GN&LD PROXY	26.93
02/20/2023 08:00	EST	TAYLORVL 115 WATERSRD 115 1	26107	SIN:MSU1&7040& HQ GN&LD PROXY	34.98