

Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
03/25/2023 00:00	EDT	SCH - OH - NY	23317	BASE CASE	2.24
03/25/2023 01:00	EDT	SCH - OH - NY	23317	BASE CASE	2.98
03/25/2023 02:00	EDT	SCH - OH - NY	23317	BASE CASE	2.97
03/25/2023 03:00	EDT	SCH - OH - NY	23317	BASE CASE	1.41
03/25/2023 09:00	EDT	SCH - NE - NY	23318	BASE CASE	2.66
03/25/2023 17:00	EDT	SCH - NE - NY	23318	BASE CASE	5.56
03/25/2023 18:00	EDT	SCH - NE - NY	23318	BASE CASE	0.94
03/25/2023 19:00	EDT	SCH - NE - NY	23318	BASE CASE	5.15
03/25/2023 20:00	EDT	SCH - NE - NY	23318	BASE CASE	2.87
03/25/2023 21:00	EDT	SCH - NE - NY	23318	BASE CASE	0.26
03/25/2023 00:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	8.45
03/25/2023 01:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	8.83
03/25/2023 02:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	9.3
03/25/2023 03:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	10.92
03/25/2023 04:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	19.35
03/25/2023 05:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	29.86
03/25/2023 06:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	40.2
03/25/2023 07:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	40.16
03/25/2023 08:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	44.68
03/25/2023 09:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	43.48
03/25/2023 10:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	41.83
03/25/2023 11:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	44.0
03/25/2023 12:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	47.04
03/25/2023 13:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	43.65
03/25/2023 14:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	42.5
03/25/2023 15:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	43.0
03/25/2023 16:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	47.96
03/25/2023 17:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	57.51
03/25/2023 18:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	52.49
03/25/2023 19:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	58.66
03/25/2023 20:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	53.78
03/25/2023 21:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	44.77
03/25/2023 22:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	34.15
03/25/2023 23:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	31.26
03/25/2023 06:00	EDT	NIAGARA 115 NIAGARA 230 1	25409	BASE CASE	0.02
03/25/2023 14:00	EDT	NIAGARA 115 NIAGARA 230 1	25409	BASE CASE	0.28
03/25/2023 17:00	EDT	NIAGARA 115 NIAGARA 230 1	25409	BASE CASE	0.4
03/25/2023 18:00	EDT	NIAGARA 115 NIAGARA 230 1	25409	BASE CASE	0.36
03/25/2023 11:00	EDT	SCH - NPX_1385	325277	BASE CASE	0.89
03/25/2023 12:00	EDT	SCH - NPX_1385	325277	BASE CASE	0.48
03/25/2023 13:00	EDT	SCH - NPX_1385	325277	BASE CASE	0.44
03/25/2023 17:00	EDT	SCH - NPX_1385	325277	BASE CASE	1.11
03/25/2023 19:00	EDT	SCH - NPX_1385	325277	BASE CASE	1.54
03/25/2023 07:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	3.26
03/25/2023 08:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	0.97
03/25/2023 09:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	2.87
03/25/2023 10:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	3.28
03/25/2023 11:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	5.48
03/25/2023 12:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	4.52
03/25/2023 13:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	5.35
03/25/2023 14:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	5.31
03/25/2023 15:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	4.36
03/25/2023 16:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	5.17
03/25/2023 17:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	4.96
03/25/2023 18:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	6.18
03/25/2023 19:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	3.8
03/25/2023 20:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	3.03
03/25/2023 21:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	4.99
03/25/2023 22:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	3.51
03/25/2023 23:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	4.04
03/25/2023 07:00	EDT	PACKARD 230 PACKARD 115 1	25415	SCB:NIAG_W(1414):195&AT2	-0.1
03/25/2023 08:00	EDT	PACKARD 230 PACKARD 115 1	25415	SCB:NIAG_W(1414):195&AT2	-0.12
03/25/2023 09:00	EDT	PACKARD 230 PACKARD 115 1	25415	SCB:NIAG_W(1414):195&AT2	-0.11

03/25/2023 10:00	EDT	PACKARD 230 PACKARD 115 1	25415	SCB:NIAG_W(1414):195&AT2	-0.11
03/25/2023 11:00	EDT	PACKARD 230 PACKARD 115 1	25415	SCB:NIAG_W(1414):195&AT2	-0.19
03/25/2023 12:00	EDT	PACKARD 230 PACKARD 115 1	25415	SCB:NIAG_W(1414):195&AT2	-0.2
03/25/2023 13:00	EDT	PACKARD 230 PACKARD 115 1	25415	SCB:NIAG_W(1414):195&AT2	-0.18
03/25/2023 14:00	EDT	PACKARD 230 PACKARD 115 1	25415	SCB:NIAG_W(1414):195&AT2	-0.16
03/25/2023 15:00	EDT	PACKARD 230 PACKARD 115 1	25415	SCB:NIAG_W(1414):195&AT2	-0.18
03/25/2023 16:00	EDT	PACKARD 230 PACKARD 115 1	25415	SCB:NIAG_W(1414):195&AT2	-0.2
03/25/2023 17:00	EDT	PACKARD 230 PACKARD 115 1	25415	SCB:NIAG_W(1414):195&AT2	-0.2
03/25/2023 18:00	EDT	PACKARD 230 PACKARD 115 1	25415	SCB:NIAG_W(1414):195&AT2	-0.18
03/25/2023 19:00	EDT	PACKARD 230 PACKARD 115 1	25415	SCB:NIAG_W(1414):195&AT2	-0.24
03/25/2023 20:00	EDT	PACKARD 230 PACKARD 115 1	25415	SCB:NIAG_W(1414):195&AT2	-0.22
03/25/2023 21:00	EDT	PACKARD 230 PACKARD 115 1	25415	SCB:NIAG_W(1414):195&AT2	-0.19
03/25/2023 16:00	EDT	MALONE 115 WILLIS 115 1	25586	TWR:MOSES MW2 & MAL4	-8.04
03/25/2023 17:00	EDT	MALONE 115 WILLIS 115 1	25586	TWR:MOSES MW2 & MAL4	-9.99
03/25/2023 18:00	EDT	MALONE 115 WILLIS 115 1	25586	TWR:MOSES MW2 & MAL4	-13.42
03/25/2023 19:00	EDT	MALONE 115 WILLIS 115 1	25586	TWR:MOSES MW2 & MAL4	-14.3
03/25/2023 20:00	EDT	MALONE 115 WILLIS 115 1	25586	TWR:MOSES MW2 & MAL4	-14.31
03/25/2023 21:00	EDT	MALONE 115 WILLIS 115 1	25586	TWR:MOSES MW2 & MAL4	-13.39
03/25/2023 22:00	EDT	MALONE 115 WILLIS 115 1	25586	TWR:MOSES MW2 & MAL4	-13.35
03/25/2023 23:00	EDT	MALONE 115 WILLIS 115 1	25586	TWR:MOSES MW2 & MAL4	-13.64