

# Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
03/15/2023 07:00	EDT	SCH - HQ - NY	23324	BASE CASE	0.35
03/15/2023 00:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	23.98
03/15/2023 01:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	17.01
03/15/2023 02:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	18.66
03/15/2023 03:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	18.66
03/15/2023 04:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	15.33
03/15/2023 05:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	25.35
03/15/2023 06:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	37.84
03/15/2023 07:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	56.88
03/15/2023 08:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	48.74
03/15/2023 09:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	52.34
03/15/2023 10:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	27.32
03/15/2023 11:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	43.33
03/15/2023 12:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	39.43
03/15/2023 13:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	36.87
03/15/2023 14:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	44.52
03/15/2023 15:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	39.95
03/15/2023 16:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	44.66
03/15/2023 17:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	50.93
03/15/2023 18:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	53.41
03/15/2023 19:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	45.37
03/15/2023 20:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	41.48
03/15/2023 21:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	37.04
03/15/2023 22:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	30.54
03/15/2023 23:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	14.33
03/15/2023 08:00	EDT	SCH - NPX_1385	325277	BASE CASE	2.52
03/15/2023 10:00	EDT	SCH - NPX_1385	325277	BASE CASE	2.63
03/15/2023 11:00	EDT	SCH - NPX_1385	325277	BASE CASE	2.6
03/15/2023 12:00	EDT	SCH - NPX_1385	325277	BASE CASE	2.48
03/15/2023 13:00	EDT	SCH - NPX_1385	325277	BASE CASE	2.76
03/15/2023 14:00	EDT	SCH - NPX_1385	325277	BASE CASE	2.96
03/15/2023 15:00	EDT	SCH - NPX_1385	325277	BASE CASE	2.32
03/15/2023 16:00	EDT	SCH - NPX_1385	325277	BASE CASE	4.69
03/15/2023 17:00	EDT	SCH - NPX_1385	325277	BASE CASE	0.45
03/15/2023 19:00	EDT	SCH - NPX_1385	325277	BASE CASE	18.53
03/15/2023 20:00	EDT	SCH - NPX_1385	325277	BASE CASE	2.72
03/15/2023 21:00	EDT	SCH - NPX_1385	325277	BASE CASE	1.62
03/15/2023 22:00	EDT	SCH - NPX_1385	325277	BASE CASE	2.71
03/15/2023 23:00	EDT	SCH - NPX_1385	325277	BASE CASE	6.75
03/15/2023 07:00	EDT	NYCA ACTIVE DNI	990	ACTIVE DNI	0.18
03/15/2023 19:00	EDT	NYCA ACTIVE DNI	990	ACTIVE DNI	0.87
03/15/2023 06:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	1.3
03/15/2023 08:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	5.44
03/15/2023 09:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	2.05
03/15/2023 10:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	5.97
03/15/2023 11:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	5.54
03/15/2023 12:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	6.14
03/15/2023 13:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	7.08
03/15/2023 14:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	6.61
03/15/2023 15:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	7.06
03/15/2023 16:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	10.7
03/15/2023 17:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	5.61
03/15/2023 18:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	3.64
03/15/2023 19:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	22.42
03/15/2023 20:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	4.83
03/15/2023 21:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	9.44
03/15/2023 22:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	8.83
03/15/2023 23:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	12.12
03/15/2023 12:00	EDT	PACKARD 230 PACKARD 115 1	25415	SCB:NIAG_W(1414):195&AT2	-0.09
03/15/2023 14:00	EDT	PACKARD 230 PACKARD 115 1	25415	SCB:NIAG_W(1414):195&AT2	-0.11
03/15/2023 15:00	EDT	PACKARD 230 PACKARD 115 1	25415	SCB:NIAG_W(1414):195&AT2	-0.1
03/15/2023 00:00	EDT	HOLTS_8G 69 W_YAPHNK 69 1	26547	TWR:SILLSRD 872 & 873	-24.39
03/15/2023 01:00	EDT	HOLTS_8G 69 W_YAPHNK 69 1	26547	TWR:SILLSRD 872 & 873	-21.58

03/15/2023 02:00	EDT	HOLTS_8G 69 W_YAPHNK 69 1	26547	TWR:SILLSRD 872 & 873	-16.95
03/15/2023 03:00	EDT	HOLTS_8G 69 W_YAPHNK 69 1	26547	TWR:SILLSRD 872 & 873	-17.01
03/15/2023 04:00	EDT	HOLTS_8G 69 W_YAPHNK 69 1	26547	TWR:SILLSRD 872 & 873	-18.33
03/15/2023 08:00	EDT	HOLTS_8G 69 W_YAPHNK 69 1	26547	TWR:SILLSRD 872 & 873	-40.65
03/15/2023 09:00	EDT	HOLTS_8G 69 W_YAPHNK 69 1	26547	TWR:SILLSRD 872 & 873	-12.06
03/15/2023 10:00	EDT	HOLTS_8G 69 W_YAPHNK 69 1	26547	TWR:SILLSRD 872 & 873	-9.41
03/15/2023 11:00	EDT	HOLTS_8G 69 W_YAPHNK 69 1	26547	TWR:SILLSRD 872 & 873	-3.44
03/15/2023 16:00	EDT	HOLTS_8G 69 W_YAPHNK 69 1	26547	TWR:SILLSRD 872 & 873	-16.53
03/15/2023 17:00	EDT	HOLTS_8G 69 W_YAPHNK 69 1	26547	TWR:SILLSRD 872 & 873	-13.43