

Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
04/25/2023 06:00	EDT	SCH - HQ - NY	23324	BASE CASE	1.92
04/25/2023 07:00	EDT	SCH - HQ - NY	23324	BASE CASE	5.56
04/25/2023 08:00	EDT	SCH - HQ - NY	23324	BASE CASE	4.79
04/25/2023 09:00	EDT	SCH - HQ - NY	23324	BASE CASE	1.78
04/25/2023 10:00	EDT	SCH - HQ - NY	23324	BASE CASE	0.16
04/25/2023 18:00	EDT	SCH - HQ - NY	23324	BASE CASE	2.87
04/25/2023 19:00	EDT	SCH - HQ - NY	23324	BASE CASE	7.64
04/25/2023 20:00	EDT	SCH - HQ - NY	23324	BASE CASE	9.66
04/25/2023 21:00	EDT	SCH - HQ - NY	23324	BASE CASE	2.84
04/25/2023 06:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	2.99
04/25/2023 07:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	11.8
04/25/2023 08:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	0.99
04/25/2023 16:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	1.44
04/25/2023 17:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	9.07
04/25/2023 18:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	5.76
04/25/2023 19:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	5.51
04/25/2023 20:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	9.45
04/25/2023 22:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	0.64
04/25/2023 06:00	EDT	NYCA ACTIVE DNI	990	ACTIVE DNI	0.85
04/25/2023 19:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	NEPTUNE HVDC TIE LINE	2.45