

Day Ahead Limiting Constraints

Time Stamp	Time Zone	Limiting Facility	Facility PTID	Contingency	Constraint Cost (\$)
09/30/2023 09:00	EDT	CENTRAL EAST - VC	23330	BASE CASE	4.43
09/30/2023 10:00	EDT	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	2.94
09/30/2023 11:00	EDT	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	2.21
09/30/2023 12:00	EDT	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	1.36
09/30/2023 13:00	EDT	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	0.73
09/30/2023 14:00	EDT	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	0.18
09/30/2023 15:00	EDT	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	1.15
09/30/2023 16:00	EDT	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	0.91
09/30/2023 17:00	EDT	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	3.02
09/30/2023 18:00	EDT	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	2.58
09/30/2023 19:00	EDT	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	2.73
09/30/2023 20:00	EDT	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	3.11
09/30/2023 21:00	EDT	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	0.32
09/30/2023 22:00	EDT	SPRNBK 345 EGRDNCTR 345 1	25105	BASE CASE	0.55
09/30/2023 06:00	EDT	E179THST 138 HELLGATE 138 1	25288	BASE CASE	0.02
09/30/2023 07:00	EDT	E179THST 138 HELLGATE 138 1	25288	BASE CASE	0.02
09/30/2023 08:00	EDT	E179THST 138 HELLGATE 138 1	25288	BASE CASE	5.23
09/30/2023 09:00	EDT	E179THST 138 HELLGATE 138 1	25288	BASE CASE	3.32
09/30/2023 10:00	EDT	E179THST 138 HELLGATE 138 1	25288	BASE CASE	4.32
09/30/2023 11:00	EDT	E179THST 138 HELLGATE 138 1	25288	BASE CASE	6.48
09/30/2023 12:00	EDT	E179THST 138 HELLGATE 138 1	25288	BASE CASE	6.64
09/30/2023 13:00	EDT	E179THST 138 HELLGATE 138 1	25288	BASE CASE	6.27
09/30/2023 14:00	EDT	E179THST 138 HELLGATE 138 1	25288	BASE CASE	5.58
09/30/2023 15:00	EDT	E179THST 138 HELLGATE 138 1	25288	BASE CASE	4.6
09/30/2023 16:00	EDT	E179THST 138 HELLGATE 138 1	25288	BASE CASE	4.23
09/30/2023 17:00	EDT	E179THST 138 HELLGATE 138 1	25288	BASE CASE	1.47
09/30/2023 18:00	EDT	E179THST 138 HELLGATE 138 1	25288	BASE CASE	4.99
09/30/2023 20:00	EDT	E179THST 138 HELLGATE 138 1	25288	BASE CASE	0.94
09/30/2023 21:00	EDT	E179THST 138 HELLGATE 138 1	25288	BASE CASE	3.6
09/30/2023 22:00	EDT	E179THST 138 HELLGATE 138 1	25288	BASE CASE	3.87
09/30/2023 08:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	5.22
09/30/2023 09:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	3.31
09/30/2023 10:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	4.33
09/30/2023 11:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	6.49
09/30/2023 12:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	6.65
09/30/2023 13:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	6.28
09/30/2023 14:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	5.59
09/30/2023 15:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	4.61
09/30/2023 16:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	4.24
09/30/2023 17:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	1.48
09/30/2023 18:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	5.0
09/30/2023 20:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	0.94
09/30/2023 21:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	3.61
09/30/2023 22:00	EDT	RAINEY 138 VERNON 138 1	25296	BASE CASE	3.88
09/30/2023 08:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25320	BASE CASE	5.21
09/30/2023 09:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25320	BASE CASE	3.32
09/30/2023 10:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25320	BASE CASE	4.32
09/30/2023 11:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25320	BASE CASE	6.48
09/30/2023 12:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25320	BASE CASE	6.64
09/30/2023 13:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25320	BASE CASE	6.27
09/30/2023 14:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25320	BASE CASE	5.58
09/30/2023 15:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25320	BASE CASE	4.6
09/30/2023 16:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25320	BASE CASE	4.25
09/30/2023 17:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25320	BASE CASE	1.48
09/30/2023 18:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25320	BASE CASE	5.01
09/30/2023 19:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25320	BASE CASE	0.02
09/30/2023 20:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25320	BASE CASE	0.95
09/30/2023 21:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25320	BASE CASE	3.6
09/30/2023 22:00	EDT	FRESHKLS 138 WILLWBRK 138 1	25320	BASE CASE	3.87
09/30/2023 09:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	0.02
09/30/2023 10:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	5.85
09/30/2023 11:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	4.4
09/30/2023 12:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	2.72

09/30/2023 13:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	1.46
09/30/2023 14:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	0.37
09/30/2023 15:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	2.3
09/30/2023 16:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	1.81
09/30/2023 17:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	6.01
09/30/2023 18:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	5.12
09/30/2023 19:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	5.42
09/30/2023 20:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	6.17
09/30/2023 21:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	0.65
09/30/2023 22:00	EDT	DUNWODIE 345 SHORE_RD 345 1	25091	SCB:SPBK(RNS2):Y49&M29&Y49_ST	1.1