

Day Ahead Limiting Constraints

| Time Stamp | Time Zone | Limiting Facility | Facility PTID | Contingency | Constraint Cost (\$) |
|------------------|-----------|-----------------------------|---------------|-------------------------------|----------------------|
| 12/02/2023 06:00 | EST | SCH - PJ - NY | 23316 | BASE CASE | 0.62 |
| 12/02/2023 20:00 | EST | NYCA ACTIVE DNI | 990 | ACTIVE DNI | -0.34 |
| 12/02/2023 15:00 | EST | DUNWODIE 345 SHORE_RD 345 1 | 25091 | SCB:SPBK(RNS2):Y49&M29&Y49_ST | 0.02 |
| 12/02/2023 17:00 | EST | DUNWODIE 345 SHORE_RD 345 1 | 25091 | SCB:SPBK(RNS2):Y49&M29&Y49_ST | 6.31 |
| 12/02/2023 18:00 | EST | DUNWODIE 345 SHORE_RD 345 1 | 25091 | SCB:SPBK(RNS2):Y49&M29&Y49_ST | 4.0 |
| 12/02/2023 19:00 | EST | DUNWODIE 345 SHORE_RD 345 1 | 25091 | SCB:SPBK(RNS2):Y49&M29&Y49_ST | 0.02 |
| 12/02/2023 20:00 | EST | DUNWODIE 345 SHORE_RD 345 1 | 25091 | SCB:SPBK(RNS2):Y49&M29&Y49_ST | 3.3 |
| 12/02/2023 21:00 | EST | DUNWODIE 345 SHORE_RD 345 1 | 25091 | SCB:SPBK(RNS2):Y49&M29&Y49_ST | 3.03 |